

TAILORED SOLUTIONS

We help companies operate better...

2017 - 2018 Safety Product & Solutions Catalog

About Martin Safety Solutions





We Help Companies Operate Better...

The Leaders of Martin Inc. – Douglas, David and Gordon Ruggles

Company Overview

- ► Founded in 1934
- Technical Safety& Industrial Distributor
- Privately owned& Family managed
- Operations throughout the Southeast
- Recognized leader in delivering sustainable cost savings through Custom Tailored Solutions and product expertise
- Shipping & Sourcing Globally
- AD Member



Core Values & Beliefs

- Customer-Focused Strive to exceed expectations
- Integrity First and Foremost
- Build Lasting Relationships In every interaction
- ► Fair Profit Expect to make only a fair profit
- Teamwork Together everyone achieves more
- Entrepreneurial Spirit –We encourage it
- Continuous Improvement Never be satisfied
- Golden Rule –Treat as you want to be treated
- Good Citizen –To our community and our country
- Personal Growth Mentally, physically & spiritually



Solutions make your job easier and we can help!

Martin's On-Site Safety Services provides all services needed on your jobsite or plant. From full-scale turnarounds to one-day projects, our safety professionals are highly trained to oversee permits and inspect or manage your compliance needs. Prior to your order, the rental fleet from Martin is fully inspected and certified by our manufacturer-trained technicians.

On-The-Job Personnel

- Safety leadership
- Safety plan development and implementation
- TA project manager
- Certified breathing air technicians
- ► Factory-certified gas detection technicians

Extensive Rental Offering

- Supplied air breathing equipment (SAR, SCBA, EEBA, etc.)
- Respirators
- Multi-gas detection equipment
- Single-gas detection instruments
- Environmental instrumentation
- Radiation instrumentation
- Air sampling equipment
- Specialty instrumentation
- Water quality equipment
- Abatement Equipment
- Communication equipment
- Fall protection equipment
- Confined space equipment
- ► First aid/ eyewash/ personal cooling equipment

Breathing Air Solutions - Mobile Air Solutions

- ▶ Two-cylinder carts
- ► Multi-packs (12-packs)
- Cylinder trailers (32-cylinder high pressure has 14,800 cf of air; in a smaller cargo trailer)

Are you OSHA ready?

The Martin Safety Solutions team has been helping manufacturers and the industry with their training and compliance needs to keep your workers safe. No matter where you are, we help train workers, supervisors, and anyone in your business that needs to know about important safety issues, to help keep your workforce safe and to keep you ready for OSHA. We have experienced industry leaders to develop custom tailored safety training solutions for whatever concerns you face.

Here is a sample of our general safety assistance programs;

- Written Safety procedures
- Employee Safety training
- ► Forklift training
- Lockout-Tagout
- Machine Guarding
- Confined Space
- ► Fall Arrest (Harness & Lanyard)
- ▶ Fire Emergency Plans
- Hand & Powered Tool Safety training
- ▶ Bloodborne Pathogens
- ▶ Hazard Communications
- Drug Free Workplace training
- ▶ Written Safety Program Assessment
- Mastery Online Safety Training
- Workplace Violence/Active Shooter
- OSHA Compliance Consultations
- Supervisor Training
- Personal Protective Equipment
- Respiratory
- ▶ Hearing Conservation
- Emergency Evacuation
- ▶ Heat Stress Issues
- Ladder Safety
- OSHA 10 & 30 Hour General Industrial Plant Safety Audits
- ► Plant Safety Inspections
- SDS Training
- Harassment & Discrimination Training
- ▶ OSHA Compliance Assessment
- Aerial Scissor Lift Training



CONTACT US!

Telephone:

888.372.3604

Mailing Address:

125 North Court Street Florence, Alabama 35630

Fax:

901.620.2655

Email:

MSSrequests@martinsafety.com

Web:

www.martinsafety.com

LOCATIONS:

ALABAMA

Sheffield

256.383.3131 800.828.8116 Fax 256.383.3136

Decatur

256.355.6311 800.239.6190 Fax 256.351.8512

Tuscaloosa

205.752.0421 800.239.6195 Fax 205.345.1940

Birmingham

205.733.9292 800.554.4516 Fax 205.733.9299

Anniston

256.389.3365 Fax 256.389.3364

GEORGIA

Atlanta

404.346.2141 800.282.5111 Fax 404.346.5508

MISSISSIPPI

Tupelo

662.869.1800 800.284.9714 Fax 662.869.1121

SOUTH CAROLINA

Greenville

864.848.1958 800.897.9777 Fax 864.848.3122

TENNESSEE

Jackson

731.424.4300 800.935.1386 Fax 731.935.8601

Memphis

901.620.2732 Fax 901.620.2655

Nashville

615.851.8040 Fax 615.851.7488



About Martin Safety Solutions

1

Head & Face Protection

3-52

Glasses & Goggles 4-19
Hard Hats 20-25
Respiratory 26-43
Hearing 44-52

Hand Protection

53-80

Protective Clothing

81-94

Fall Protection

95-110

111-156

Facility Care

_

Index, Terms & Conditions

157



Head & Face Protection



The Problem:

Are you OSHA ready?

The Martin Safety Solution:

Martin Safety Solutions can help you with any OSHA compliance or laws/standards concerns.

OSHA requires employers to be responsible for providing a safe and healthful workplace.

https://www.osha.gov

Eye and face protection must be provided whenever necessary to protect against chemicals, environmental, and radiological hazards or mechanical irritants. Head protection must be provided whenever necessary to protect against a potential for injury to the head from falling objects. Ensuring worker safety includes conducting a workplace hazard assessment and providing the adequate training to make sure everyone goes home safely to their families.

For our extensive list of Custom Tailored Safety Solutions, please refer to page 1 or visit our website at www.martinsafety.com.

- ► Glasses and Goggles4-19
- ► Hard Hats.....20-25
- ► Respiratory. 26-43
- ► Hearing 44-52

These fine manufacturers help us bring you custom tailored solutions-









Honeywell
















Features sports styling and a durable frame with a pressure-free fit. Soft nosepiece and rubber insert temple tips for comfort. Curved lens with side windows provides excellent peripheral vision. All lenses are treated to prevent fogging and provide 99% UV protection. Meets ANSI Z87.1+ High Impact standard.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
SB5110DT	PYRASB5110DT	Black	Clear, anti-fog	Ea	\$4.96
SB5120DT	PYRASB5120DT	Black	Gray, anti-fog	Ea	\$5.45





Feature a polycarbonate frameless design with straight temples and integrated nosepiece that fits all facial sizes. Lens is coated for superior scratch resistance and provides 99% UV protection. Meets ANSI Z87.1+ High Impact standard. CE EN166 certified.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
S3210S	PYRAS3210S	Clear	Clear	Ea	\$1.35





Frameless lightweight design.

Features scratch-resistant, polycarbonate lenses. Offers protection from excessive glare and provides 99% UV protection. Meets ANSI Z87.1+ High Impact standard.

ASB2010S BI	ack Clear	r Ea	\$3.05
	ASB2010S BI	ASB2010S Black Clear	ASB2010S Black Clear Ea



Features a single-lens design and adjustable temples for comfortable fit and reliable protection. Includes



a replacement lens to extend the life of each pair. Polycarbonate lenses with scratch-resistant coating provide 99% UV protection. Select frames are available with ratchet adjustment temples. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. CE EN 166 Certified.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
SB420S	PYRASB420S	Black	Gray	Ea	\$1.87



Intruder® Glasses



Economical, lightweight safety glasses feature 100% polycarbonate scratch-resistant lenses. Provides 99% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
S4110S	PYRAS4110S	Clear	Clear	Ea	\$0.91
S4120S	PYRAS4120S	Gray	Gray	Ea	\$0.91
S4180S	PYRAS4180S	I/O mirror	I/O mirror	Ea	\$1.42





Stylish, ergonomic frame combines with sleek polycarbonate lenses for the ultimate in protection and style. Features ventilated straight-back flexible temples with rubber temple tips to keep eyewear secure, and built-in rubber nosepiece for all-day comfort. Base curve



9 polycarbonate lenses provide 99% UV protection. Includes black lanyard cord. Meets ANSI Z87.1+ High Impact standard.

#	MARTIN #	FRAME	LENS	UOM	PRICE
SB6310SP	PYRASB6310SP	Black	Clear	Ea	\$3.24
SB6320SP	PYRASB6320SP	Black	Gray	Ea	\$3.71
SB6380SP	PYRASB6380SP	Black	I/O mirror	Ea	\$3.71







Economical, lightweight glasses offer superior protection. Soft nosepiece provides comfort

fit; rubber temples provide non-slip comfort. Provides 99% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
S7210S	PYRAS7210S	Clear temples	Clear	Ea	\$1.76
S7220S	PYRAS7220S	Gray temples	Gray	Ea	\$1.95



P

Adaptable design accommodates most facial sizes. Ratcheting lens

SB2810S

S2510S

pitch adjustment allows wearer to align lens angle to proper position for individual work applications. Flexible nylon temples have four size settings for custom, comfortable fit. Adjustable nose pad conforms to broad range of bridge sizes. Lens/frame design allows air to flow freely up and away from lens to prevent fogging. Meets ANSI Z87.1+ High Impact standard. CE EN 166 Certified. MCEPS GL-PD 10-12.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
SB2810S	PYRASB2810S	Black	Clear	Ea	\$3.05
SB2820S	PYRASB2820S	Black	Gray	Ea	\$3.64
SB2830S	PYRASB2830S	Black	Amber	Ea	\$3.64



Features wraparound single lens with panoramic view. Rubber temple tips provide non-binding fit. Lenses are coated for superior scratch resistance and provide 99% UV protection. Meets

ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. CE EN 166 certified.

ITEM#	MARTIN #	FRAME	LENS	иом	PRICE
S2510S	PYRAS2510S	Clear	Clear	Ea	\$1.27
S2510ST	PYRAS2510ST	Clear	Clear, anti-fog	Ea	\$1.91
S2520S	PYRAS2520S	Gray	Gray	Ea	\$1.27
S2520ST	PYRAS2520ST	Gray	Gray, anti-fog	Ea	\$1.91
S2530S	PYRAS2530S	Amber	Amber	Ea	\$1.27
S2580S	PYRAS2580S	I/O mirror	I/O mirror	Ea	\$1.55



particles or debris, and also added comfort and stability. Dielectric. Available with MAX3 hard lens coating or MAX6 anti-fog coating. Dielectric breakaway cord included. Meets ANSI Z87+.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
BD110P	MCRBD110P	Gun metal	Clear, MAX3	Ea	\$7.00
BD110PF	MCRBD110PF	Gun metal	Clear, MAX6	Ea	\$7.75
BD112P	MCRBD112P	Gun metal	Gray, MAX3	Ea	\$7.43
BD112PF	MCRBD112PF	Gun metal	Gray, MAX6	Ea	\$8.18
BD117	MCRBD117	Gun metal	Silver mirror, MAX3	Ea	\$8.15
BD119	MCRBD119	Gun metal	I/O, MAX3	Ea	\$8.00



9.75-Base curve lens provides full side
protection without distracting seams or traditional
sideshields. Lenses are coated for superior scratch resistance
and offer 99% UV protection. Comfortable nose buds secure glass,
prevent slipping and provide pillow-soft fit. Meets ANSI Z87.1+
High Impact standard. Certified to the requirements of the
CSA Z94.3 standard. CE EN 166 certified.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
SB1810S	PYRASB1810S	Black	Clear	Ea	\$2.82
SB1820S	PYRASB1820S	Black	Gray	Ea	\$3.00
SB1860S	PYRASB1860S	Black	Infinity Blue	Ea	\$3.56



BearKat 3® Safety Glasses

Safety Glasses

One-piece, wraparound, polycarbonate lens offers unobstructed vision. Flexible temples and soft, secure gel nosepiece enhance comfort. Non-slip, rubber head grips are notched for a clip-on breakaway cord. Meets ANSI Z87.1+ High Impact standard.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
BK310AF	MCRBK310AF	Clear	Clear, anti-scratch, anti-fog	Ea	\$2.27



BK310AF



BearKat Magnifier® Safety Glasses

One-piece, wraparound, polycarbonate lens offers unobstructed vision and filters

more than 99.9% of UV radiation. Flexible temples enhance comfort. Non-slip, rubber head grips are notched for a clip-on breakaway cord. Meets ANSI Z87.1+ High Impact standard.

	ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE	
\blacktriangle	BKH10	MCRBKH10	Clear	Clear, anti-scratch, +1.0	Ea	\$4.65	4
\blacktriangle	BKH15	MCRBKH15	Clear	Clear, anti-scratch, +1.5	Ea	\$4.65	
$\textcolor{red}{\blacktriangle}$	BKH20	MCRBKH20	Clear	Clear, anti-scratch, +2.0	Ea	\$4.65	
\blacktriangle	BKH25	MCRBKH25	Clear	Clear, anti-scratch, +2.5	Ea	\$4.65	4
\blacktriangle	BKH10G	MCRBKH10G	Smoke	Gray, anti-scratch, +1.0	Ea	\$5.13	4
\blacktriangle	BKH15G	MCRBKH15G	Smoke	Gray, anti-scratch, +1.5	Ea	\$5.13	
\blacktriangle	BKH20G	MCRBKH20G	Smoke	Gray, anti-scratch, +2.0	Ea	\$5.13	
	BKH25G	MCRBKH25G	Smoke	Gray, anti-scratch, +2.5	Ea	\$5.13	



BKH10

HellKat® Safety Glasses

Comfortable and stylish. Lens offers outstanding orbital seal and prevents hazards from threatening eyesight. Soft secure thermoplastic rubber (TPR) nose pads provide long lasting comfort and non-slip soft temple material helps hold the eyewear firmly in place. Meets ANSI Z87.1+ High Impact standard. Red temple styles certified to the requirements of the CSA Z94.3 standard.

HK110

RT110AF

	ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
$\textcolor{red}{\blacktriangle}$	HK110	MCRHK110	Clear	Clear, anti-scratch	Pr	\$1.63
A	HK110AF	MCRHK110AF	Clear	Clear, anti-scratch, anti-fog	Pr	\$2.13
\blacktriangle	HK112	MCRHK112	Smoke	Gray, anti-scratch	Pr	\$1.63
A	HK112AF	MCRHK112AF	Smoke	Gray, anti-scratch, anti-fog	Pr	\$2.13





BearKat® Safety Glasses

Popular "frameless" safety glasses feature wide, 1-piece wraparound, polycarbonate lens for unobstructed vision and close fit. Flexible, bayonet temples and black, rubber temple sleeves for use with breakaway cords. Provide 99.9% UV protection. Treated with Duramass® scratch-resistant coating; also available with Duramass A4 anti-fog coating. Meets ANSI Z87.1+ High Impact standard.

	ITEM # MARTIN #		FRAME LENS		UOM	PRICE
	BK110	MCRBK110	Frost	Clear, anti-scratch	Ea	\$1.30
A	BK110AF	MCRBK110AF	Frost	Clear, anti-scratch, anti-fog	Ea	\$1.98
	BK112	MCRBK112	Frost black	Gray, anti-scratch	Ea	\$1.30
A	BK112AF	MCRBK112AF	Frost black	Gray, anti-scratch, anti-fog	Ea	\$1.98



Law® Over-the-Glass Safety Glasses

Features durable, wraparound nylon frame with 5-position ratchet action temple and non-slip thermoplastic rubber (TPR) temple inserts. Dielectric. Lightweight polycarbonate lens has Duramass® scratch-resistant coating and Duramass AF4 anti-fog coating. Meets ANSI Z87.1+ High Impact standard.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE	
OG110AF	MCROG110AF	Matte gray	Clear, anti-scratch, anti-fog	Ea	\$3.92	A
OG112AF	MCROG112AF	Matte gray	Gray, anti-scratch, anti-fog	Ea	\$4.28	A



RattlerTM Safety Glasses

Features lightweight nylon frame and polycarbonate wraparound lens design for greater side impact protection and full-length, non-slip, thermoplastic rubber (TPR) temple sleeves for comfort and grip. Closed-cell foam seal provides optimum protection from dust and debris. Interchangeable 3-position ratcheting bayonet temples and adjustable headband included with each pair. Headband has hook-and-loop closure for one-handed adjusting while wearing. Treated with anti-fog and Duramass® scratch-resistant lens coatings. Meets ANSI Z87.1+ High Impact standard.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
RT110AF	MCRRT110AF	Black	Clear, anti-scratch, anti-fog	Ea	\$8.57
RT112AF	MCRRT112AF	Black	Gray, anti-scratch, anti-fog	Ea	\$9.00
	RT110AF	RT110AF MCRRT110AF	RT110AF MCRRT110AF Black	RT110AF MCRRT110AF Black Clear, anti-scratch, anti-fog RT112AF MCRRT112AF Black Gray, anti-scratch,	RT110AF MCRRT110AF Black Clear, anti-scratch, anti-fog Ea

11472-00000-20



SR110 SR119AF

Swagger® Safety Glasses

SR112

Features soft material co-injected onto temples, thermoplastic rubber (TPR) nose grips, breakaway cord and wider temples for better side protection. Excellent orbital seal. Polycarbonate lens provides 99.9% UV protection. Lenses have Duramass® scratch-resistant hard coating with available anti-fog. Meets ANSI Z87.1+ High Impact standard.

	ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE	
	SR110	MCRSR110	Black	Clear, anti-scratch	Ea	\$4.92	4
	SR112	MCRSR112	Black	Gray, anti-scratch	Ea	\$5.33	
	SR114	MCRSR114	Black	Amber, anti-scratch	Ea	\$5.50	4
A	SR117	MCRSR117	Black	Silver mirror, anti-scratch	Ea	\$6.00	4

ı	ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
_ 4	SR118B	MCRSR118B	Black	Blue diamond, anti-scratch	Ea	\$6.33
4	SR119AF	MCRSR119AF	Black	I/O mirror, anti-scratch, anti-fog	Ea	\$6.33
4	SR11R	MCRSR11R	Black	Fire mirror, anti-scratch	Ea	\$6.33

3M

3MTM BXTM and BXTM Readers Safety Eyewear

Contoured, fully adjustable design features soft-tip temples, soft nosebridge, three lens angles for custom fit, and polycarbonate lenses that absorb 99.9% UV. Available with integrated bifocal reader for workers who need extra magnification during close-up work. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

ITEM #	MARTIN #	LENS	UOM	PRICE
BX, Silver/Black Fran	те			
11380-00000-20	3M11380-00000-20	Clear, anti-fog	Ea	\$4.45
11381-00000-20	3M11381-00000-20	Gray, anti-fog	Ea	\$5.20
BX, Ocean Blue Fran	пе			
11471-00000-20	3M11471-00000-20	Clear, anti-fog	Ea	\$4.45
11472-00000-20	3M11472-00000-20	I/O mirror	Ea	\$4.92
11523-00000-20	3M11523-00000-20	Light blue, anti-fog	Ea	\$5.20
11524-00000-20	3M11524-00000-20	Light amber, anti-fog	Ea	\$5.20
11525-00000-20	3M11525-00000-20	I/O gray mirror	Ea	\$5.20

	ITEM #	MARTIN #	LENS	UOM	PRICE		
	BX Readers, Silver/E	Black Frame					
	11374-00000-20	3M11374-00000-20	Clear, anti-fog, +1.5	Ea	\$10.59		
	11375-00000-20	3M11375-00000-20	Clear, anti-fog, +2.0	Ea	\$10.59		
	11376-00000-20	3M11376-00000-20	Clear, anti-fog, +2.5	Ea	\$10.59		
	11377-00000-20	3M11377-00000-20	Gray, anti-fog, +1.5	Ea	\$11.25		
	11378-00000-20	3M11378-00000-20	Gray, anti-fog, +2.0	Ea	\$11.25		
	11379-00000-20	3M11379-00000-20	Gray, anti-fog, +2.5	Ea	\$11.14		
	BX Readers, Ocean Blue Frame						
_	11473-00000-20	3M11473-00000-20	I/O mirror, anti-fog, +1.5	Ea	\$11.25		
A	11474-00000-20	3M11474-00000-20	I/O mirror, anti-fog, +2.0	Ea	\$11.25		
A	11475-00000-20	3M11475-00000-20	I/O mirror, anti-fog, +2.5	Ea	\$11.25		

11374-00000-20

3M

3MTM LexaTM Fighter Safety Eyewear

Standard features of Lexa eyewear sold in bulk packaging, 100/case. Features stylish, sleek wraparound design with adjustable length temples and lens angle adjustment for customized fit. DX[™] anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Available with the patriotic American red, white and blue (RWB) frame. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

ITEM #	MARTIN #	FRAME	LENS	SIZES	UOM	PRICE
15152-00000-100	3M15152-00000-100	Black	Clear, anti-fog	M	Ea	\$6.53
15154-00000-100	3M15154-00000-100	Black	Clear, anti-fog	L	Ea	\$6.53
15258-00000-100	3M15258-00000-100	American RWB	Clear, anti-fog	M	Ea	\$5.33



15152-00000-100



/!\ WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



13353-00000-20

3MTM LexaTM Safety Readers

Contoured lens eliminates need for sideshields, and adjustable temple lengths and lens angle provide custom fit. Easy-change lenses are compatible with Lexa Splash Gogglegear and Lexa Dust Gogglegear. DX™ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Available with the MinimIzeR™ lens, which helps protect the wearer from "flash burn" and offers more UV protection than what is required in Table 1 of ANSI Z87.1-2003. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
13353-00000-20	3M13353-00000-20	Lexa Readers	Black	Clear, anti-fog, +1.5	Ea	\$9.31
13354-00000-20	3M13354-00000-20	Lexa Readers	Black	Clear, anti-fog, +2.0	Ea	\$9.31
13355-00000-20	3M13355-00000-20	Lexa Readers	Black	Clear, anti-fog, +2.5	Ea	\$9.31



3MTM Light VisionTM and Light Vision2TM Safety **Eyewear with LED Lights**

Features hands-free, adjustable direct lighting, (2) bright, adjustable LED lights, wraparound design, and cushioned brow, nosebridge and temple tips for comfort. Polycarbonate lenses absorb 99.9% UV. Includes replaceable CR2032 3 V batteries, microfiber storage bag and lanyard. Both models meet ANSI Z87.1+ High Impact standard; Light Vision2 also certified to the requirements of the CSA Z94.3 standard.

ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
11356-00000-10	3M11356-00000-10	Light Vision	Gray	Clear, anti-fog	Ea	\$7.54
11476-00000-10	3M11476-00000-10	Light Vision2	Gray	Clear, anti-fog	Ea	\$16.09
11477-00000-10	3M11477-00000-10	Light Vision2 Readers	Gray	Clear, +1.5	Ea	\$22.12
11478-00000-10	3M11478-00000-10	Light Vision2 Readers	Gray	Clear, +2.0	Ea	\$22.12
11479-00000-10	3M11479-00000-10	Light Vision2 Readers	Gray	Clear, +2.5	Ea	\$22.12



Lightweight frame designed with a high-wrap lens for extended coverage and optical clarity. Features elastomeric browguard and dual-injected adjustable temples with 3-position lens adjustment for better fit. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

	ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
A	14246-00000-20	3M14246-00000-20	Silver/black	Clear, anti-fog	Ea	\$8.31
A	14247-00000-20	3M14247-00000-20	Silver/black	Gray, anti-fog	Ea	\$8.49
A	14248-00000-20	3M14248-00000-20	Silver/black	I/O mirror	Ea	\$9.18



3MTM MaximTM Plus Safety Eyewear

Designed with a wide frame to fit larger head sizes. Adjustable lens angle provides eye/cheek coverage, and adjustable temple offers four different lengths. Flexible nosebridge, dual-injected cushioned browguard and frame/lens ventilation channels help ensure comfortable wear. DX™ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

	ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
A	12282-00000-20	3M12282-00000-20	Blue ice	Clear, anti-fog	Ea	\$10.49
A	12283-00000-20	3M12283-00000-20	Blue ice	Gray, anti-fog	Ea	\$10.67

WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor. read User Instructions and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

3MTM MaximTM Safety Eyewear

Lightweight style offers a dual-injected, cushioned browguard for comfort, and ventilation channel designed to help minimize fogging. Features 3-position pantascopic lens adjustment, adjustable temple lengths and soft, adjustable nosebridge. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
13250-00000-20	3M13250-00000-20	Maxim	Black	Clear	Ea	\$9.10
13251-00000-20	3M13251-00000-20	Maxim	Black	Bronze	Ea	\$9.96
13267-00000-20	3M13267-00000-20	Maxim replacement lens		Clear	20/Cs	\$64.74



3MTM MaximTM Sport Safety Eyewear

Dual-color frame design features sport-grip, dual-injected temples

and browguard with soft, elastomeric cushion. High wrap offers additional coverage. DX™ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.


	ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
A	13274-10000-20	3M13274-10000-20	Silver/blue	Clear, anti-fog	Ea	\$9.10

3MTM NitrousTM Safety Eyewear

3MTM NitrousTM CCS Safety Eyewear

Features the Corded earplug Control System (CCS), a unique temple design that allows the wearer to keep earplugs attached to eyewear. Design provides convenient access to hearing protection, serves as a lanyard for safety glasses when neither product is in use and is compatible with a variety of vinyl-corded earplugs. Nitrous CCS also offers soft temple tips and a lightweight, contemporary design.

Impact standard. PRICE ITEM # MARTIN # FRAME LENS UOM 11801-00000-20 3M11801-00000-20 Black Clear, anti-fog \$8.97 \$8.97 Gray, anti-fog



I/O mirror

11802-00000-20 3M11802-00000-20 11803-00000-20 3M11803-00000-20

13274-10000-20

Sleek, street-wear styling and semi-frameless, unisex design guarantees employee compliance. Features soft, comfortable temple tips and nosebridge for all day comfort and polycarbonate lenses that absorb 99.9% UV. Lanyard and micro-fiber bag included. Meets ANSI Z87.1+ High Impact standard.



ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
11712-00000-20	3M11712-00000-20	Metallic silver	Bronze, anti-fog	Ea	\$12.82
11713-00000-20	3M11713-00000-20	Metallic blue	Clear, anti-fog	Ea	\$9.14
11715-00000-20	3M11715-00000-20	Met. champagne	I/O mirror	Ea	\$13.72

3MTM PrivoTM Safety Eyewear

Features color-accented temples and European-inspired styling. Soft-tipped temples for comfortable fit. Polycarbonate lenses absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
12261-00000-20	3M12261-00000-20	Orange accent temple tips	Black	Clear, anti-fog	Ea	\$5.39
12262-00000-20	3M12262-00000-20	Orange accent temple tips	Black	Gray, anti-fog	Ea	\$6.16
12263-00000-20	3M12263-00000-20	Orange accent temple tips	Black	Amber, anti-fog	Ea	\$6.16
12264-00000-20	3M12264-00000-20	Orange accent temple tips	Black	I/O mirror	Ea	\$7.28
12265-00000-20	3M12265-00000-20	Red accent temple tips	Silver	Clear, anti-fog	Ea	\$5.45
12266-00000-20	3M12266-00000-20	Red accent temple tips	Silver	Gray, anti-fog	Ea	\$6.16
12267-00000-20	3M12267-00000-20	Red accent temple tips	Silver	Amber, anti-fog	Ea	\$6.16
12268-00000-20	3M12268-00000-20	Red accent temple tips	Silver	I/O mirror	Ea	\$7.28



\$8.69





3M

3MTM SecureFitTM 400-Series Protective Eyewear



Stylish design weighs less than 1 oz., has a soft adjustable nosepiece to help reduce slippage, incorporates dual-material on temples to provide cushioned comfort plus enhanced style and features the proprietary 3M[™] Pressure Diffusion Temple Technology – a scientific advancement that helps diffuse pressure over the ear, enhanced temple comfort while not compromising the security of fit across diverse workforces. Polycarbonate lens absorbs 99.9% UV. Meets the ANSI Z87.1+ High Impact standard.

ITEM #	MARTIN #	LENS	UOM	PRICE
SF401AF	3MSF401AF	Clear, anti-fog	Ea	\$3.23
SF402AF	3MSF402AF	Gray, anti-fog	Ea	\$3.40
SF410AS	3MSF410AS	I/O mirror	Ea	\$4.05

3M

3MTM SecureFitTM Safety Readers

Stylish design weighs less than 1 oz., has soft adjustable nosepads for greater

personalization, and incorporates dual-material on temples to provide cushioned comfort plus enhanced style. Incorporates 3M[™] Pressure Diffusion Temple Technology to help diffuse pressure over the ear and provide enhanced temple comfort while not compromising the security of fit. Corrective vision to multiple degrees. Polycarbonate lens absorbs 99.9% UV. Meets the requirements of ANSI Z87.1-2010.

	ITEM #	MARTIN #	FRAME	LENS	иом	PRICE
$\textcolor{red}{\blacktriangle}$	SF415AF	3MSF415AF	Clear	Clear, +1.0	Ea	\$6.15
$\textcolor{red}{\blacktriangle}$	SF420AF	3MSF420AF	Clear	Clear, +2.0	Ea	\$6.15
$\textcolor{red}{\blacktriangle}$	SF425AF	3MSF425AF	Clear	Clear, +2.5	Ea	\$6.15





3MTM SecureFitTM Protective Eyewear

3M™ Pressure Diffusion Temple Technology means there are no moving parts and nothing to adjust, while the versatile design is suited for a wide variety of faces. Lightweight, weighs less than 1 oz. Continually self-adjusting for a secure, comfortable fit. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
SF201AF	3MSF201AF	Clear	Clear, anti-fog	Ea	\$2.24
SF202AF	3MSF202AF	Gray	Gray, anti-fog	Ea	\$2.40
SF203AF	3MSF203AF	Amber	Amber, anti-fog	Ea	\$2.40
SF201AS	3MSF201AS	Clear	Clear, anti-scratch	Ea	\$1.90
SF202AS	3MSF202AS	Gray	Gray, anti-scratch	Ea	\$2.07
SF203AS	3MSF203AS	Amber	Amber, anti-scratch	Ea	\$2.07



3M

3MTM SolusTM 1000 Series Eyewear

Features removable temples, soft nosebridge, optional elastic strap, padded temples for added comfort, and vented, removable foam gasket to help reduce eye exposure. Scotchgard™ Anti-Fog Coating lasts longer than traditional anti-fog coatings, helping to increase eyewear performance in wet and steamy environments. Workers may enjoy reliable, clearer sight longer, because the coating, with its active ingredient, is bonded to the lens. Coating retains its effectiveness for at least 25 washings, allowing workers to wear their eyewear longer. Coating can be disinfected with diluted bleach soaking or alcohol wipes without losing its anti-fog performance. Meets the requirements of ANSI Z87.1 and CSA Z94.3.

ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
S1101SGAF-KT	3MS1101SGAF-KT	Kit w/ Solus 1000 safety glasses, foam gasket & strap	Blue/black	Clear, Scotchgard anti-fog	Ea	\$13.84
S1101SGAF	3MS1101SGAF	Solus 1000	Blue/black	Clear, Scotchgard anti-fog	Ea	\$9.22
S1102SGAF	3MS1102SGAF	Solus 1000	Blue/black	Gray, Scotchgard anti-fog	Ea	\$9.22
S1103SGAF	3MS1103SGAF	Solus 1000	Blue/black	Amber, Scotchgard anti-fog	Ea	\$9.22





3M

3MTM Tour-GuardTM III Safety Eyewear

Ideal for visitors and temporary workers. Polycarbonate construction features integral sideshields. Regular size designed to fit over most personal Rx eyewear. Lenses absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	SIZES	UOM	PRICE
41110-00000-100	3M41110-00000-100	958 Tour-Guard III, dispenser box	Clear	Clear	Regular	Ea	\$1.84
41200-00000-100	3M41200-00000-100	960 Tour-Guard III, dispenser box	Clear	Clear	S	Ea	\$1.84
41210-00000-100	3M41210-00000-100	960B Tour-Guard III. standard bulk packaging	Clear	Clear	S	Ea	\$1.64



3M 3N

3MTM VirtuaTM Safety Eyewear

Features lightweight frame design, unisex styling and a high-wrap lens for front and side impact protection. Lenses available with anti-fog coating or hardcoat. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
Virtua					
11326-00000-20	3M11326-00000-20	Clear	Clear, hardcoat	Ea	\$1.40
11329-00000-20	3M11329-00000-20	Clear	Clear, anti-fog	Ea	\$1.64
11228-00000-100	3M11228-00000-100	Clear	Clear, uncoated	Ea	\$4.37
11328-00000-20	3M11328-00000-20	Clear	I/O mirror, hardcoat	Ea	\$2.13
11327-00000-20	3M11327-00000-20	Gray	Gray, hardcoat	Ea	\$1.57
11330-00000-20	3M11330-00000-20	Gray	Gray, anti-fog	Ea	\$1.75
11331-00000-20	3M11331-00000-20	Blue Mirror	Blue mirror, hardcoat	Ea	\$2.46
Virtua Sport					
11385-00000-20	3M11385-00000-20	Clear	Clear, hardcoat	Ea	\$1.83
11384-00000-20	3M11384-00000-20	Clear	Clear, anti-fog	Ea	\$2.23
11386-00000-20	3M11386-00000-20	Gray	Gray, anti-fog	Ea	\$2.38
11388-00000-20	3M11388-00000-20	I/O	I/O mirror	Ea	\$2.54
11742-00000-20	3M11742-00000-20	I/O gray	I/O gray, anti-fog	Ea	\$2.39
11542-00000-20	3M11542-00000-20	Light blue	Light blue, anti-fog	Ea	\$2.33
11543-00000-20	3M11543-00000-20	Light blue	Light blue, hardcoat	Ea	\$2.01
11544-00000-20	3M11544-00000-20	Light amber	Light amber, anti-fog	Ea	\$2.33
11545-00000-20	3M11545-00000-20	Light amber	Light amber, hardcoat	Ea	\$1.96




∴ WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.







11796-00000-20

Lightweight, contemporary eyewear is designed to work with hearing protection to help aid compliance. Corded earplug Control System (CCS) is a unique temple design that allows the wearer to keep earplugs attached to eyewear. Provides convenient access to hearing protection, serves as a lanyard for eyewear, and is compatible with a variety of vinyl-corded earplugs. Features polycarbonate lenses that absorb 99.9% UV. Free earplugs included. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

	ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
\blacktriangle	11796-00000-20	3M11796-00000-20	Blue	Clear, anti-fog	Ea	\$4.26
\blacktriangle	11797-00000-20	3M11797-00000-20	Blue	Clear, hardcoat	Ea	\$3.74
	11798-00000-20	3M11798-00000-20	Blue	Gray, anti-fog	Ea	\$4.26
	11799-00000-20	3M11799-00000-20	Blue	Gray, hardcoat	Ea	\$3.74



3MTM VirtuaTM V4 Safety Eyewear

Soft, dual-injected temples for all-day comfort. Lightweight design and unisex styling. Polycarbonate wraparound lens. Meets ANSI Z87.1+ High Impact standard.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
11670-00000-20	3M11670-00000-20	Black	Clear, hardcoat	Ea	\$2.08
11672-00000-20	3M11672-00000-20	Black	Clear, anti-fog	Ea	\$2.68
11671-00000-20	3M11671-00000-20	Black	Gray, hardcoat	Ea	\$2.25
11673-00000-20	3M11673-00000-20	Black	Gray, anti-fog	Ea	\$2.86
11674-00000-20	3M11674-00000-20	Black	I/O mirror	Ea	\$2.92

3M

3MTM Smart LensTM Protective Eyewear

Light reactive lens lightens and darkens with changing outdoor light conditions: light to dark in less than 20 seconds, dark to light in less than 3 minutes. Nylon brow and magnesium alloy temples. Spring-hinged temples for a narrow or wide fit. Soft, adjustable nosebridge. Polycarbonate lens absorbs 99.9% UV. Meets the High Impact requirements of ANSI Z87.1-2003.



Note: Safety directors should assess their particular workplace and make all Smart Lens wearers aware of the time required for the lens transition. Special care should be taken when moving from outdoors to indoors. Outdoor temperatures may affect lens transition time.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
13407-00000-5	3M13407-00000-5	Black	Photochromic, anti-fog	Ea	\$59.44

↑ WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

Honeywell

A800 Series Safety Glasses

Features sports-styled temples, extra flexible, padded inserts and soft nosepiece for a non-slip fit. The 9-base curve, polycarbonate lens provides 180° field of distortion-free vision and 99.9% UV protection. Anti-scratch lens hardcoat protects against scuffing, scratching, and a variety of chemicals. Meets ANSI Z87.1+ 2015 standard.



ITEM#	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
A800	NTHA800	A800 Series	Clear	Clear, hardcoat	Ea	\$2.47
A801	NTHA801	A800 Series	Gray	TSR gray, hardcoat	Ea	\$2.85

Honeywell

Genesis® Safety Glasses

Features dual 9-base curve, wraparound lenses for peripheral protection, flexible nosepiece fingers for reduced slippage, elastomer browguard for impact protection, and adjustable spatulite temples and lens inclination. Impact-resistant polycarbonate lenses block 99.9% of UV radiation. Ultra-dura® hardcoat provides enhanced chemical and scratch resistance. Lifetime frame guarantee. Meets the ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. Meets Military V₀ Ballistic Test for Impact. Made in USA.



ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
S3200	NTHS3200	Genesis	Black	Clear, Ultra-dura	Ea	\$7.85
S6900	NTHS6900	Replacement lens		Clear, Ultra-dura	Ea	\$3.32



Honeywell Genesis® Safety Glasses with HydroShieldTM

Features dual 9-base curve, wraparound lenses for peripheral protection, flexible nosepiece fingers for reduced slippage, elastomer browguard for impact protection, and adjustable spatulite temples and lens inclination. Impact-resistant polycarbonate lenses block 99.9% of UV radiation. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer lasting fog-free performance, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than our next best coating. Lifetime frame guarantee. Meets the ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard. Lens tints meet Military V₀ Ballistic Test for Impact.




ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
S3200HS	NTHS3200HS	Genesis w/ HydroShield	Black	Clear, HydroShield	Ea	\$8.67
S3201HS	NTHS3201HS	Genesis w/ HydroShield	Black	Espresso, HydroShield	Ea	\$9.53
S6900HS	NTHS6900HS	Genesis replacement lens		Clear, HydroShield	Ea	\$4.12

S3300HS

S3301HS

$\begin{array}{ll} \textbf{Honeywell} & \textbf{Genesis XC}^{\$} \ \textbf{Safety Glasses} \\ \textbf{with HydroShield}^{TM} \end{array}$

Features extended wraparound lens and soft, flexible nose fingers. Using Multi-Material Technology®, the frame cushions the points where eyewear contacts the face, brow, nose and ear. Adjustable temples and lens inclination for personal fit. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer fog-free performance, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than our next best coating. Lifetime frame guarantee. Meets ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard. Meets Military V₀ Ballistic Test for Impact.







Honeywell Uvex LivewireTM Sealed Eyewear with HydroShieldTM

Delivers the fit, performance and protection required in extreme environments, protecting workers against intense wind, sun, dirt, dust and debris, as well as high heat and humidity. Optimized design ensures excellent, comfortable fit for almost any wearer. Streamlined, wraparound frame design accommodates respirators and other PPE, while the low-profile temples fit comfortably with earmuffs. Foam-lined subframe is precision engineered to offer maximum comfort and a gap-free seal around the eyes to keep debris out. Padded temples are engineered to provide ideal tension and flex for superior comfort and fit. Ratcheting temples adjust lens angle by up to 15° for optimal coverage and air circulation. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer lasting fog-free performance, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than our next best coating. Can be worn with a headband like a goggle or with temples like a spectacle. Highly adjustable, flame-resistant cloth headband provides an excellent fit and is latex-free. Meets ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard.



ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
S2600HS	NTHS2600HS	Livewire w/ HydroShield	Matte black	Clear, HydroShield	Ea	\$15.75



Honeywell Uvex TiradeTM Sealed Eyewear

Offers protection in high particulate environments where dust, dirt and debris present the risk of eye injury. Features a large unilens design for a wide field of unobstructed peripheral vision, and a soft foam subframe to ensure a comfortable gap-free fit. Indirect ventilation channels on the foam and subframe provide superior dust filtration keeping debris out of the eyes. Quick-release hinge system converts easily from temples to headband. Dependable, cost-effective solution for indoor and outdoor environments requiring sealed eyewear protection. Removable temples and standard adjustable headband included; hypoallergenic latex-free option available. Uvextra® anti-fog coating helps keep lenses clear in humid or extreme environments. 100% Non-conductive dielectric design. Can be worn in environments where accidental exposure to electrical charge is possible. Meets the ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard (with and without foam subframe in place). Not for chemical splash applications.

ITEM# N	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
S4040	NTHS4040	Tirade	Gloss black	Clear, Uvextra	Ea	\$6.80



Honeywell Uvex Protégé® Safety Glasses with HydroShieldTM

Proprietary Floating LensTM technology offers increased flexibility for a more comfortable fit. Includes standard 6-base curve lens. Features expandable wraparound brow, ultra-lightweight design (only 25 grams), soft cushioned temple tip pads and soft nosepads. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer lasting fog-free performance, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than our next best coating. Meets ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard. Also meets Military V_0 Ballistic Test for Impact.

ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
S4200HS	NTHS4200HS	Protégé w/ HydroShield	Metallic black	Clear, HydroShield	Ea	\$5.28

Honeywell UVEX

Uvex Seismic® Sealed Eyewear

Contemporary, flexible design can be worn with or without the removable temples. Includes flame-resistant, adjustable headband and cushioned subframe. Protects against impact, sun, wind, dust and airborne debris, making it ideal for dirty, high-particulate work environments. Includes soft nasal pads, face cushioning and padded temple tips. Wraparound 8-base dual-lens style for maximum peripheral coverage. Top and bottom indirect ventilation helps to minimize fogging. Lenses coated with Uvextra® anti-fog coating that helps keep lenses clear in humid or extreme environments. Meets ANSI Z87.1+ 2015 High Impact standard for use with and without cushion-lined frame. Certified to the requirements of the CSA Z94.3 2007 standard only with subframe in place.

ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	иом	PRICE
S0600X	NTHS0600X	Seismic	Black	Clear, Uvextra	Ea	\$13.15

XV100

XV101





Uvex XV100 **Series Safety** Glasses

Features 10-base, wraparound

unilens for great peripheral vision and protection; molded, universal nosepiece for easy fit; lightweight design and thin, shaped temples for all-day comfort. Anti-scratch lens hardcoat protects against scuffing, scratching, and a variety of chemicals. Meets ANSI Z87.1-2010 standard.

ITEM#	MARTIN #	FRAME	LENS	иом	PRICE		
XV100 Series							
XV100	NTHXV100	Clear frosted	Clear, hardcoat	Ea	\$1.33		
XV101	NTHXV101	Gray frosted	Gray, hardcoat	Ea	\$1.33		



PMXCEL® Safety Goggles

Sporty, lightweight design eliminates the bulkiness of a goggle. Inner foam padding is fire-retardant and provides excellent sealed protection from wind, dust and other debris. Durable frame features straight temples with detachable strap. Meets ANSI Z87.1+ High Impact standard.

ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
SB7310DT	PYRASB7310DT	PMXCEL	Black	Clear	Ea	\$7.09



Capstone Series Safety Goggles

Fits over prescription glasses. Fully adjustable elastic band. Goggle incorporated with removable shield provides full face protection. Ratchet shield allows user to open or close in 3 positions for adjustment. Four ventilation holes provide appropriate airflow. Polycarbonate shield conforms to the face offering increased impact and dust protection. Indirect-vent frame provides protection against splash and dust. Soft vinyl goggle body conforms to facial contours for a very comfortable fit. Scratch-resistant polycarbonate lens.



ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
GG504TSHIELD	PYRAGG504TSHIELD	Capstone w/ faceshield	Clear	Clear, anti-fog	Ea	\$19.91





ForceFlex® Goggles

Soft shell goggle surpasses ANSI Z87+ and CSA Z94.3 standards.



Full TPR body forms a tight seal to protect from small particles, debris, liquids, and injury. Durable, ultra-flexible multi-polymer frame for all day comfort. Elastic head band for the perfect fit. 3-Point ratcheting temples.

ITEM#	MARTIN #	FRAME	LENS	UOM	PRICE
ForceFlex					
FFG110AF	MCRFFG110AF	Gray	Clear, anti-fog	Ea	\$13.33
FFG112AF	MCREEG112AE	Grav	Gray anti-fog	Fa	\$14.00



PGX1TM Safety **Goggles**

Features polycarbonate lens, body with thermoplastic



rubber (TPR) seal, external liquid and chemical diversion channel, and internal perspiration channel. Multiple points of indirect venting make them ideal for chemical and splash protection. Includes a microfiber cleaning bag. Lifetime frame warranty. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
PGX1 with A	Adjustable Elastic Strap				
PGX110A	F MCRPGX110AF	Silver	Clear, anti-fog	Ea	\$16.22
PGX112A	F MCRPGX112AF	Silver	Gray, anti-fog	Ea	\$17.17



RP112AF



ReaperTM Goggles

Stylish, functional design. Removable closed cell foam gasket forms a seal around each eye blocking out debris and small particles. Each side is vented to allow air to flow inside the lens. Dual lenses are made of lightweight, scratch-resistant polycarbonate that filters 99.9% of harmful UV rays.

ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
RP110AF	MCRRP110AF	Reaper	Black	Clear, anti-scratch, anti-fog	Ea	\$10.00
RP112AF	MCRRP112AF	Reaper	Black	Gray, anti-scratch, anti-fog	Ea	\$10.43
RP117	MCRRP117	Reaper	Black	Silver mirror, anti-scratch, anti-fog	Ea	\$10.53
RP118B	MCRRP118B	Reaper	Black	Blue diamond mirror, anti-scratch, anti-fog	Ea	\$10.87
RP119AF	MCRRP119AF	Reaper	Black	I/O clear mirror, anti-scratch, anti-fog	Ea	\$10.87





40660-00000-10

Fits over most eyewear. Model 332 impact goggles feature direct venting; model 334 splash goggles feature indirect venting. Tough Duralite® polycarbonate lens absorbs 99.9% UV. Anti-fog coating optional. Meets ANSI Z87.1+ High Impact standard.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
332 Impact Goggles					
40650-00000-10	3M40650-00000-10	Clear	Clear	Ea	\$1.07
40651-00000-10	3M40651-00000-10	Clear	Clear, anti-fog	Ea	\$2.78
334 Splash Goggles					
40660-00000-10	3M40660-00000-10	Clear	Clear	Ea	\$2.32
40661-00000-10	3M40661-00000-10	Clear	Clear, anti-fog	Ea	\$3.34



3MTM CenturionTM Goggles

Impact-resistant, wraparound lens offers exceptional peripheral vision. Large lens opening fits

over most Rx eyewear. Two styles available: impact (direct vented) and splash (indirect vented). Polycarbonate lens with anti-fog coating provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
Centurion Impact Go	ggles				
40300-00000-10	3M40300-00000-10	Clear	Clear	Ea	\$5.85
40301-00000-10	3M40301-00000-10	Clear	Clear, anti-fog	Ea	\$7.53
Centurion Splash Go	ggles				
40304-00000-10	3M40304-00000-10	Clear	Clear	Ea	\$6.74
40305-00000-10	3M40305-00000-10	Clear	Clear, anti-fog	Ea	\$8.03

3MTM Goggle Gear 500 Series

Splash goggle with low-profile design, adjustable strap and optional prescription insert. Polycarbonate lenses absorb 99.9% of UV rays. Scotchgard™ Anti-Fog Coating lasts longer than traditional anti-fog coatings, helping to increase eyewear performance in wet and steamy environments. Workers may enjoy reliable, clearer sight longer, because the coating, with its active ingredient, is bonded to the lens. Coating retains its effectiveness for at least 25 washings, allowing workers to wear their eyewear longer. Coating can be disinfected with dilutedbleach soaking or alcohol wipes without losing its anti-fog performance. Meets the requirements of ANSI Z87.1 and CSA Z94.3.



ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS		PRICE
▲ GG501SGAF	3MGG501SGAF	Goggle Gear 500	Red/gray	Clear, Scotchgard anti-fog	Ea	\$13.84
▲ GG500-PI	3MGG500-PI	Goggle Gear 500Rx insert		Clear, Scotchgard anti-fog	Ea	\$7.38



3MTM LexaTM Dust GoggleGearTM

Provides a wider viewing area and lighter solution to standard impact goggles. Easy-to clean foam helps seal out particulates. DX™ anti-fog hardcoat protects lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

	ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	SIZES	UOM	PRICE
A	16615-00000-10	3M16615-00000-10	Lexa Dust GoggleGear w/ adjustable temples	Black	Clear, anti-fog	М	Ea	\$10.36
A	16616-00000-10	3M16616-00000-10	Lexa Dust GoggleGear w/ adjustable temples	Black	Clear, anti-fog	L	Ea	\$10.36
A	16617-00000-10	3M16617-00000-10	Lexa Dust GoggleGear w/ strap	Black	Clear, anti-fog	М	Ea	\$10.62
A	16618-00000-10	3M16618-00000-10	Lexa Dust GoggleGear w/ strap	Black	Clear, anti-fog	L	Ea	\$10.62


WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read User Instructions and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

3MTM LexaTM Splash **GoggleGear**TM

Lightweight, low-profile, contoured design with soft PVC

shroud that gently hugs the face. Patented ellipsoidal lens extends the viewing range in every direction. Indirect ventilation allows air to circulate and helps reduce fogging. Comes fully assembled with Lexa eyewear and headstrap. $\mathsf{D}\mathsf{X}^{\mathsf{TM}}$ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.





3MTM MaximTM

2 x 2 Air Flow Goggles

Vented air seal is designed to help minimize fogging. Features excellent orbital eye coverage and a wide field of vision. Elastic strap helps ensure a comfortable, secure fit. Also sold in a 10-piece kit with replacement lenses, temple bars and a case. Meets ANSI Z87.1+ High Impact standard.

	ITEM #	MARTIN #	FRAME	LENS	UOM	PRICE
$\textcolor{red}{\blacktriangle}$	40698-00000	3M40698-00000	Black	Clear, anti-fog	Ea	\$25.73
\blacktriangle	40699-00000	3M40699-00000	Black	Gray, anti-fog	Ea	\$25.73





40698-00000

3MTM MaximTM 2 x 2 Goggles

Ideal when protection from dust, wind and the sun is needed. Features high-impact nylon frame construction, vented design to help reduce heat and fogging, and interchangeable lenses. Polycarbonate lenses absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard.





40687-00000-10

ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
40678-10000	3M40678-10000	Maxim 2 x 2 goggles, kit w/ case & replacement lens	Black	Clear, anti-fog	Ea	\$48.74
40686-00000-10	3M40686-00000-10	Maxim 2 x 2 goggles w/ strap & temples	Black	Clear, anti-fog	Ea	\$24.81
40687-00000-10	3M40687-00000-10	Maxim 2 x 2 goggles w/ strap & temples	Black	Gray, anti-fog	Ea	\$25.64
40696-00000-10	3M40696-00000-10	Maxim 2 x 2 goggles w/ strap, temples & side venting	Black	Clear, anti-fog	Ea	\$28.48
40683-00000	3M40683-00000	Replacement lens		Clear, anti-fog	25/Bx	\$97.00
40684-00000	3M40684-00000	Replacement lens		Gray, anti-fog	25/Bx	\$101.85

3MTM MaximTM Plus Dust Goggles

Interchangeable lenses offer the flexibility to adapt your eye protection based on the environment. Features adjustable elastic headband, pivoting temple, soft foam lens backing to help keep out dust particles and direct ventilation to channel heat away from the face. DXTM anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.



ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
12305-00000-20	3M12305-00000-20	Maxim Plus dust goggles w/ strap	Black	Clear, anti-fog	Ea	\$14.54

3MTM MaximTM Splash Goggles

Low-profile and sleek design complements facial shapes, and the advanced DuoSoft™ polymeric shroud ensures comfort at every point of contact. "Over-the-Glass" lens is available for workers who wear prescription eyewear. Low-profile model includes DX™ anti-fog hardcoat to help protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.



ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
40671-00000-10	3M40671-00000-10	Maxim splash goggles w/ over-the-glass lens	Black	Clear, anti-fog	Ea	\$16.79



3MTM Modul-RTM Goggle System

Low-profile goggles provide a wide field of vision and include a fire-retardant, adjustable strap for a secure fit. Light, durable polycarbonate impact visor option offers full face protection and can flip-up in a stand-by position when not in use. Visor is vented to increase air circulation. Meets ANSI Z87.1+ High Impact standard. Meets Military $\rm V_0$ Ballistic Test for Impact.

ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
40658-00000-10	3M40658-00000-10	Modul-R goggles w/ vented impact visor	Clear	Clear, anti-fog	Ea	\$17.65

!\WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

Honeywell UVEX

Uvex Stealth® Goggles with HydroShieldTM

Features lightweight, comfortable, low-profile design, and toric lenses for superior optics and peripheral vision. Unique lens system for quick and simple replacement. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer lasting fog-free performance, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than our next best coating. Quick-adjust neoprene headband clips permit fast and easy fitting even on hard hats. Meets ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard. Made in USA.

ITEM #	MARTIN #	DESCRIPTION	FRAME	LENS	UOM	PRICE
S3960HS	NTHS3960HS	Stealth w/ HydroShield	Gray/gray	Clear, HydroShield	Ea	\$12.70
S3961HS	NTHS3961HS	Stealth w/ HydroShield	Gray/gray	Gray, HydroShield	Ea	\$13.42
S700HS	NTHS700HS	Stealth replacement lens w/ HydroShield		Clear, HydroShield	Ea	\$5.00
S701HS	NTHS701HS	Stealth replacement lens w/ HydroShield		Gray, HydroShield	Ea	\$5.83



Q: What is the difference between Direct Vented, Indirect Vented and Non-Vented goggles?

A: Choosing a goggle depends on your application needs. Direct Vented Goggles permit a direct air flow from the work environment into the goggle and are designed for situations where impact is the hazard and a splash or vapor hazard does not exist. Indirect Vented Goggles feature a "hooded" or covered vent that allows free air movement but prevents the direct passage of liquid. These goggles are intended for applications that require protection from chemical splash. Non-Vented Goggles have no venting of any kind and prevent the passage of dust, mist, liquid and vapors. A good use for this goggle is in applications where chemical vapor* is the hazard.

*Non-Vented goggles are not gas-proof goggles. When gas-proof goggles are required to be worn, non-vented goggles will not provide adequate protection.





Adapt to the shape of a wide range of frames. No tools required to install or remove. Clear. Meets ANSI Z87.1+ High Impact standard.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
SS100	PYRASS100	Slip-on side shields	Pr	\$2.36



23451-00030-20

Can be used with many different spectacle styles.

WARNING: This product does not meet the side impact performance requirement of ANSI Z87.1+ High Impact standard. If user is exposed to potential side impacts, use ANSI Z87.1 compliant safety spectacles with side protection, goggles or faceshields with primary eye protection to avoid serious eye injuries.

ITEM#	MARTIN #	DESCRIPTION	UOM	PRICE
23451-00030-20	3M23451-00030-20	Clear eyewear side covers	20/Cs	\$50.94

3MTM Super-ClearTM **Protective Eyewear Lens Cleaning Towelettes**

Individual protective eyewear lens cleaning towelette packets. Safe for use on all lens types including hardcoat and anti-fog lenses. Convenient self-dispensing box.



83745-00000

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
83745-00000	3M83745-00000	Lens cleaning towelettes	1000/Cs	\$215.14



ITEM #	MARTIN #	COLOR	UOM	PRICE			
Ratchet Suspension, Full Brim Hard Hat							
E1RW01	NTHE1RW01	White	Ea	\$19.85			
E1RW02	NTHE1RW02	Yellow	Ea	\$19.85			
E1RW03	NTHE1RW03	Orange	Ea	\$19.85			
E1RW09	NTHE1RW09	Gray	Ea	\$19.85			
E1RW11	NTHE1RW11	Black	Ea	\$19.85			
E1RW15	NTHE1RW15	Red	Ea	\$19.85			
E1RW46	NTHE1RW46	Strong orange	Ea	\$19.85			
E1RW71	NTHE1RW71	Blue	Ea	\$19.85			
E1RW74	NTHE1RW74	Green	Ea	\$19.85			
Ratchet Suspension	on, Cap-Style Hard Hat						
E2RWBE	NTHE2RWBE	Blue	Ea	\$17.33			
E2RWBLACK	NTHE2RWBLACK	Black	Ea	\$17.33			
E2RWOR	NTHE2RWOR	Orange	Ea	\$17.33			
E2RWGD	NTHE2RWGD	Gold	Ea	\$17.33			
E2RWRD	NTHE2RWRD	Red	Ea	\$17.33			
E2RWTAN	NTHE2RWTAN	Tan	Ea	\$17.33			
E2RWGY	NTHE2RWGY	Gray	Ea	\$17.33			
E2RWGN	NTHE2RWGN	Green	Ea	\$17.33			
E2RWYW	NTHE2RWYW	Yellow	Ea	\$17.33			
E2RW44	NTHE2RW44	Hi-viz yellow	Ea	\$17.33			
E2RWDB	NTHE2RWDB	Dark blue	Ea	\$17.33			
E2RW73	NTHE2RW73	Light gray	Ea	\$17.33			
E2RWWE	NTHE2RWWE	White	Ea	\$17.33			
Swingstrap Suspe	nsion, Full Brim Hard Hat						
E1WWE	NTHE1WWE	White	Ea	\$17.58			
E1WYW	NTHE1WYW	Yellow	Ea	\$17.58			
E1WRD	NTHE1WRD	Red	Ea	\$17.58			
E1WBE	NTHE1WBE	Blue	Ea	\$17.58			
E1WGN	NTHE1WGN	Green	Ea	\$17.58			
E1WGY	NTHE1WGY	Gray	Ea	\$17.58			
E1WSO	NTHE1WSO	Strong orange	Ea	\$17.58			



SuperEight® High Performance Hats and Caps



Thermoplastic full brim hard hat with unique, smooth crown that eliminates the danger of falling objects being trapped by ribs, ridges, or slots. Adjust head size by using rear-located ratchet mechanism and tilting the headband. Includes 8-point suspension with ratchet adjustment, unless otherwise indicated. Caps are also available in heavy-duty, lightweight fiberglass for optimum impact resistance, durability and crack resistance, and Swingstrap™ suspension that allows the wearer to convert from front to rear wearing positions without reversing the suspension or headband. Model E-1 full brim hats provide extended protection from the sun, nontoxic splash, dust, dirt and debris. Models E-1 and E-2 are SEI certified to meet ANSI Z89.1-2003, Type 1, Class E, G or C.

ITEM #	MARTIN #	COLOR	UOM	PRICE
Swingstrap Sus	pension, Cap-Style Hard Hat			
E2SWYW	NTHE2SWYW	Yellow	Ea	\$20.18
E2SWWE	NTHE2SWWE	White	Ea	\$20.18
E2SW09	NTHE2SW09	Gray	Ea	\$20.18
E2SW11	NTHE2SW11	Black	Ea	\$20.18
E2SW71	NTHE2SW71	Blue	Ea	\$20.18
E2SW74	NTHE2SW74	Green	Ea	\$20.18
E2SWRD	NTHE2SWRD	Red	Ea	\$15.28
E2SWSO	NTHE2SWSO	Strong orange	Ea	\$15.28
TabLok Suspens	sion, Full Brim Hard Hat			
E1SWWE	NTHE1SWWE	White	Ea	\$22.37
E1SWYW	NTHE1SWYW	Yellow	Ea	\$22.37
E1SWRD	NTHE1SWRD	Red	Ea	\$22.37
E1SWBE	NTHE1SWBE	Blue	Ea	\$22.37
E1SWGN	NTHE1SWGN	Green	Ea	\$22.37
E1SWGY	NTHE1SWGY	Gray	Ea	\$22.37
E1SWSO	NTHE1SWSO	Strong orange	Ea	\$22.37
TabLok Suspens	sion, Cap-Style Hard Hat			
E2WWE	NTHE2WWE	White	Ea	\$15.28
E2WYW	NTHE2WYW	Yellow	Ea	\$15.28
E2WRD	NTHE2WRD	Red	Ea	\$15.28
E2WBE	NTHE2WBE	Blue	Ea	\$15.28
E2WGN	NTHE2WGN	Green	Ea	\$15.28
E2WGY	NTHE2WGY	Gray	Ea	\$15.28
E2WSO	NTHE2WSO	Strong orange	Ea	\$15.28





SL Series Cap-Style Hard Hats

Made from high-density polyethylene (HDPE) with a low-profile design. Features universal accessory slots that fit cap-mounted earmuffs and chin straps, and a 4-pt. Snap Lock or 6-pt. ratchet suspension system. Cap-style has rain trough on sides and back of helmet that channels moisture away. Meets ANSI Z89.1-2009, Type 1, Class C, G and E.

ITEM#	MARTIN #	COLOR	SUSPENSION	UOM	PRICE		
Cap-Style Hard Hat							
HP14020	PYRAHP14020	Red	4-Pt Snap Lock	Ea	\$4.73		
HP14035	PYRAHP14035	Green	4-Pt Snap Lock	Ea	\$4.73		
HP16110	PYRAHP16110	White	6-Pt Ratchet	Ea	\$10.33		

Honeywell

Series P2A Hard Hats

Proprietary injection-molded fiberglass compound offers exceptional impact and crack resistance and is 8 times stronger than common high density polyethylene (HDPE) cap shells. Best-in-class heat resistance. Meets ANSI-Z89.1-2009 impact resistance tests at extreme temperatures of up to 370°F. Solid color resin provides a permanent, no-chip, no-peel matte finish. Technically-advanced SuperEight® suspension balances and spreads weight over a wide area for added comfort and impact protection. Available with the famous Fibre-Metal® non-slip/non-strip ratchet, SwingStrap™ or TabLok™ headgear. Ready-to-use with the industry's most versatile Speedy® Loop helmet attachment system for faceshields and welding helmets. For added assurance of performance, all Roughneck caps are factory-assembled and SEI third party certified to meet ANSI Z89.1-2009 Type I Class G and CSA Z94.1-2005 Type I Class G in both forward and reverse.

ITEM#	MARTIN #	COLOR	иом	PRICE
TabLok Sus	pension with S2F H	eadband and	d Speed	dy Loop
Cap-Style H	lard Hat			
P2AW01	NTHP2AW01	White	Ea	\$24.07
P2AW02	NTHP2AW02	Yellow	Ea	\$24.07
P2AW11	NTHP2AW11	Black	Ea	\$24.07
P2AW15	NTHP2AW15	Red	Ea	\$24.07
P2AW71	NTHP2AW71	Blue	Ea	\$24.07
P2AW74	NTHP2AW74	Green	Ea	\$24.07
Full Brim H	ard Hat			
P1AW01	NTHP1AW01	White	Ea	\$32.30
P1AW02	NTHP1AW02	Yellow	Ea	\$32.30
P1AW11	NTHP1AW11	Black	Ea	\$32.30
P1AW15	NTHP1AW15	Red	Ea	\$32.30
P1AW71	NTHP1AW71	Blue	Ea	\$32.30
P1AW74	NTHP1AW74	Green	Ea	\$32.30

ITEM#	MARTIN #	COLOR	иом	PRICE
Ratchet Susp	ension with 3R Ratch	et Headban	d and S	peedy Loop
Cap-Style Ha	nrd Hat			
P2ARW01	NTHP2ARW01	White	Ea	\$26.37
P2ARW02	NTHP2ARW02	Yellow	Ea	\$26.37
P2ARW09	NTHP2ARW09	Gray	Ea	\$26.37
P2ARW11	NTHP2ARW11	Black	Ea	\$26.37
P2ARW15	NTHP2ARW15	Red	Ea	\$26.37
P2ARW71	NTHP2ARW71	Blue	Ea	\$26.37
P2ARW74	NTHP2ARW74	Green	Ea	\$26.37
Full Brim Ha	rd Hat			
P1ARW01	NTHP1ARW01	White	Ea	\$36.18
P1ARW09	NTHP1ARW09	Gray	Ea	\$36.18
P1ARW11	NTHP1ARW11	Black	Ea	\$36.18
P1ARW71	NTHP1ARW71	Blue	Ea	\$36.18







Honeywell

A49 Everest Series Hard Hats

High-density polyethylene (HDPE) outer shell provides protection from harmful UV rays, rain and falling debris. Accessory slots accept face and hearing protection additions for the fullest available protection. Choice of 4-point nylon suspension with pinlock adjustment (model A49) or 6-point nylon suspension with ratchet adjustment (model A49R). Both include forehead comfort band and crown pad. Also features 2-level height adjustment and self centering. Meets ANSI Z89.1-2009 Type 1 Class E and CSA Z94.1-2005 Type 1 Class E.





				_	
	ITEM #	MARTIN #	COLOR	иом	PRICE
	A49R Everest Ha	rd Hat, Ratchet Suspension			
$\textcolor{red}{\blacktriangle}$	A49R160000	NTHA49R160000	Army green	Ea	\$18.15
$\textcolor{red}{\blacktriangle}$	A49R040000	NTHA49R040000	Dark green	Ea	\$18.15
$\textcolor{red}{\blacktriangle}$	A49R140000	NTHA49R140000	Avocado	Ea	\$18.15
$\textcolor{red}{\blacktriangle}$	A49R460000	NTHA49R460000	Hi-viz orange	Ea	\$18.15
$\textcolor{red}{\blacktriangle}$	A49R060000	NTHA49R060000	Light blue	Ea	\$18.15
$\textcolor{red}{\blacktriangle}$	A49R080000	NTHA49R080000	Navy blue	Ea	\$18.15
$\textcolor{red}{\blacktriangle}$	A49R030000	NTHA49R030000	Orange	Ea	\$18.15
$\textcolor{red}{\blacktriangle}$	A49R200000	NTHA49R200000	Pink	Ea	\$18.15
$\textcolor{red}{\blacktriangle}$	A49R070000	NTHA49R070000	Sky blue	Ea	\$18.15
$\textcolor{red}{\blacktriangle}$	A49R010000	NTHA49R010000	White	Ea	\$18.15
$\textcolor{red}{\blacktriangle}$	A49R020000	NTHA49R020000	Yellow	Ea	\$18.15
\blacktriangle	A49R050000	NTHA49R050000	Hi-viz red	Ea	\$18.15
\blacktriangle	A49R150000	NTHA49R150000	Red	Ea	\$18.15







Honeywell

A79 Peak Series Hard Hats

Features versatility and dependability with grooved high density polyethylene (HDPE) outer shell, rain trough and accessory slots. Available with either a comfortable nylon webbing 4-point pinlock suspension with nape strap (A79) or an adjustable ratchet headband (Model A79R) for a more secure fit. All suspensions come with 3-level height adjustment. Meets ANSI Z89.1-2003, Type I, Class E.

ITEM #	MARTIN #	COLOR	UOM	PRICE
Model A79 Peak	Series, Pinlock Suspension			
A7901000	NTHA7901000	White	Ea	\$6.57
A7902000	NTHA7902000	Yellow	Ea	\$6.57
Model A79R Pea	k Series, Ratchet Suspension			
A79R01000	NTHA79R01000	White	Ea	\$10.65
A79R02000	NTHA79R02000	Yellow	Ea	\$10.65
A79R030000	NTHA79R030000	Orange	Ea	\$10.65
A79R040000	NTHA79R040000	Dark green	Ea	\$10.65
A79R050000	NTHA79R050000	Hi-viz red	Ea	\$10.65
A79R150000	NTHA79R150000	Red	Ea	\$10.65
	Model A79 Peak A7901000 A7902000 Model A79R Pea A79R01000 A79R02000 A79R030000 A79R040000 A79R050000	Model A79 Peak Series, Pinlock Suspension A7901000 NTHA7901000 A7902000 NTHA7902000 Model A79R Peak Series, Ratchet Suspension A79R01000 NTHA79R01000 A79R02000 NTHA79R02000 A79R030000 NTHA79R030000 A79R040000 NTHA79R040000	Model A79 Peak Series, Pinlock Suspension A7901000 NTHA7901000 White A7902000 NTHA7902000 Yellow Model A79R Peak Series, Ratchet Suspension White A79R01000 NTHA79R01000 White A79R02000 NTHA79R02000 Yellow A79R030000 NTHA79R030000 Orange A79R040000 NTHA79R040000 Dark green A79R050000 NTHA79R050000 Hi-viz red	Model A79 Peak Series, Pinlock Suspension A7901000 NTHA7901000 White Ea A7902000 NTHA7902000 Yellow Ea Model A79R Peak Series, Ratchet Suspension White Ea A79R01000 NTHA79R01000 White Ea A79R02000 NTHA79R02000 Yellow Ea A79R030000 NTHA79R030000 Orange Ea A79R040000 NTHA79R040000 Dark green Ea A79R050000 NTHA79R050000 Hi-viz red Ea

Honeywell

K2 Series Hard Hats

Lightweight, versatile shell design without a rain trough offers strength and rigidity. Complete with accessory slots and 4-point nylon web suspension with forehead comfort band and crown pad, 4-point chin strap anchorage and 3-level height adjustment. Available with quick-fit pinlock or ratchet adjustment. Made from highdensity polyethylene (HDPE). Meets ANSI Z89.1-2003, Type 1, Class E.

ITEM #	MARTIN #	COLOR	UOM	PRICE
K2 Series Ha	ard Hat, Pinlock Suspension			
A2901000	0 NTHA29010000	White	Ea	\$7.47
A2902000	0 NTHA29020000	Yellow	Ea	\$7.47
A2903000	0 NTHA29030000	Orange	Ea	\$7.47
A2904000	0 NTHA29040000	Dark green	Ea	\$7.47
A2905000	0 NTHA29050000	Hi-viz red	Ea	\$7.47
A29150000	0 NTHA29150000	Red	Ea	\$7.47
K2 Series Ha	ard Hat, Ratchet Suspension			
A29R0100	00 NTHA29R010000	White	Ea	\$11.63
A29R0200	00 NTHA29R020000	Yellow	Ea	\$11.63
A29R0300	00 NTHA29R030000	Orange	Ea	\$11.63
A29R0400	00 NTHA29R040000	Dark green	Ea	\$11.63
A29R0500	00 NTHA29R050000	Hi-viz red	Ea	\$11.63
A29R1500	00 NTHA29R150000	Red	Ea	\$11.63

The Safety Company V-Gard® Slotted Caps

Features durable, injection-molded, high-density polyethylene (HDPE) shell designed with accessory slots to accommodate many add-on features. Available with Fas-Trac® III ratchet suspension: 4-point webbed system with a large knob for easy adjustment. Includes sweatband and adjustable crown straps.

Meets ANSI/ISEA Z89.1-2009, Type 1, Class E and voluntary standard for low temperature [LT] and reverse donning. Meets CSA Z94.1-2005 (Class E).

ITEM #	MARTIN #	COLOR	UOM	PRICE
Standard V-Ga	ard, Slotted			
475358	MSA475358	White	Ea	\$14.29
475359	MSA475359	Blue	Ea	\$14.29
475360	MSA475360	Yellow	Ea	\$14.29
488146	MSA488146	Hi-viz orange	Ea	\$14.29
10061512	MSA10061512	Hi-viz yellow/green	Ea	\$14.29



III ratchet suspension system. Also includes sweatband and adjustable crown straps. Meets ANSI Z89.1-2009, Type 1, Class E and voluntary standard for low temperature [LT] and reverse donning.

ITEM # MARTIN # DESCRIPTION COLOR UOM PRICE 475366 MSA475366 V-Gard full-brim hat \$19.06 Yellow Ea 475369 MSA475369 V-Gard full-brim hat White Ea \$19.06 475370 MSA475370 V-Gard full-brim hat \$19.06 Green Ea

475369

454664







Skullgard® Protective Hats and Caps

Features heavy-duty construction for use in steel mills and other heavy industries where elevated temperatures are common. Includes Staz-On® pinlock suspension. Meets all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2009 (Class G). Also meets the ANSI/ISEA Z89.1-2009 voluntary standard for low temperature [LT].

ITEM# MAI	RTIN#	COLOR	UOM	PRICE
Skullgard Cap				
454617 MS	A454617	Natural tan	Ea	\$88.39
454618 MS	A454618	White	Ea	\$93.10
454619 MS	A454619	Chrome yellow	Ea	\$93.10
Skullgard Full	Brim Hat			
454664 MS	A454664	Natural tan	Ea	\$98.43
454665 MS	A454665	White	Ea	\$102.97





A full line of visors for use with V-Gard chin protectors and frames. Made polycarbonate with optional anti-fog and anti-scratch (AF/AS) coating. Lightweight and durable. Only works with V-Gard frames. Radiant heat/elevated temp visor has reflective coating that helps reflect infrared and dissipate heat, and is not for use where an IR Shade visor is required. Meets ANSI/ISEA Z87.1-2010 requirements.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
10117750	MSA10117750	Clear visor, flat	8" x 17" x .04"	Ea	\$5.03
10115853	MSA10115853	Heavy-duty visor, clear, AF/AS	10.375" x 17" x .098"	Ea	\$25.67
10115850	MSA10115850	Radiant heat/ET visor, green	9.5" x 17.75" x .07"	5/Pk	\$119.43





M5A V-Gard® The Safety Company and Skullgard® Frames

Offers helmet-mounted frames for various work conditions and user helmets. Sloped design allows liquids, chips and other materials to slide off frame and away from the line of sight.

Meets ANSI/ISEA Z87.1-2010 requirements.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
10115730	MSA10115730	V-Gard frame for slotted caps w/ debris control	Ea	\$11.76
10116627	MSA10116627	V-Gard frame for hats	Ea	\$14.11
10158799	MSA10158799	Metal frame for caps	Ea	\$12.83
10158821	MSA10158821	Metal frame for hats	Ea	\$13.73
10158800	MSA10158800	Metal frame for Skullgard caps	Ea	\$12.83



Provides excellent optics, visibility, and enhanced protection from airborne debris. Ideal for workers exposed to falling or flying objects, impact, chemical splash and other debris. Features extended chin and top-of-head protection, lightweight and balanced design to reduce head and neck strain, cell foam on back of headgear, and breathable, washable sweatband up front. Dual position polycarbonate visors are easy to replace and attach securely. Comfortably worn with most goggles, eyewear and respirators. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Made in USA.

	ITEM #	MARTIN #	DESCRIPTION	LENS	UOM	PRICE	
A	S8500	NTHS8500	Bionic faceshield, visor	Clear, uncoated	Ea	\$25.32	
A	S8510	NTHS8510	Bionic faceshield, visor	Clear, hardcoat, anti-fog	Ea	\$38.45	A
A	S8505	NTHS8505	Bionic faceshield, visor w/ hard hat adapter	Clear, uncoated	Ea	\$38.47	
A	S8515	NTHS8515	Bionic faceshield, visor w/ hard hat adapter	Clear, hardcoat, anti-fog	Ea	\$47.60	A



Honeywell TurboshieldTM

Perfect for workers exposed to falling or flying objects, impact, splash and airborne debris; it can also be comfortably worn with most goggles, respirators and earmuffs. Flexible head-cushioning suspension cradle provides 300% greater contact area than traditional suspensions to eliminate pressure points for all-day wear. Simple push-button release system allows for easy visor exchange in seconds. Feel safer with 50% more chin coverage compared to traditional visors, without the need for bulky accessories. Control knobs are large and ergonomically designed for easy adjustment, even while wearing gloves. Visor slides back 7", improving balance and weight distribution. Headgear features breathable, removable, washable headband; toric lens provides excellent optics, increased field of view and added chin coverage without bulky attachments. Clear and Gray lenses available with dual anti-scratch/anti-fog coating for longer visor life and reduced fogging. Ergonomically designed ratcheting headgear mechanism assures quick, easy adjustment to achieve an optimal fit. Hard hat adapter accessory is compatible with multiple hard hats, including Fibre-Metal®, North® and most major competitor styles. Positive-locking hinge secures visor in raised and lowered positions. Integrated brim guard ensures gap-free fit and protection from overhead debris. Meets ANSI Z87.1-2010 and CSA Z94.3 standards. Faceshields offer secondary protection and must be worn with spectacles or goggles.

ITEM #	MARTIN #	DESCRIPTION	LENS	UOM	PRICE
S9500	NTHS9500	Turboshield rate	het headgear, black	Ea	\$19.62
S9510	NTHS9510	Turboshield har	d hat adapter, black	Ea	\$19.62
Polycarb	onate Replacen	nent Visor			
S9550	NTHS9550		Clear, uncoated	Ea	\$11.50
S9555	NTHS9555		Clear, hardcoat, anti-fog	Ea	\$27.05
S9575	NTHS9575		Gray, hardcoat, anti-fog	Ea	\$29.10
S9560	NTHS9560		Shade 3.0, uncoated	Ea	\$20.28
S9565	NTHS9565		Shade 5.0, uncoated	Ea	\$26.37



F400 and F500 Faceshield Headgear

A variety of faceshield headgear with crown protectors provides the level of protection you need. Both models feature lightweight and heat-resistant Noryl® (the same material used in welding helmets) crown protectors and ratchet headbands (windows sold separately). Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

F400 features a 4" crown protector to extend protection without increasing weight. Incorporates wide-vision (8" x 17") wraparound windows and screens which provide 40% more protective area than standard size faceshields. Fits easily over required spectacles or respirators.

F500 includes a broader, deeper 7" crown protector to provide an extra margin of protection when harsh working conditions require it. Features the exclusive Channel Grip System that mounts wide, wraparound windows and locks them into place to form a perfect seal from dust, dirt and debris. Includes Fibre-Metal classic 3-C, free-floating headgear.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
F400	NTHF400	Medium-duty faceshield headgear w/ 4" crown protector	Ea	\$19.42
F500	NTHF500	Heavy-duty faceshield headgear w/ 7" crown protector	Ea	\$23.37





High-Performance® Faceshield Windows and Frames

Easily and comfortably fit over required protective spectacles or respirators. Windows are injection-molded from propionate for superior performance and are preformed to the exact curve of crown protectors for easy installation, an exact fit and a perfect seal against dust, dirt and debris. For an extra margin of protection, windows are .060" thick, and measure 8" x 16 1/2". Choose from clear or green windows, which protect from glare and bright light. (Not suitable for welding protection).

Dual channel mounting system anchors one channel to the hat and the other to the window, allowing users to lock windows into the work position or pivot up and out of the way when not needed. Locked channels prevent debris from getting between the cap and faceshield.

	ITEM #	MARTIN #	DESCRIPTION	COLOR	UOM	PRICE
A	4178CL	NTH4178CL	Wide window, fits F400, F500 Series & FH66, FM70, FM71	Clear	Ea	\$5.58
A	4178IRUV3	NTH4178IRUV3	Wide window, fits F400, F500 Series & FH66, FM70, FM71	Shade 3.0	Ea	\$17.23
A	4178IRUV5	NTH4178IRUV5	Wide window, fits F400, F500 Series & FH66, FM70, FM71	Shade 5.0	Ea	\$17.23
	Mounted Face	shield Frames				
A	FH66	Aluminum frame for heavy-duty use, wide view window		Ea	\$18.88	



Protective cap-mounting mechanisms easily and safely secure Fibre-Metal® faceshields to hard hats. Constructed from Noryl®, these faceshield brackets offer durable protection. Model 4000 with Quick-Lok® cups is for mounting on Fibre-Metal caps equipped with Quick-Lok® blocks for more permanent mounting. Model 5000 with Speedy® mounting loops is adjustable and provides easy on and off mounting on protective caps.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
A	F5400	NTHF5400	Model 5000 Speedy-Loop system for E2 & P2 hard hats	Ea	\$17.27
A	4000	NTH4000	Fibre Metal 4000 Quick-Lok complete adapter kit	Ea	\$15.13



N-Ferno® 6821 Fleece Balaclava

Features 320 g stretch polyester fleece for warmth and comfort. Reflective accent for higher visibility. Universal. Black.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
A	16821	ERGO16821	6821 Balaclava	Ea	\$5.73





Dräger

X-plore® 1300 Respirators

Unique tension adjuster allows a wearer to fine-tune the non-irritating fabric headstrap to a proper comfort fit. Strap provides a drop-down feature to comfortably hang around neck when not needed. Strong plastic-coated nose clip and internal ribbing prevents collapsing.

39 51 353

	ITEM#	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
<u> </u>	39 51 351	DRSA39 51 351	X-plore 1350 N95	XS	20/Bx	\$20.92
	39 51 353	DRSA39 51 353	X-plore 1350 N95	M/L	20/Bx	\$19.07
	39 51 355	DRSA39 51 355	X-plore 1350 N95 w/ valve	S/M	10/Bx	\$17.58
	39 51 358	DRSA39 51 358	X-plore 1350 N95 w/ valve & odor	S/M	20/Bx	\$36.46
	39 51 359	DRSA39 51 359	X-plore 1350 N95 w/ valve & odor	M/L	20/Bx	\$36.46

ITEM#	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
39 51 362	DRSA39 51 362	X-plore 1360 R95	S/M	10/Bx	\$36.00
39 51 363	DRSA39 51 363	X-plore 1360 R95	M/L	10/Bx	\$36.00
39 51 365	DRSA39 51 365	X-plore 1360 R95 w/ valve	S/M	10/Bx	\$27.54
39 51 366	DRSA39 51 366	X-plore 1360 R95 w/ valve	M/L	10/Bx	\$27.54
39 51 368	DRSA39 51 368	X-plore 1360 R95 w/ valve & odor	S/M	20/Bx	\$68.00



3M

3MTM Particulate Respirator 8200, N95

Designed to help provide reliable protection against certain non-oil based particles. Features Advanced Electret Media, adjustable noseclip and nose foam to help provide a custom fit and secure seal. Suggested applications include grinding, sanding, sweeping, bagging, sawing and other dusty operations. Meets NIOSH 42 CFR 84 N95 requirements.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
8200	3M8200	Particulate Respirator N95	20/Bx	\$10.87





3MTM Particulate Respirator 8210, N95

Designed to help provide comfortable, reliable worker respiratory protection against certain non-oil based particles in suggested applications including grinding, sanding, sweeping, bagging and other dusty operations. Lightweight construction helps promote greater worker acceptance and comfort. Features 3M's Advanced Electret Media, welded strap attachment, soft nose foam and adjustable noseclip to help provide a custom and secure seal. NIOSH Approval TC-84A-0007.

ITEM#	MARTIN #	DESCRIPTION UOM		PRICE
8210	3M8210	Particulate Respirator N95	20/Bx	\$17.76





3MTM Particulate Respirators, N95 with 3MTM Cool FlowTM Valve

Helps provide protection against certain non-oil based particles and is ideally suited for work settings that involve heat, humidity or long periods of wear. Proprietary 3M™ Cool Flow™ Exhalation Valve for easy exhalation and cool comfort. Braided headbands and an adjustable M-noseclip are designed to help enhance user comfort and increase wearability. NIOSH Approval TC-84A-1299.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
8511	3M8511	Particulate Respirator N95	10/Bx	\$20.90
8211	3M8211	Particulate Respirator N95 w/ Faceseal	10/Bx	\$31.14
8511Pro	3M8511Pro	Particulate Respirator N95	5/Bx	\$10.76





3MTM Particulate Welding Respirators 8212 and 8512, N95, with Faceseal

Suggested applications include welding, brazing, soldering, torch cutting, and metal pouring, as well as grinding, sanding, sweeping, bagging and other dusty/hot operations. Features the 3M[™] Cool Flow[™] Exhalation Valve, cake-resistant filter media, comfort foam faceseal (8212 only) and adjustable noseclip and straps. Flame-resistant protective layer is not a substitute for a faceshield. Meets NIOSH 42 CFR 84 N95 requirements.

ITEM #	MARTIN #	N # DESCRIPTION		PRICE
8512	3M8512	Particulate Welding Respirator N95	10/Bx	\$58.66
8212	3M8212	Particulate Welding Respirator N95 w/ Faceseal	10/Bx	\$62.77

8210\

3MTM Particulate Respirator 8210V, N95 with 3MTM Cool FlowTM Valve

Proprietary 3M[™] Cool Flow[™] valve is designed for easy exhalation and reduces heat build-up inside respirator to help keep wearer more comfortable. Features adjustable noseclip and 2-strap design with dual point attachment. Ideally suited for many work settings that involve heat, humidity or longer periods of wear. NIOSH Approval TC-84A-5410.


ITEM#	MARTIN #	DESCRIPTION	UOM	PRICE
8210V	3M8210V	Particulate Respirator N95 w/ Cool Flow™ Valve	10/Ry	\$12.81

3MTM Particulate Welding Respirator 8515, N95
Designed to help provide comfortable, reliable worker protection for non-oil based particles from applications such as welding, soldering, cutting, grinding

and sanding. Features the 3M[™] Cool Flow[™] Exhalation Valve, adjustable M-noseclip, flame-resistant* protective layers (not a substitute for a faceshield) and braided headband to help provide a custom fit and secure seal. Meets NIOSH 42 CFR 84 N95 requirements.

* Flame resistant per ASTM D2859.

ITEM #	MARTIN #	DESCRIPTION	MOU	PRICE
8515	3M8515	Particulate Welding Respirator N95	10/Bx	\$29.07



Designed to help provide comfortable, reliable worker respiratory protection against certain non-oil based particles. Features comfortable braided headbands, staple-free attachment, soft nose foam and adjustable noseclip. Meets NIOSH 42 CFR 84 N95 requirements. 20/Box.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
8210Plus	3M8210Plus	Particulate Respirator N95	20/Bx	\$20.90
8210PlusPro	3M8210PlusPro	Particulate Respirator N95	10/Bx	\$10.45

3MTM VFlexTM Particulate Respirators 9105, 9105S, N95

V-shaped pleats flex with mouth movement for easier talking and expand to help ease breathing. Features adjustable noseclip, embossed front panel, elastic headbands and 3M[™] proprietary technology filter media. Flat-fold style for convenient storage. Potential applications include: sweeping, sanding, grinding, bagging, food preparation, general maintenance and more. Meets NIOSH 42 CFR 84 N95 requirements.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
9105	3M9105	VFlex [™] Particulate Respirator, N95, standard	50/Bx	\$27.75
9105S	3M9105S	VFlex™ Particulate Respirator, N95, small	50/Bx	\$27.75

3MTM AuraTM Particulate Respirators 9210+ and 9211+, N95

Features comfortable braided headbands and contoured nose panel. Chin tab is designed for ease of positioning, donning and adjustment. Embossed top panel helps reduce potential fogging of eyewear from warm, moist exhaled airflow. Individually wrapped. Meets NIOSH 42 CFR 84 N95 requirements.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
9210+	3M9210+	3M [™] Aura [™] Particulate Respirator	20/Bx	\$25.76
9211+	3M9211+	3M™ Aura™ Particulate Respirator w/ Cool Flow™ Valve	10/Bx	\$22.71

9211+



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. *Misuse may result in sickness or death.* For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.





8233

3MTM Particulate Respirator 8233, N100

Excellent choice for lead abatement, pharmaceutical manufacturing, welding, metal pouring and work involving select OSHA substance-specific particle exposures in concentrations up to 10 x the OSHA PEL, excluding those containing oil aerosols and asbestos. Features 3M™ Cool Flow™ Exhalation Valve, comfortable foam faceseal, adjustable straps and lightweight construction. Respirators are individually packaged. NIOSH Approval TC-84A-1298.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
8233	3M8233	Particulate Respirator N100	20/Bx	\$176.37



3MTM Particulate Respirator 8516, N95, with Nuisance Level* Acid Gas Relief

Designed for the aluminum industry. Helps provide protection against certain non-oil based particles including those present with nuisance levels* of acid gases such as sulfur dioxide, hydrogen fluoride, and/or chlorine. Excellent choice for work settings that involve heat, humidity and long wear periods. Workplace applications include aluminum smelting, pot room environments, glass etching, chemical processing, paper processing, brewing, and for applications in which nuisance level* acid gases are present. Features the 3M™ Cool Flow™ Exhalation Valve and the M-noseclip for greater comfort. Meets NIOSH 42 CFR 84 N95 requirements.

*3M™ recommended for relief against nuisance levels of acid gases. Nuisance level refers to concentrations not exceeding OSHA PEL or applicable government occupational exposure limits, whichever is lower.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
8516	3M8516	Particulate Respirator N95, w/ Nuisance Level* Acid Gas Relief	10/Bx	\$39.79



3MTM Particulate Respirator 8247, R95 with Nuisance Level* Organic Vapor Relief

Designed to help provide comfortable protection against certain oil and non-oil based particles including those present with nuisance levels* of organic vapor, such as solvents, degreasers and resins. Meets NIOSH

*3M recommended for relief against nuisance levels of organic vapors. Nuisance level organic vapors refer to concentrations less than the OSHA PEL or other applicable government exposure limits, whichever is lower.



Soft inner liner. Latex-free woven suspension straps. Optional exhalation valve expels warm air. Offers 95% filtration efficiency against solid particulates and non-petroleum based liquid aerosols. Universal fit. Meets NIOSH and CDC standards for N95 protection against airborne pathogens and M.tuberculosis.



14110444

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
14110445	NTH14110445	N95 Particulate respirator w/ exhalation valve	10/Bx	\$11.42
14110444	NTH14110444	N95 Particulate respirator, non valved	20/Bx	\$11.91

Honeywell

Nuisance Disposable Dust Mask

Features single strap with an adjustable nosebridge for a more comfortable fit. One size fits most faces. Protects against pollen, dust, mold and dander. Not for use against silica, asbestos or other harmful substances. Not NIOSH Approved.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
14110094CC	NTH14110094CC	Nuisance disposable dust mask	50/Bx	\$6.15



Honeywell SAF-T-Fit® Plus Disposable Particulate Respirators

Lightweight, humidity-resistant design features a latex-free filter media for lower breathing resistance. Options include: boomerang nose seal, full-sealing flange and an exhalation valve. NIOSH approved N95 and P100 protection.

	ITEM#	MARTIN #	SIZES	UOM	PRICE			
	N95 with Bo	omerang Nose Seal						
\	14110390	NTH14110390	S	20/Bx	\$18.85			
	14110391	NTH14110391	M/L	20/Bx	\$18.85			
	14110392	NTH14110392	XL	20/Bx	\$18.85			
	N95 with Bo	omerang Nose Seal	and Valve					
	14110393	NTH14110393	S	20/Bx	\$38.62			
	14110394	NTH14110394	M/L	20/Bx	\$38.62			
	14110395	NTH14110395	XL	20/Bx	\$38.62			
	P100 with Fu	2100 with Full-Sealing Flange and Valve						
	14110440	NTH14110440	M/L	Ea	\$8.37			

PRICE




3MTM Rugged Comfort Half Facepiece Reusable Respirators, 6500 Series

Helps provide respiratory protection against airborne contaminants in harsh, dirty environments. Facepiece is designed to help promote comfort, durability and stability with a firm, lightly textured silicone faceseal and strong body construction. Helps provide respiratory protection at concentrations up to 10 x the Permissible Exposure Limit (PEL) when respirator is properly fitted. Sleek, overmolded/ low-profile design helps to give a wide field of view that better suits compact work spaces and simplifies cleaning. Resilient silicone faceseal offers an extended facepiece life, even keeping its shape in high-heat environments. Facepiece offers numerous other comfort features including a special valve cover that helps to direct exhaled breath and moisture downward and 3M's proprietary Cool Flow™ Valve that helps to make breathing easier by reducing heat and moisture. Made to fit securely and comfortably on the head, the facepiece comes with an adjustable head harness assembly featuring polyester/spandex straps that stretch and conform. Facepiece is compatible with all 3M[™] bayonet-style filters and cartridges to help provide respiratory protection against a variety of gases, vapors and particulate hazards according to NIOSH approvals. The 6500QL Series features a proprietary Quick Latch design offering an easy, one-hand touch drop-down mechanism for putting the facepiece on and/off while moving in and out of contaminated areas. NIOSH/MSHA Approved.

							4
	ITEM#	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE	4
$\textcolor{red}{\blacktriangle}$	6501	3M6501	6500 Series Half Facepiece	S	Ea	\$18.28	
$\textcolor{red}{\blacktriangle}$	6502	3M6502	6500 Series Half Facepiece	М	Ea	\$18.28	4
$\textcolor{red}{\blacktriangle}$	6503	3M6503	6500 Series Half Facepiece	L	Ea	\$18.28	4
A	6501QL	3M6501QL	6500 Series Half Facepiece, Quick Latch	S	Ea	\$18.28	4
A	6502QL	3M6502QL	6500 Series Half Facepiece, Quick Latch	М	Ea	\$18.28	4
A	6503QL	3M6503QL	6500 Series Half Facepiece, Quick Latch	L	Ea	\$18.28	





	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
\blacktriangle	6100DD	3M6100DD	Drop Down Half Facepiece	S	Ea	\$13.94
\blacktriangle	6200DD	3M6200DD	Drop Down Half Facepiece	М	Ea	\$13.53
\blacktriangle	6300DD	3M6300DD	Drop Down Half Facepiece	L	Ea	\$13.53
A	6282	3M6282	Drop Down Head Harness Assembly		Ea	\$50.62





3MTM Half Facepiece Respirators 5000 Series, Disposable

Suited for intermittent respirator wearers. Preassembled with permanently attached cartridges for ease of use and no maintenance. Use against a variety of gases, vapors and particles according to NIOSH approvals. Meets NIOSH 42 CFR 84 requirements.

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Organic	Vapor Respirator Assembly			
$\textcolor{red}{\blacktriangle}$	5101	3M5101	S	Ea	\$16.28
$\textcolor{red}{\blacktriangle}$	5201	3M5201	M	Ea	\$16.28
$\textcolor{red}{\blacktriangle}$	5301	3M5301	L	Ea	\$16.28
	Organic	Vapors/Acid Gas Respirator Assembly			
$\textcolor{red}{\blacktriangle}$	5103	3M5103	S	Ea	\$17.10
$\textcolor{red}{\blacktriangle}$	5203	3M5203	M	Ea	\$17.10
$\textcolor{red}{\blacktriangle}$	5303	3M5303	L	Ea	\$17.10
	Organic	Vapor/P95 Respirator Assembly			
$\textcolor{red}{\blacktriangle}$	51P71	3M51P71	S	Ea	\$21.61
\blacktriangle	52P71	3M52P71	M	Ea	\$21.61
\blacktriangle	53P71	3M53P71	L	Ea	\$21.61

WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. *Misuse may result in sickness or death.* For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



3M™ Half Facepiece 6000 Series, Reusable Respirators

Lightweight facepiece and easy-to-adjust headstraps. Facepiece can be used with any of the 3M[™] bayonet-style filters and cartridges and can be easily replaced. Swept back design of cartridges helps improve balance and visibility. Cartridges and filters sold separately. Meets NIOSH 42 CFR 84 requirements.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
6100	3M6100	Half Facepiece	S	Ea	\$12.48
6200	3M6200	Half Facepiece	M	Ea	\$12.48
6300	3M6300	Half Facepiece	L	Ea	\$12.48
6281	3M6281	Head harness assembly		Ea	\$43.96



3M

3M[™] Half Facepiece Respirator Assemblies, 6000 Series

Reusable respirator assembly offers comfort and particulate protection. Each facepiece is remarkably comfortable and soft. Assemblies use the simple bayonet mounting system with low-profile P100 filters. Meets NIOSH 42 CFR 84 requirements.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
6191	3M6191	3M™ Half Facepiece Respirator Assemblies	S	Ea	\$19.28
6291	3M6291	3M™ Half Facepiece Respirator Assemblies	М	Ea	\$19.28
6391	3M6391	3M™ Half Facepiece Respirator Assemblies	L	Ea	\$19.28



3MTM Half Facepiece 7500 Series, Reusable

Soft faceseal design and unique 3M[™] Cool Flow[™] Valve for unsurpassed comfort. Made from advanced silicone and can be used with any of the 3M[™] bayonet-style filters and cartridges. Meets NIOSH 42 CFR 84 requirements.

) •	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
	▲ 7501	3M7501	Half Facepiece	S	Ea	\$27.13
	▲ 7502	3M7502	Half Facepiece	М	Ea	\$27.13
	▲ 7503	3M7503	Half Facepiece	L	Ea	\$27.13
	▲ 7583	3M7583	3M™ Cool Flow™ Exhalation Valve		10/Cs	\$37.22



3MTM Full Facepiece 7800S, Ultimate Reusable

Durable elastomeric facepieces are designed for a wide range of applications. Full facepiece is made of silicone and features a double-flap faceseal and (6) easy-adjusting straps. Soft and pliable with a hard-coated polycarbonate lens. Extra large inhalation and exhalation valves help make breathing easier. Three sizes to fit most faces.

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
$\textcolor{red}{\blacktriangle}$	7800S-S	3M7800S-S	Full Facepiece Respirator	S	Ea	\$371.62
	7800S-M	3M7800S-M	Full Facepiece Respirator	М	Ea	\$371.62
	7800S-L	3M7800S-L	Full Facepiece Respirator	L	Ea	\$371.62
\blacktriangle	7884	3M7884	Facepiece Lens		5/Pk	\$377.42
A	7893S	3M7893S	Head Strap/Harness Assembly		2/Cs	\$175.20
A	7894	3M7894	3M [™] Eyeglass Frame & Mount		Ea	\$167.28
\blacktriangle	7899-25	3M7899-25	Lens Cover		25/Bx	\$60.19

3MTM Full Facepiece Respirators 6000 Series, Reusable

ITEM # MADTIN # DESCRIPTION

Faceseal is made of silicone rubber for enhanced comfort and durability. Lightweight and well-balanced. Unique 3M[™] Cool Flow[™] Valve for unsurpassed comfort. Features large lens providing user a wide field of vision.



IIEIVI#	WARTIN #	DESCRIPTION	SIZES	UUIVI	PRICE
6700	3M6700	Full Facepiece	S	Ea	\$139.35
6800	3M6800	Full Facepiece	М	Ea	\$139.35
6900	3M6900	Full Facepiece	L	Ea	\$139.35
6885	3M6885	Faceshield Covers		25/Bx	\$42.69
6864	3M6864	Center Adapter Assembly		Ea	\$74.93
6878	3M6878	Spectacle Kit		Ea	\$101.27
6886	3M6886	Tinted Lens Cover		25/Cs	\$114.01
6893	3M6893	Inhalation Valve		Ea	\$51.34
6894	3M6894	Nose Cup Assembly		Ea	\$30.41
6895	3M6895	Inhalation Port Gasket		Ea	\$23.55
6897	3M6897	Head Harness		Ea	\$24.77
6898	3M6898	Lens Assembly		Ea	\$79.06
	6700 6800 6900 6885 6864 6878 6886 6893 6894 6895 6897	6700 3M6700 6800 3M6800 6900 3M6900 6885 3M6885 6864 3M6864 6878 3M6878 6886 3M6886 6893 3M6893 6894 3M6894 6895 3M6895 6897 3M6897	6700 3M6700 Full Facepiece 6800 3M6800 Full Facepiece 6900 3M6900 Full Facepiece 6885 3M6885 Faceshield Covers 6864 3M6864 Center Adapter Assembly 6878 3M6878 Spectacle Kit 6886 3M6886 Tinted Lens Cover 6893 3M6893 Inhalation Valve 6894 3M6894 Nose Cup Assembly 6895 3M6895 Inhalation Port Gasket 6897 3M6897 Head Harness	6700 3M6700 Full Facepiece S 6800 3M6800 Full Facepiece M 6900 3M6900 Full Facepiece L 6885 3M6885 Faceshield Covers 6864 3M6864 Center Adapter Assembly 6878 3M6878 Spectacle Kit 6886 3M6886 Tinted Lens Cover 6893 3M6893 Inhalation Valve 6894 3M6894 Nose Cup Assembly 6895 3M6895 Inhalation Port Gasket 6897 3M6897 Head Harness	6700 3M6700 Full Facepiece S Ea 6800 3M6800 Full Facepiece M Ea 6900 3M6900 Full Facepiece L Ea 6885 3M6885 Faceshield Covers 25/Bx 6864 3M6864 Center Adapter Assembly Ea 6878 3M6878 Spectacle Kit Ea 6886 3M6886 Tinted Lens Cover 25/Cs 6893 3M6893 Inhalation Valve Ea 6894 3M6894 Nose Cup Assembly Ea 6895 3M6895 Inhalation Port Gasket Ea 6897 3M6897 Head Harness Ea

WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. *Misuse may result in sickness or death.* For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

Honeywell

RU6500 Full **Facepiece** Respirators

Silicone, full facepiece is the redesigned Survivair Opti-Fit™. Uses Honeywell North N-series cartridges and has options for both PAPR and CF-SAR configurations in the

Honeywell respiratory line. Features silicone nose cup and face seal for all day comfort and polycarbonate lens for open view and peripheral vision. Available with a 5-point headstrap or mesh headnet.

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Full Facepiece	Respirator with 5-Point Headstrap			
	RU65001S	NTHRU65001S	S	Ea	\$143.22
	RU65001M	NTHRU65001M	М	Ea	\$143.22
	RU65001L	NTHRU65001L	L	Ea	\$143.22
	Full Facepiece	Respirator with Mesh Headnet			
	RU65002-S	NTHRU65002-S	S	Ea	\$143.22
	RU65002-M	NTHRU65002-M	M	Ea	\$143.22
	RU65002-L	NTHRU65002-L	L	Ea	\$143.22
		ontinuous Flow Supplied Air Respirator with and Caps (RU6500 only)	APR Adapt	er,	\$143.22 \$143.22 \$143.22 \$143.22
Ā	CF4001	NTHCF4001		Ea	\$181.42



Honeywell

5500 Series **Half Mask Respirators**



Thermoplastic elastomer mask is soft and comfortable; free of latex allergens. Cartridges and filters are replaceable so facepiece can be re-used. Ideal as an economical respirator for sub-contractors, plant guests and occasional users. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. Combines comfort and design of the popular 7700 Series half mask in a convenient version. Compatible with Honeywell North N-Series cartridges and filters (sold separately).

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
550030S	NTH550030S	5500 Series half mask respirator	S	Ea	\$13.66
550030M	NTH550030M	5500 Series half mask respirator	М	Ea	\$13.66
550030L	NTH550030L	5500 Series half mask respirator	L	Ea	\$13.66





The 100% silicone facepiece is flexible, to provide a soft, secure and comfortable fit. Dual elasticity headstraps provide a secure and flexible fit. Wide contoured sealing area fits a greater variety of facial types. Variable thickness in sealing area provides the optimal amount of seal on each area of the face for superior comfort without sacrificing fit. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. N-Series cartridges sold separately.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
770030S	NTH770030S	7700 Series half mask	S	Ea	\$28.08
770030M	NTH770030M	7700 Series half mask	М	Ea	\$28.08
770030L	NTH770030L	7700 Series half mask	L	Ea	\$28.08
76BAG	NTH76BAG	Half mask carrying bag		Ea	\$18.12





5400 Series **Low-Maintenance Full Facepiece Respirators**

Wide-sealing area for improved fit and ability to fit more facial types. Nose cup provides less dead air space and channels exhaled breath. Latex-free

with no natural rubber proteins which may cause an allergic reaction. Lens offers 200° field of vision and downward view for optimal viewing area in all directions. Polycarbonate lens meets ANSI requirements for high impact. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. Honeywell North N-Series cartridges and filters sold separately.

	ITEM#	MARTIN #	SIZES	UOM	PRICE
	5400 Seri	es Full Facepiece Respirator			
\blacktriangle	54001S	NTH54001S	S	Ea	\$113.52
	54001	NTH54001	M/L	Ea	\$219.45




54001

Honeywell 7600 Series Full **Facepiece Respirators**

The 100% silicone facepiece is flexible, to provide a soft, secure and comfortable fit. Wide sealing area for improved fit and ability to fit more facial types. Nose cup provides less dead air space and channels exhaled breath. Speech diaphragm is standard

to amplify workers' conversations. Lens offers 200° field of vision and downward view for optimal viewing area in all directions. Polycarbonate lens meets ANSI requirements for high impact. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. Honeywell North N-Series cartridges and filters sold separately.







3M

3MTM Replacement Cartridges and Filters

Use with 3M[™] Respirators 5000, 6000, 7000 and FF-400 Series, according to NIOSH approvals. When properly selected, cartridges and filters help provide protection from a variety of gases, vapors and particulate hazards.

*Nuisance level organic vapors refer to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against organic vapors.

**Nuisance level acid gases refer to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against acid gases.

***3MTM recommended for ozone protection up to 10 x OSHA PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH approved for use against ozone.

****OSHA regulations require gas proof goggles be worn with half facepiece respirators when used against formaldehyde.

Only 3M[™] filters 2000 Series, 7093, 5N11 or 5P71 are approved for use with 3M[™] 5000 Series Respirators. Cartridges on 5000 Series Respirators cannot be replaced. The 3M[™] Filter Adapter 502 is required for use of the 2000 Series and 7093 filters with the 5000 Series Respirators and 6000 Series Cartridges. The 3M[™] Filter Retainer 501 is required for use of the 5N11 and 5P71 prefilters with the 5000 Series Respirators. The 502 adapter cannot be reused.

	·			
ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
6001	3M6001	Organic Vapor Cartridge	2/Bx	\$11.28
6002	3M6002	Acid Gas Cartridge	2/Bx	\$12.27
6003	3M6003	Organic Vapor/Acid Gas Cartridge	2/Bx	\$11.97
6004	3M6004	Ammonia/Methylamine Cartridge	2/Bx	\$13.54
6005	3M6005	Formaldehyde****/Organic Vapor Cartridge	2/Bx	\$13.67
6006	3M6006	Multi-Gas/Vapor Cartridge	2/Bx	\$12.08
60921	3M60921	Cartridge/Filter Organic Vapor/P100	2/Bx	\$22.10
60922	3M60922	Cartridge/Filter Acid Gas/P100	2/Bx	\$23.08
60923	3M60923	Cartridge/Filter Organic Vapor/ Acid Gas/P100	2/Bx	\$22.29
60924	3M60924	Cartridge/Filter Ammonia/ Methylamine/P100	2/Bx	\$25.50
60925	3M60925	Cartridge/Filter Formaldehyde****/ Organic Vapor/P100	2/Bx	\$25.75
60926	3M60926	Cartridge/Filter Multi-Gas/Vapor/P100	2/Bx	\$24.30
2071	3M2071	Particulate Filter P95	2/Bx	\$6.98
2076HF	3M2076HF	Particulate Filter, Hydrogen Fluoride P95 Filter w/ Nuisance Level Acid Gas** Relief	2/Bg	\$14.43
2091	3M2091	Particulate Filter P100	2/Bx	\$11.17
2096	3M2096	Particulate Filter P100 w/ Nuisance Level Acid Gas** Relief	2/Bx	\$15.56
2097	3M2097	Particulate Filter P100 w/ Nuisance Level Organic Vapor* Relief & Ozone Protection***	2/Bx	\$15.33
2291	3M2291	Advanced Particulate Filters P100	2/Bx	\$7.42
2296	3M2296	Advanced Particulate Filters P100 w/ Nuisance Level Acid Gas**	2/Bx	\$10.18
2297	3M2297	Advanced Particulate Filters P100 w/ Nuisance Level Organic Vapor Relief* & Ozone Protection***	2/Bx	\$10.10

annot be reused.						
	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE	
A	7093	3M7093	Particulate Filter P100, Solid Top Air Inlet	12/Bx	\$51.07	
	501	3M501	Filter Retainer	20/Bx	\$39.78	
A	502	3M502	Filter Adapter for Filter 2000 Series or Filter 7093	20/Bx	\$49.86	
	5N11	3M5N11	Particulate Pre-Filter N95	10/Bx	\$14.97	
	5P71	3M5P71	Particulate Pre-Filter P95	10/Bx	\$18.07	
	504	3M504	Respirator Cleaning Wipes	100/Bx	\$23.08	
A	60928	3M60928	Cartridge/Filter Organic Vapor/Acid Gas/P100, radioiodine or methyl bromide	2/Bx	\$34.47	
A	7093C	3M7093C	Cartridge/Filter Hydrogen Fluoride w/ Nuisance Level Organic Vapor & Acid Gas*	2/Bx	\$13.33	
A	2078	3M2078	Particulate Filter, P95 w/ Nuisance Level Organic Vapor*/Acid Gas** Relief & Ozone Protection***	2/Bx	\$7.45	
A	6009S	3M6009S	Mercury Vapor/Chlorine or Sulfur Dioxide Gas Cartridge	2/Bx	\$24.66	
A	60929S	3M60929S	Mercury Vapor/Chlorine or Sulfur Dioxide Gas/P100 Particulate Filter Combination Cartridge	2/Bx	\$34.14	
A	7093B	3M7093B	3M [™] Hydrogen Fluoride Cartridge/ Filter P100 w/ Nuisance Level Organic Vapor*/Acid Gas** Relief	4/Bx	\$14.11	
A	7093CB	3M7093CB	Hydrogen Fluoride Cartridge/Filter P100 w/ Nuisance Level Organic Vapor*/Acid Gas** Relief	2/Bx	\$13.11	
	701	3M701	Filter Adapter, Black/Orange	2/Bx	\$12.14	
	6001i	3M6001i	OV ESLI Cartridge	60/Cs	\$397.99	
	60921i	3M60921i	OV ESLI/P100 Cartridge	60/Cs	\$795.77	
	5P71-6	3M5P71-6	Replacement Particulate P95 Filter	6/Pk	\$10.87	
\blacktriangle	601	3M601	Fit Test Adapter for 6000 Series	Ea	\$157.80	

60929S


WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. *Misuse may result in sickness or death.* For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

PRODUCT MATRIX

3M[™] Versaflo[™] V-Series Supplied Air* Valves




3M Automotive Aftermarket Division (AAD) product numbers are found in blue type on select products.



PRODUCT MATRIX

3M™ GVP-Series Belt-Mounted Powered

Air Purifying Respirators



3M Automotive Aftermarket Division (AAD) product numbers are found in blue type on select products.

= NIOSH approval: Certain organic vapors.



= NIOSH approval: Chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide or hydrogen fluoride. = NIOSH approval: Chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, hydrogen fluoride and hydrogen sulfide.

3M[™] Versaflo[™] TR-300 Series Powered Air Purifying Respirators (PAPRS)*

M-206 S-103S S-133S S-403S S-433S/S-433I S-657 S-103L S-533S/S-533L M-107 M-307 M-407 BT-20S 37309 BT-20L 37310 Assemblies TR-304N PAPR with Easy Clean Belt and Economy Battery TR-305N PAPR with Standard TR-302N Powered Air Purifying Respirator Unit Belt and Economy Battery TR-306N PAPR with High Durability Belt and High Capacity Battery TR-307N PAPR with Easy Clean Belt and High Capacity Battery Included TR-304N TR-305N TR-306N TR-307N TR-371 TR-3712N-5 TR-3712N-40 High Efficiency Filter TR-3712N HE Filter TR-341N Battery Charger Kit TR-325 Standard Web Belt TR-326 High Durability Leather Belt TR-327 Easy Clean Belt TR-330 Economy Battery TR-332 High Capacity Battery TR-3600 Prefilter TR-332 High Capacity Battery TR-330 TR-362 Spark Arrester/Prefilter TR-970 Air Flow Indicator Additional 3M™ Headgear Options H-412 Hood with Hard Hat and Inner Collar BPK-01 TR-325 Standard Web Belt TR-326 TR-327 Easy Clean Belt H-422 Hood with Hard Hat and Inner Shroud H-612 Sealed Seam Hood with Hard Hat and Inner Collar L-705SG Hard Hat with Speedglas™ Welding Shield and Wideview Faceshield L-901SG Helmet with Wideview Faceshield and Shroud L-905SG Helmet with Speedglas™ Welding Shield, TR-344N Station Batt Wideview Faceshield and Shroud TR-300-HKS/HKL TR-300-HIK *Operating Altitude approx. sea level to 2,600 ft. (800m). For altitudes above Healthcare Kits **Medium/Large size comes with removable blue film covering the visor. TR-300-LIK Light Industry Kit TR-300-ECK Easy Clean Kit 3M Automotive Aftermarket Division (AAD) product numbers are found in blue






type on select products.

PRODUCT MATRIX

3M™ Versaflo™ TR-600 Series

Purifying Respirators (PAPRS)*







3M[™] Supplied Air* Respirators

6700 (S) 07138 7800S-M** 6800 (M) 07139 6900 (L) 07140

7800S-L** Full Facepiece Full Facepiece



FF-401 (S) 89418 FF-402 (M) 89421 FF-403 (L) 89424 Full Facepiece

Adapter Kits

Standard Kits

Adapter Kits



6700DIN (S) 6800DIN (M) 6900DIN (L) Full Facepiece



6501 (S) 6502 (M) 6503 (L) Half Facepiece

Mounted Adapter Kits



6100 (S) 07024 6200 (M) 07025 6300 (L) 07026 Half Facepiece



7501 (S) 7502 (M) 7503 (L) Half-Facepiece

Combination Kits



Note: Headgear, breathing tube, air control valve, and compressed air supply hose are required parts in a NIOSH-approved system. Any NIOSH certification appearing on 3M components is strictly limited to use in an approved air system and only in full accordance with the specifications and limitations under said approval. NIOSH certifies complete assemblies only, not sub-assemblies.

3M Automotive Aftermarket Division (AAD) product numbers are found in blue type on select products.



^{*}It is the employer's responsibility to ensure that the compressed air used with any supplied air system meets the requirements for at least Grade-D breathing air per the Compressed Gas Association Commodity Specification G-7.1 in the U.S. as specified in the Occupational Safety and Health (OSHA) Respiratory $Protection\ standard\ 1910.134(i)(1)(ii).\ In\ Canada,\ refer\ to\ CSA\ Standard\ Z180.1\ table\ for\ the\ quality\ of\ compressed\ breathing\ air.$

^{**}Clip-on 3M™ Welding Shield also available.

^{***}The use of a calibration kit is also required, see part numbers 529-04-48 (Large) or part number 529-04-49 (Small)

3M™ Full Facepiece Respirators

for Powered Air and Supplied Air*

Powered Air Purifying



FF-402 (M) 89421 FF-403 (L) 89424



6800 (M) 07139 6900 (L) 07140



6800DIN (M)



7800S-M**













Note: the BP-15 Battery is available. The BC-210 Battery Charger, which charges the BP-15 battery, is discontinued.















- * It is the employer's responsibility to ensure that the compressed air used with any supplied air system meets the requirements for at least Grade-D breathing air per the Compressed Gas Association Commodity Specification G-7.1 in the U.S. as specified in the Occupational Safety and Health (OSHA) Respiratory Protection standard 1910.134(i)(1)(ii). In Canada, refer to CSA Standard Z180.1 table for the quality of compressed breathing air.
- ** Clip-on 3M™ Welding Shield also available.

3M Automotive Aftermarket Division (AAD) product numbers are found in blue type on select products.

3M™ Disposable Filtering Facepiece Respirators

Product Preference Selector

Use the selector below to identify which respirator may be preferred for increased worker comfort.

What type of particles are in your environment?

Oil and Non-Oil Non-Oil R- or P-Series Respirators **N-Series Respirators** Is a P100 respirator Is this a welding application YES required or preferred? or is a N100 respirator required or preferred? YES NO Is the environment hot and humid or is additional worker 8293 comfort desired? 8233 Is the environment hot NO YES and humid or is additional worker comfort desired? WELDING Is a folded product preferred? NO YES Is ozone* or nuisance level OV reduction preferred?** NO YES Is nuisance Is nuisance level OV/AG level OV/AG 8210 9210+ reduction reduction Is a folded preferred?** preferred?** product preferred? Is a faceseal 8110s 9105 preferred? NO NO 1 YES NO YES 8210Plus 9105s OV AG AG -8200 9211+ 8214 8514 8576 Is a faceseal preferred? 8246 Is a faceseal preferred? 8577 NO YES YES NO Is nuisance level 8247 AG reduction preferred?** 8211 8212 8512 8240 NO YES 8271 8515 8516 8511 --- 8210V Didn't find what you want? Don't forget that R and P series respirators can also be used in non-oil environments.







Selection Guide for 3M™ Reusable Respirators

					3M [™] Hal	f and Full F	acepiece l	Respirat	ors		
			5000 Series	6000	Series	650	00 Series		Prof 7000 a	essional S and FF-400	eries O Series
0.111		NICCL	5000	6000	6000	Rugged Comfo 6500	rt Rugged	Comfort	7500	7800S	Ultimate FX FF-400
Cartridge Type	Color Code	NIOSH Approved for:	Permanent Cartridges				Replaceable C	artridges			
OV Organic Vapor		Certain Organic Vapors	5101 Small 5201 Medium 5301 Large			6001 (07046)		6001i		New! with 3M ⁻ S Life Indicate	ervice e ³
OV/P95 Organic Vapor/ P95		Certain Organic Vapors and Particulates	51P71 Small (07191) 52P71 Medium (07192) 53P71 Large (07193)								
OV/P100 Organic Vapor/ P100		Certain Organic Vapors and Particulates				60921		60921i		New! with 3M ⁻ S Life Indicato	ervice r ³
AG Acid Gas		Chlorine, Hydrogen Chloride, and Sulfur Dioxide or Chlorine Dioxide or Hydrogen Sulfide				6002					
AG/P100 Acid Gas/P100		Chlorine, Hydrogen Chloride, and Sulfur Dioxide or Chlorine Dioxide or Hydrogen Sulfide and Particulates				60922					
OV/AG Organic Vapor/ Acid Gas		Certain Organic Vapors, Chlorine, Hydrogen Chloride, and Sulfur Dioxide or Hydrogen Sulfide or Hydrogen Fluoride	5103 Small 5203 Medium 5303 Large			6003 (07047)					
OV/AG/P100 Organic Vapor/ Acid Gas/ P100		Certain Organic Vapors, Chlorine, Hydrogen Chloride, and Sulfur Dioxide or Hydrogen Sulfide or Hydrogen Fluoride and Particulates				60923					
AM/MA Ammonia/ Methylamine		Ammonia and Methylamine				6004					
AM/MA/P100 Ammonia/ Methylamine/P100		Ammonia and Methylamine and Particulates				60924					
FM/OV Formaldehyde/ Organic Vapor		Formaldehyde ¹ /Certain Organic Vapors				6005					
FM/OV/P100 Formaldehyde/ Organic Vapor/P100		Formaldehyde' and Certain Organic Vapors and Particulates				60925	Ó				
MG Multi-Gas/Vapor		Certain Organic Vapors, Chlorine, Hydrogen Chloride, Chlorine Dioxide, Sulfur Dioxide, Hydrogen Sulfide, Ammonia/Methylamine,				6006					
MG/P100 Multi-Gas/ Vapor/P100		Formaldehyde' or Hydrogen Fluoride Certain Organic Vapors, Chlorine, Hydrogen Chloride, Chlorine Dioxide, Sulfur Dioxide, Hydrogen Sulfide, Ammoria/Methylamine, Formaldehyde' or				60926	Ó				
OV/AG/P100 Organic Vapor/ Acid Gas/ P100		Hydrogen Fluoride and Particulates Certain Organic Vapors, Chlorine, Hydrogen Chloride, and Sulfur Dloxide or Hydrogen Sulfide or Hydrogen Fluoride and Particulates*				60928	<u> </u>				
HG Mercury		Mercury Vapor, Chlorine and Sulfur Dioxide				6009S					
HG/P100 Mercury/P100		Mercury Vapor, Chlorine, Sulfur Dioxide and Certain Particulates				60929S					
Filters	Color Code	NIOSH Approved for:									
P95	Code	Particulates				2071					
P95 HF with nuisance level Acid Gas*		Hydrogen Fluoride and Particulates				2076HF					
Acid Gas* P95 with nuisance level Organic Vapor/Acid Gas*		Particulates				2078					
Vapor/Acid Gas*		Particulates				2091 (07000)		2291		7093	
P100 with nuisance level Acid Gas*		Particulates				2096		2296			
P100 with nuisance level Organic Vapor*		Particulates				2097 (07184)		2297			
P100 with hydrogen fluoride, nuisance level organic vapor and acid gas relief*		Cartridge/Filter				7093C (37173)					
Prefilters for Cartridges	Color Code	NIOSH Approved for:									
N95		Non-Oil Particulates				5N11					
P95		Particulates				5P71 (07194)		2071			
P100		Particulates				2091 (07000)		2291	(8)	7093	
Retainers/A	dapters		501 (07054) For use with 5N11 and			2000 Series and 7	093 Filters	603 Use with 5	N11 or 5P71 Fi	Iters and 501 Filte	r Retainer
Organic Vapor Mon Ethylene Oxide Mon Formaldehyde Moni	itors nitors itors	ng & Analysis trations not exceeding the OSHA PEL or appli	3500, 3500B, 3510°, 3 3550°, 3551, 3551B 3720°, 3721, 3721B		*Includes pre	analysis.					













3MTM SpeedglasTM Fresh-Air III **Supplied Air Systems**

Supplied air respiratory protection system. Includes Speedglas™ 9100-Air and 9100 FX-Air Welding Helmets with Fresh-Air III Supplied Air System. Available with V-100 Vortex Air-Cooling valve or V-200 Vortemp™ Air-Heating valve.

Features:

- SideWindows Shade 5 side filters that increase peripheral vision
- Ergonomic, adjustable head suspension for increased comfort, helmet stability and weight distribution
- 3M[™] Speedglas[™] Auto-Darkening Filter
- Selectable Shades 5, 8-13 and Shade 3 light state; Grinding and Tack modes
- For use with all Stick, MIG, and TIG welding processes
- Five-position sensitivity control
- · Adjustable recovery delay
- Meets ANSI Z87.1-2010



	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
\blacktriangle	25-5702-10SW	3M25-5702-10SW	Speedglas™ Welding Helmets w/ V-100 Vortex Air-Cooling valve & ADF 9100V	Ea	\$1,217.32
	25-5702-20SW	3M25-5702-20SW	Speedglas™ Welding Helmets w/ V-100 Vortex Air-Cooling valve & ADF 9100X	Ea	\$1,325.72
\blacktriangle	25-5702-30SW	3M25-5702-30SW	Speedglas™ Welding Helmets w/ V-100 Vortex Air-Cooling valve & ADF 9100XX	Ea	\$1,427.43
\blacktriangle	25-5802-10SW	3M25-5802-10SW	Speedglas™ Welding Helmets w/ V-200 Vortemp™ Air-Heating valve & ADF 9100V	Ea	\$1,365.90
\blacktriangle	25-5802-20SW	3M25-5802-20SW	Speedglas™ Welding Helmets w/ V-200 Vortemp™ Air-Heating valve & ADF 9100X	Ea	\$1,479.30
	25-5802-30SW	3M25-5802-30SW	Speedglas™ Welding Helmets w/ V-200 Vortemp™ Air-Heating valve & ADF 9100XX	Ea	\$1,567.63
	27-5902-10SW	3M27-5902-10SW	Speedglas™ Welding Helmets w/ V-300 Air-Regulating valve & ADF 9100V	Ea	\$1,299.28
\blacktriangle	27-5902-20SW	3M27-5902-20SW	Speedglas™ Welding Helmets w/ V-300 Air-Regulating valve & ADF 9100X	Ea	\$1,409.57
\blacktriangle	27-5902-30SW	3M27-5902-30SW	Speedglas™ Welding Helmets w/ V-300 Air-Regulating valve & ADF 9100XX	Ea	\$1,519.87



Honeywell

CougarTM SCBA

Silicone facepiece provides comfort and durability, even in extreme heat or cold. Won't oxidize or react with ozone. Provides better sealing ability for improved comfort and fit. Features low-pressure, 30-minute, 2216 psig, bell alarm, aluminum cylinder without locking collar, Twenty20+® facepiece, nose cup and headstrap. Second stage regulator has compact, Air Klic™ fastening system; first-breathon; better downward vision for less chance of damage; allows attachment in any orientation; regulator holder on waist strap allows regulator to be kept in stand-by mode. Mighty-Light® backpack is light, easy to use, and comfortable; no tools required for quick, easy disassembly and assembly.

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
\blacksquare	888888	NTH888888	Basic industrial SCBA	M	Ea	\$1,770.00



Honeywell



PUMATM SCBA

Rated for entry into immediately dangerous to life or health (IDLH) environments. No need for spectacles kits. Hood is made from Challenge® NXT barrier fabric (fluoropolymer films laminated to aramid substrates) for excellent permeation resistance. Lens is made from 10 mil FEP Teflon®. Flexible neoprene neck seal provides excellent protection against contaminants in IDLH atmospheres. Features hood with factory-installed medium silicone nose cup; plain whistle alarm, 2216 psig 30-minute aluminum cylinder without locking collar.

ITEM # MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
777777 NTH77777	7 Survivair PUMA	M	Ea	\$2,065.00







Honeywell

CA200 Series PAPR

Triple alarm system creates an audible, vibratory and visual alarm to warn workers of battery life and/or filter clog. Vibratory alarm can be felt even through welding jackets; warns workers who are hearing impaired or in high noise environments. Two visual alarms: one for low battery and another one for a clogged filter. Lightweight for improved comfort and longer wear. Same unit can be used for either tight facepieces or loose fitting hoods to accommodate different needs and preferences. Airflow is automatically adjusted to meet OSHA and CSA CFM requirements. Complete assembly includes:

(1) Blower

- (1) Single unit battery charge
- (1) Lithium-ion battery
- (1) Carry case
- (1) Flow meter

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
	CA201D	NTHCA201D	CA200 Series PAPR assembly w/ PVC decon belt	Ea	\$1,176.00
	CA127	NTHCA127	34" Breathing tube for use w/ Primair® Series loose fitting headcovers	Ea	\$44.02
A	CA127L	NTHCA127L	40" Breathing tube for use w/ Primair Series loose fitting headcovers	Ea	\$51.69
	CA 229	NTHCA229	34" V breathing tube for use w/ Primair Series tight-fitting facenieces	Fa	\$113 58





CF1000 Series CF-SAR

Simple, comfortable and easy to use. Approved with five brands of coupler. Nylon belt offers flexibility in movement for optimal comfort or the PVC belt is ideal in decontamination applications. Muffler dampens noise in workers' hoods for a quieter work environment with less distraction. Compatible with Primair® Series hoods. Complete assembly includes: belt, muffler, and breathing tube.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
	CF1001D	NTHCF1001D	Airline assembly w/ 34" breathing tube w/ connector & PVC decon belt	Ea	\$224.72
A	CF2007	NTHCF2007	Airline adapter assembly w/ breathing tube, waist belt & adjustable flow control valve	Ea	\$231.37
A	996025	NTH996025	25' Breathing air hose, 3/8" ID	Ea	\$91.86
A	996050	NTH996050	50' Breathing air hose, 3/8" ID	Ea	\$141.51
A	996100	NTH996100	100' Breathing air hose, 3/8" ID	Ea	\$260.42
A	998050	NTH998050	50' Breathing air hose, 1/2" ID	Ea	\$217.85
A	998100	NTH998100	100' Breathing air hose, 1/2" ID	Ea	\$415.34
A	88600H	NTH88600H	Hansen Coupler Assembly for 3/8" ID breathing air hose (includes male plug, bushing & female coupler)	Ea	\$63.37
A	880141H	NTH880141H	Hansen Male Plug for 3/8" ID breathing air hose	Ea	\$14.02
A	88800H	NTH88800H	Hansen Coupler Assembly for 1/2" ID breathing air hose (includes male plug, bushing & female coupler)	Ea	\$63.37
A	880161H	NTH880161H	Hansen Male Plug for 1/2" ID breathing air hose	Ea	\$15.38



Honeywell

CF1001D

Primair® Series Hoods

For painting applications or where full head and shoulder coverage is desired. Workers can select the length that is right for them. Tyvek® for most applications; Saranex®-coated for additional chemical protection. Protects the lens from splatter. Universal size. For use with CA200 Series PAPR and CF1000 Series CF-SAR. Complete assembly includes:

- (1) Adjustable headgear
- (1) Hood with bib (available standard or coated for additional protection against occasional splashes)
- (1) Replacement sweatband
- (1) Peel-off cover lens

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
PA111	NTHPA111	Primair 100 headgear & bibbed hood	Ea	\$68.11
PA131	NTHPA131	Primair 100 headgear & hood w/ knit neck seal	Ea	\$133.85
PA201E01	NTHPA201E01	Primair FM 200 E2 style hard hat & hood w/ knit neck seal	Ea	\$267.66

Honeywell MORTH

N-Series Cartridges, Filters and Cartridge/Filter Combinations

Air-purifying respirators with cartridges provide respiratory protection against gases and vapors by using sorbents to purify the inhaled air. N-Series filter/cartridge combinations also remove dusts, fibers and other particles. All Honeywell North N-Series cartridges and filters are NIOSH approved with select Honeywell North air-purifying half masks and full facepiece respirators. N750036 assembly for filters, includes: (2) N750027 covers and (2) N750038 filter supports to attach filter pads to gas and vapor cartridges.



ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
75SCL	NTH75SCL	Defender™ multi-purpose cartridge	Pr	\$12.63
75SCP100L	NTH75SCP100L	Defender multi-purpose cartridge w/ P100 particulate filter	Pr	\$23.48
N75001L	NTHN75001L	Organic vapor cartridge	Pr	\$11.85
7581P100L	NTH7581P100L	Organic vapor cartridge w/ P100 particulate filter	Pr	\$22.71
N75002L	NTHN75002L	Acid gas cartridge	Pr	\$12.34
7582P100L	NTH7582P100L	Acid gas cartridge w/ P100 particulate filter	Pr	\$23.23
N75003L	NTHN75003L	Organic vapor, acid gas cartridge	Pr	\$12.06
7583P100L	NTH7583P100L	Organic vapor, acid gas cartridge w/ P100 particulate filter	Pr	\$22.91
N75004L	NTHN75004L	Ammonia, methylamine cartridge	Pr	\$13.11
7584P100L	NTH7584P100L	Ammonia, methylamine cartridge & P100 particulate filter	Pr	\$23.98
N750052	NTHN750052	Mercury vapor cartridge	Pr	\$37.91
7580P100	NTH7580P100	P100 Particulate filter	Pr	\$8.46
75FFP100	NTH75FFP100	P100 Particulate low-profile filter, flexible	Pr	\$6.23
7506N95	NTH7506N95	N95 pad filters	10/Pk	\$10.83
7506R95	NTH7506R95	R95 pad filters	10/Pk	\$25.22
N750029	NTHN750029	Shower cap for 7580P100 filter	Pr	\$1.80
75FFP100NL	NTH75FFP100NL	P100 Low profile, flexible filter w/ odor relief from nuisance levels of organic vapors, acid gases & ozone	Pr	\$9.52
75852P100L	NTH75852P100L	Mercury vapor cartridge P100 Filter	Pr	\$48.82
N750036	NTHN750036	Filter retainer	Pr	\$3.55



Honeywell

Cartridges/Filters for CA200 Series PAPR

High-efficiency particulate air-purifying (HEPA) filters and cartridges for use with the CA200 Series PAPR.

ITEM#	MARTIN #	DESCRIPTION	UOM	PRICE
40HE	NTH40HE	HEPA	3/Pk	\$51.55
4001	NTH4001	Organic vapor	3/Pk	\$94.95
4003	NTH4003	Organic vapor/acid gas	3/Pk	\$118.02
4004HE	NTH4004HE	Ammonia/methyl cartridge w/ HEPA filter	3/Pk	\$96.63
4001HE	NTH4001HE	Organic vapor cartridge w/ HEPA filter	3/Pk	\$94.95
4003HE	NTH4003HE	Organic vapor/acid gas cartridge w/ HEPA filter	3/Pk	\$118.02







Refreshers Alcohol Respirator Towelettes

Refresher wipe pads provide a quick, easy method of removing perspiration and body oils from the respirator facepiece between scheduled cleanings. Wipe pads make respirator usage more acceptable to the wearer by improving comfort. Individually wrapped towelettes sold per box.

ITEM # MARTIN # DESCRIPTION	UOM	PRICE
7003A NTH7003A Alcohol free	100/Bx	\$25.69



MOLDEX

Glide® Foam Twist-In **Earplugs**

Unique multi-curved stem rotates for a custom fit inside each ear canal. Features large handle on

curved stem and hygienic, no-roll

design. Cord can be attached at any desired length. 100 Pair/box.

ITEM #	MARTIN #	DESCRIPTION	NRR	UOM	PRICE
6940	MOL6940	Glide Foam, uncorded	30	100 Pr/Bx	\$39.30
6945	MOL6945	Glide Foam, corded	30	100 Pr/Bx	\$57.16





MOLDEX

6945

SparkPlugs® Foam Earplugs

Made of PVC-free foam. Features random multi-color swirl design and tapered shape. Tested to ANSI S3.19-1974.

detectable, corded

ITEM #	MARTIN #	DESCRIPTION	NRR	UOM	PRICE
6604	MOL6604	SparkPlugs, uncorded	33	200 Pr/Bx	\$27.90
6654	MOL6654	SparkPlugs, corded	33	100 Pr/Bx	\$28.41
6615	MOL6615	SparkPlugs, metal	33	100 Pr/Bx	\$44.91





Reusable Earplugs

Unique multi-curved stem rotates for a custom fit inside each ear canal. Features large handle on curved stem and soft triple flange. Cord can be attached at any desired length. 4 Boxes/case.







Pura-Fit® Foam Earplugs

Designed with longer length for easier fitting and removal. Features PVC-free foam and tapered design. Available in PlugStation® dispenser. Tested to ANSI S3. 19-1974.

ITEM #	MARTIN #	DESCRIPTION	NRR	UOM	PRICE
6800	MOL6800	Pura-Fit, uncorded	33	200 Pr/Bx	\$31.53
6900	MOL6900	Pura-Fit, corded	33	100 Pr/Bx	\$30.64



MOLDEX PlugStation® Earplug Dispensers

With the PlugStation, you can afford to put earplugs in all the places they're needed. Convenient, quick access and ease of use lead to higher compliance. Filled with choices of uncorded earplugs: SparkPlugs®; Pura-Fit®; Goin' Green®; Mellows® with hi-viz orange color; Meteors® with contoured shape; or Camo Plugs®. Also available with corded earplugs in SparkPlugs, SparkPlugs Metal Detectable, Pura-Fit and Glide Foam® styles. Mounting bracket and necessary hardware included. Tested to ANSI S3.19-1974.

ITEM#	MARTIN #	DESCRIPTION	NRR	иом	PRICE
6644	MOL6644	PlugStation w/ SparkPlugs, uncorded	33	250 Pr/Dsp	\$37.68
6645	MOL6645	PlugStation w/ SparkPlugs, uncorded	33	500 Pr/Dsp	\$72.46
6845	MOL6845	PlugStation w/ Pura-Fit, uncorded	33	500 Pr/Dsp	\$82.31
6847	MOL6847	PlugStation w/ Mellows, uncorded	30	500 Pr/Dsp	\$67.88
6881	MOL6881	PlugStation w/ Metal Detectable SparkPlugs, corded	33	150 Pr/Dsp	\$71.78
6882	MOL6882	PlugStation w/ Pura-Fit, corded	33	150 Pr/Dsp	\$48.87



Honeywell

MAX® Earplugs

Features noise-blocking performance, easy-to-insert contoured shape and soil-resistant skin. Ideal for welding, construction and transportation. Coral. Tested to ANSI S3.19-1974.

ITEM #	MARTIN #	DESCRIPTION	NRR	UOM	PRICE
MAX-1	NTHMAX-1	MAX, uncorded, polybag	33	200 Pr/Bx	\$29.48
MAX-1S	NTHMAX-1S	MAX Small, uncorded, polybag	30	200 Pr/Bx	\$29.48
MAX-30S	NTHMAX-30S	MAX Small, corded, polybag	30	100 Pr/Bx	\$27.89



LEIGHT	
Max Lite	Earplugs
Made with low-	nraccura nolvura

Made with low-pressure polyurethane foam. Features soil-resistant, closed-cell foam skin and prevents dirt build-up. Tested to ANSI S3.19-1974.

ITEM#	MARTIN #	DESCRIPTION	NRR	UOM	PRICE
LPF-1	NTHLPF-1	Max Lite, uncorded, polybag	30	200 Pr/Bx	\$24.13
LPF-30	NTHLPF-30	Max Lite, corded, polybag	30	100 Pr/Bx	\$23.73






FirmFitTM Disposable Earplugs

Features firm design and excellent protection in most medium-to-high noise environments. Orange.

ITEM #	MARTIN #	DESCRIPTION	NRR	UOM	PRICE
FF-1	NTHFF-1	FirmFit, uncorded in polybag	30	200 Pr/Bx	\$21.43
FF-30	NTHFF-30	FirmFit, corded in polybag	30	100 Pr/Bx	\$24.50





TrustFitTM Pod Push-In Foam Earplugs

Features push-in foam design with ergonomic stem and dimpled foam tip. Tested to ANSI S.3.19-1974.

ITEM #	MARTIN #	DESCRIPTION	NRR	UOM	PRICE
TRUSTFITPOD-1	NTHTRUSTFITPOD-1	TrustFit Pod, uncorded	28	100 Pr/Bx	\$24.50
TRUSTFITPOD-30	NTHTRUSTFITPOD-30	TrustFit Pod, corded	28	100 Pr/Bx	\$44.92





Laser Lite® Earplugs

Made with polyurethane foam. Features self-adjusting contoured T-shape and magenta/yellow color for visible protection. Tested to ANSI S3.19-1974.

ITEM#	MARTIN #	DESCRIPTION	NRR	UOM	PRICE
LL-1	NTHLL-1	Laser Lite, uncorded, polybag	32	200 Pr/Bx	\$24.33
LL-30	NTHLL-30	Laser Lite, corded, polybag	32	100 Pr/Bx	\$23.54





Fusion® Multiple-Use Earplugs

Made with FlexiFirm® core and SoftFlange™ 4-flange design. Includes HearPack® storage case and detachable cord system. Tested to ANSI S3.19-1974.

ITEM #	MARTIN #	DESCRIPTION	COLOR	NRR	SIZES	UOM	PRICE
FUS30-HP	NTHFUS30-HP	Fusion, detachable cord, HearPack	Blue/yellow	27	Regular	100 Pr/Bx	\$124.54
FUS30S-HP	NTHFUS30S-HP	Fusion, detachable cord, HearPack	Green/yellow	27	S	100 Pr/Bx	\$124.54



Laser Trak® Detectable Earplugs

Made with polyurethane foam and contoured T-shape. Non-ferrous metal grommet is detectable by automated processes. Blue polycord attached.

Tested to ANSI S3.19-1974. 1,000 Pair/case.



393-2008-50

3MTM

UltraFitTM Silicone Corded Earplugs

Made from durable,
medical-grade silicone.
Features cloth cord,
triple-flange design and individual
plastic carrying case. Recommended

applications include assembly, mechanical and welding. 80 Pair/box.

ITEM #	MARTIN #	DESCRIPTION	NRR*	UOM	PRICE
340-3002	3M340-3002	UltraFit silicone corded earplugs	24	80 Pr/Bx	\$110.77

1100

340-3002

ITEM # MARTIN # DESCRIPTION NRR* UOM PRICE LT-30 NTHLT-30 Laser Trak detectable, corded, polybag 33 100 Pr/Bx \$36.91



3MTM E-A-RTM EXPRESSTM PodPlugsTM

Modified with probe tube for use during

earplug fit testing with the 3M[™] E-A-Rfit[™] Validation System. Features push-to-fit foam and electronically insulated construction. 10 Pair/bag.

ITEM#	MARTIN #	DESCRIPTION	UOM	PRICE
393-2008-50	3M393-2008-50	E-A-R EXPRESS PodPlugs	10 Pr/Bx	\$15.39

321-2101



Made with tapered foam. Can be combined with earmuffs. Test

compatible with $3M^{\text{\tiny TM}}$ E-A-Rfit $^{\text{\tiny TM}}$ Validation System.


ITEM#	MARTIN #	DESCRIPTION	NRR*	UOM	PRICE
1100	3M1100	Foam Earplugs 1100, uncorded	29	200 Pr/Bx	\$30.45
1110	3M1110	Foam Earplugs 1110, corded	29	100 Pr/Bx	\$27.57

Corded plugs are not for use in the 3M[™] Foam Earplug Dispenser.

3M

3MTM E-A-RTM CapsTM Hearing Protector

Comfortable foam caps on a flexible band that holds caps in place to block ear canal opening. Easy to use. Designed to be worn under-the-chin only.





3MTM E-A-RTM ClassicTM Corded Noise Filter Earplugs

Made of PVC. Features corded and cylinder-shaped design. Moisture resistant. 200 Pair/box.

ITEM #	MARTIN #	DESCRIPTION	NRR*	UOM	PRICE
310-1033	3M310-1033	E-A-R Classic corded noise filter earplugs	29	200 Pr/Bx	\$31.80



310-1033

311-1254

3MTM E-A-RTM E-Z FitTM Earplugs

Made with low-pressure foam. Features bright yellow color that aids in compliance checks. Test compatible with 3M™ E-A-Rfit™ Validation System. 200 Pair/box.



ITEM #	MARTIN # DESCRIPTION NRR*		NRR*	UOM	PRICE
312-1208	3M312-1208	E-Z Fit, uncorded	28	200 Pr/Bx	\$29.84
312-1222	3M312-1222	E-Z Fit, corded	28	200 Pr/Bx	\$57.50
				_	




E-A-RTM ExpressTM Pod PlugsTM

Features reusable design with pod shape and flexible grip. No touching or roll-down needed for insertion. Test compatible with 3M™ E-A-Rfit™ Validation System. 100 Pair/box.

ITEM #	MARTIN #	DESCRIPTION	NRR* UOM		PRICE
321-2100	3M321-2100	Uncorded w/ blue color grips		100 Pr/Bx	\$53.35
321-2200	3M321-2200	Uncorded w/ assorted color grips	25	100 Pr/Bx	\$53.08
311-1114	3M311-1114	Corded w/ blue grips	25	100 Pr/Bx	\$85.16
311-1115	3M311-1115	Corded w/ assorted color grips	25	100 Pr/Bx	\$85.16
311-1127	3M311-1127	Corded, metal detectable	25	100 Pr/Bx	\$118.25

3MTM E-A-RTM Hi FiTM Earplugs



ITEM #	MARTIN #	DESCRIPTION	NRR*	UOM	PRICE	
410-3019	3M410-3019	E-A-R Hi Fi earplugs	12	48 Pr/Cs	\$645.11	

410-3019

3MTM E-A-RsoftTM SuperFitTM Earplugs

Provides all-day comfort and secure fit for wide range of ear canals. For best fit, insert plug into ear canal so that no ring is visible. Packaged in poly bags.

Test compatible with 3M™ E-A-Rfit™ Validation System. 200 Pair/box.

312-1256

ITEM #	MARTIN #	NRR*	UOM	PRICE		
E-A-Rsoft SuperFit, Uncorded						
312-1256	3M312-1256	33	200 Pr/Bx	\$26.58		
E-A-Rsoft SuperFit, Corded						
311-1254	3M311-1254	33	200 Pr/Bx	\$51.53		

311-1114

3MTM E-A-RsoftTM SuperFitTM Metal **Detectable Earplugs**

Made of polyurethane with tapered design. Features SuperFit™ fitting ring, stainless steel ball bearing

ITEM # MARTIN #

311-4109 3M311-4109

implanted into plug and metal detectable cord.

DESCRIPTION

E-A-Rsoft SuperFit

metal detectable

earplugs







иом

200 Pr/Bx

PRICE

\$88.46

P1401

NRR*

32

3MTM PISTONZTM Earplugs

Features race-inspired design and bi-axially-stiff stem. No roll-down design is ready for instant use. Cylindrical shape is designed to fit most ear canals. Officially Licensed Hearing Protection of NASCAR®. 100 Pair/box.

ITEM #	MARTIN #	DESCRIPTION	NRR*	UOM	PRICE
P1400	3MP1400	PISTONZ, uncorded	29	100 Pr/Bx	\$64.51
P1401	3MP1401	PISTONZ, corded	29	400 Pr/Cs	\$317.17

∕!\ WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor, User Instructions, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

^{*} NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.

391-1002

3MTM E-A-RTM One TouchTM Earplug Refills

Refills are available in a variety of styles. For use with One Touch Pro Earplug Dispenser.

ITEM #	MARTIN #	DESCRIPTION	NRR*	SIZES	UOM	PRICE
391-1002	3M391-1002	E-A-R Classic SuperFit 30 refill	30	Regular	500 Pr/Bx	\$73.57
391-1004	3M391-1004	E-A-Rsoft Yellow Neons refill	33	Regular	500 Pr/Bx	\$54.36
391-1005	3M391-1005	E-A-Rsoft Yellow Neons refill	33	L	400 Pr/Btl	\$50.83
391-1010	3M391-1010	E-A-Rsoft Yellow Blasts refill	33	Regular	500 Pr/Bx	\$64.53
391-1254	3M391-1254	E-A-Rsoft SuperFit refill	33	Regular	500 Pr/Bx	\$65.82





3MTM One TouchTM Pro Earplug Dispenser

Made from ABS plastic that offers impact resistance, wide temperature tolerance and smooth operation. Features reusable, free-standing or wall hanging dispenser. Built for harsh working environments and repeated use.


ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
391-0000	3M391-0000	One Touch Pro dispenser	Ea	\$70.62

312-4201

311-1126

3MTM E-A-RTM ClassicTM SuperFitTM 30 and SuperFitTM 33 Earplugs

Features cylindrical shape that fits wide range of ear canals. Best fit achieved when plug is fully inserted so no ring is visible. Test compatible with 3MTM E-A-RfitTM Validation System.



3MTM E-A-RTM TaperFitTM 2 Earplugs

Soft, roll-down foam expands to fit ear canal and provides low-pressure seal. Test compatible with 3MTM E-A-RfitTM Validation System. 2,000 Pair/case.



ITEM #	MARTIN #	NRR*	SIZES	UOM	PRICE		
TaperFit 2, Uncorded							
312-1219	3M312-1219	32	Regular	200 Pr/Bx	\$28.90		
312-1221	3M312-1221	32	Plus	200 Pr/Bx	\$30.36		
TaperFit 2, C	orded						
312-1223	3M312-1223	32	Regular	200 Pr/Bx	\$54.65		
312-1224	3M312-1224	32	Plus	200 Pr/Bx	\$58.26		

/!\ WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

^{*} NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.

3M

3MTM E-A-RTM Push-InsTM Earplugs

Features Earform[™] tip and blue stem. Metal detectable model features no roll-down design and a flexible stem. Grip ring model features cone shape and built-in grip rings. ComforTip[™] model features shape curves, wide base and no roll-down design. SofTouch[™] model features ergonomic insertion "pistol-grip" stem and soft tip. Test compatible with 3M[™] E-A-Rfit[™] Validation System.

ITEM #	MARTIN #	DESCRIPTION	NRR*	UOM	PRICE
318-1000	3M318-1000	Push-Ins, uncorded	28	100 Pr/Bx	\$33.20
318-1001	3M318-1001	Push-Ins, corded	28	100 Pr/Bx	\$53.03
318-1002	3M318-1002	Push-Ins, uncorded	28	200 Pr/Bx	\$56.91
318-1003	3M318-1003	Push-Ins, corded	28	200 Pr/Bx	\$96.34
318-1008	3M318-1008	Push-Ins w/ grip rings, uncorded	30	200 Pr/Bx	\$70.95
318-1009	3M318-1009	Push-Ins w/ grip rings, corded	30	200 Pr/Bx	\$110.57
318-3000	3M318-3000	Push-Ins metal detectable, corded	28	200 Pr/Bx	\$176.18
318-4000	3M318-4000	Push-Ins SofTouch, uncorded	31	200 Pr/Bx	\$68.45
318-4001	3M318-4001	Push-Ins SofTouch, corded	31	200 Pr/Bx	\$115.02







3M

3MTM E-A-RTM UltraFitTM Earplugs

Features triple-flange design that fits a wide range of ear canals. Washable and reusable. Metal detectable version features stainless steel ball in stem and metal detectable cord. Test compatible with 3MTM E-A-RfitTM Validation System.

ITEM #	MARTIN #	DESCRIPTION	NRR*	UOM	PRICE
340-4003	3M340-4003	UltraFit, uncorded	25	100 Pr/Bx	\$86.62
340-4004	3M340-4004	UltraFit, corded	25	100 Pr/Bx	\$118.54
340-4007	3M340-4007	UltraFit metal detectable, corded	25	100 Pr/Bx	\$140.42
340-4017	3M340-4017	UltraFit metal detectable, corded, Econopack	25	200 Pr/Bx	\$200.86
340-4014	3M340-4014	UltraFit, corded, Econopack	25	200 Pr/Bx	\$185.99
340-6004	3M340-6004	UltraFit Plus, corded, poly bag	26	100 Pr/Bx	\$150.77
340-8001	3M340-8001	UltraFit 27, uncorded	27	100 Pr/Bx	\$101.27
340-8002	3M340-8002	UltraFit 27, corded	27	100 Pr/Bx	\$136.19
340-4036	3M340-4036	UltraFit w/ cloth cord in poly bag	25	100 Pr/Bx	\$154.40
340-4044	3M340-4044	UltraFit w/ cloth cord in paper bag	25	100 Pr/Bx	\$154.40



3MTM E-A-RsoftTM Yellow NeonsTM and Yellow Neon BlastsTM Disposable Foam Earplugs

Soft foam provides low-pressure comfort. Features optional breakaway cord. Metal detectable models feature a stainless steel ball encapsulated into the earplug's foam and a metal detectable cord. Test compatible with 3MTM E-A-RfitTM Validation System.

ITEM #	MARTIN #	DESCRIPTION	NRR*	SIZES	UOM	PRICE
312-1250	3M312-1250	Yellow Neons, uncorded, poly bag	33	Regular	200 Pr/Bx	\$22.13
312-1251	3M312-1251	Yellow Neons, uncorded, poly bag	33	L	200 Pr/Bx	\$25.55
311-1251	3M311-1251	Yellow Neons, corded, poly bag	33	L	200 Pr/Bx	\$52.10
312-1252	3M312-1252	Yellow Neon Blasts, uncorded, poly bag	33	Regular	200 Pr/Bx	\$26.20
311-1252	3M311-1252	Yellow Neon Blasts, corded, poly bag	33	Regular	200 Pr/Bx	\$51.28
311-1256	3M311-1256	Yellow Neons, corded, poly bag	33	Regular	200 Pr/Bx	\$26.08
311-4106	3M311-4106	Yellow Neons, metal detectable, corded	33	Regular	200 Pr/Bx	\$77.01
311-1257	3M311-1257	Yellow Neons Blasts, corded, poly bag	33	Regular	100 Pr/Bx	\$26.15





3M

3MTM E-A-RTM ClassicTM Earplugs

Made with Thermal-Reactive[™] foam. Features moisture and flame-resistant design. Test compatible with 3M[™] E-A-Rfit[™] Validation System. Retail pack contains 30 Pair/box.

ITEM #	MARTIN #	DESCRIPTION	NRR*	UOM	PRICE
310-1103	3M310-1103	Classic, uncorded, small size	29	200 Pr/Bx	\$31.22
310-1001	3M310-1001	Classic, uncorded, pillow pack	29	200 Pr/Bx	\$28.86
312-1201	3M312-1201	Classic, uncorded, poly bag	29	200 Pr/Bx	\$28.67
311-1101	3M311-1101	Classic, corded, poly bag	29	200 Pr/Bx	\$55.12
310-1080	3M310-1080	Classic, corded, poly bag	29	100 Pr/Bx	\$29.58
391-1001	3M391-1001	Classic, uncorded, One Touch™ refill bottle	29	500 Pr/Bx	\$28.85
311-1081	3M311-1081	Classic, corded, Econopack (bulk)	29	500 Pr/Bx	\$123.96
312-1080	3M312-1080	Classic, uncorded, Econopack (bulk)	29	500 Pr/Bx	\$65.05
310-1101	3M310-1101	Classic Plus, uncorded, pillow pack	33	200 Pr/Bx	\$32.73
311-1105	3M311-1105	Classic Plus, corded, poly bag	33	200 Pr/Bx	\$59.60
311-4101	3M311-4101	Classic Plus, metal detectable, corded	29	200 Pr/Bx	\$101.29
311-6000	3M311-6000	Classic Soft, uncorded	31	200 Pr/Bx	\$38.34
311-6001	3M311-6001	Classic Soft, corded	31	200 Pr/Bx	\$72.24
311-1106	3M311-1106	Classic small corded earplugs	29	200 Pr/Bx	\$58.45
VP312-1201	3MVP312-1201	E-A-R Classic uncorded earplugs	29	5 Pr/Pk	\$0.80
VP311-1101	3MVP311-1101	E-A-R Classic corded earplugs	29	5 Pr/Pk	\$1.50





MX-5 and MX-6 Earmuffs

Features cushion-ribbed open air headband, large ear cushions and lightweight wire frame. Soft foam/low pressure cushions and headband are PVC-free. MX-6 features waffled cup foam for superior NRR protection.

ITEM #	MARTIN #	DESCRIPTION	NRR	UOM	PRICE
6120	MOL6120	MX-5 earmuffs	27	Ea	\$19.61
6130	MOL6130	MX-6 earmuffs	30	Ea	\$24.31

331-4000



Honeywell

Impact Sport Sound Amplification Earmuffs

Features Air Flow Control technology, snap in ear cushions and AUX input. Offers ability to hear other shooters and environmental sounds. Non-deforming outer headband and low profile design with cut-out. Ideal for military, mining and law enforcement.



1030941

ITEM #	MARTIN #	DESCRIPTION	NRR	UOM	PRICE
1030941	NTH1030941	Impact sport amplification earmuffs	22	Ea	\$73.50

3MTM Model 4000 Earmuffs

Features vertical adjustment system, large ear cup openings and wide ear cushions.

ITEM #	MARTIN #	DESCRIPTION	NRR*	иом	PRICE
331-4000	3M331-4000	Model 4000, headband model	27	Ea	\$10.44



3MTM PeltorTM Alert AM/FM Radio Headsets

Features AM/FM radio with electronic ambient listening capability and external microphones located on outside of each cup. Requires (2) AA batteries (not included).



ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
FL6AC	3MFL6AC	Right side boom mounting Y-harness (in-line PTT adapter required/sold separately)	Ea	\$103.42



3M

3MTM PeltorTM Push-To-ListenTM Tactical Electronic Headset

Features push-to-listen (PTL) electronic headset and electronic talk-through function. Offers automatic shut-off (30 seconds) or when button is pressed. Neckband and hi-viz design.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
MT155H530A-49A G	B 3MMT155H530A-49A GB	Peltor PTL tactical electronic headset	Ea	\$64.64



3MTM Model 3000 Earmuffs

Three-position earmuff can be worn over-the-head, behind-the-head or under-the-chin. Includes crown strap required for under-the-chin or behind-the-head wear. Features large ear cup openings with foam-filled cushions, replaceable foam cup liners and take-apart assembly. NRR 25 (over-the-head), NRR 26 (behind-the-head) and (under-the-chin).

ITEM #	MARTIN #	DESCRIPTION	NRR*	иом	PRICE
330-3002	3M330-3002	Model 3000 earmuffs	25/26	Ea	\$21.65
331-3010	3M331-3010	Replaceable ear		6 Pr/Pk	\$32.99

3MTM Model 2000H **Helmet-Mount Earmuffs**

Mounts to most hard hats without adapter and features lightweight, durable plastic construction that is non-conductive for tough environments. "At-rest" position prevents contact with dirty hard hats.

ITEM#	MARTIN #	DESCRIPTION	NRR*	UOM	PRICE
330-3031	3M330-3031	Model 2000H helmet- mount earmuffs	21	Ea	\$26.81

WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor, User Instructions, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

3MTM Model 1000 Earmuffs

Three-position earmuff can be worn over-the-head, behind-the-head or under-the-chin. Includes crown strap required for under-the-chin or behind-the-head wear. Lightweight, durable plastic construction is non-conductive. Features large ear cup openings with foam-filled cushions, replaceable foam cup liners and take-apart assembly. NRR 20 (over-the-head), NRR 22 (under-the-chin) and (behind-the-head).

ITEM #	MARTIN #	DESCRIPTION	NRR*	UOM	PRICE
330-3001	3M330-3001	Model 1000	20/22	Ea	\$14.61

3MTM PeltorTM LiteCom BRS - UHF Two-Way Radio Headsets

Features all-in-one, 2-way radio headset, cable-free design and a range of up to 9,500 feet. Ideal for use in construction, manufacturing, processing and equipment maintenance. Headset switches off automatically if it is inactive for more than 2 hours. Automatically connects.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
Peltor LiteCom BRS				
MT53H7A4600-NA	3MMT53H7A4600-NA	Headband	Ea	\$483.82
MT53H7B4600-NA	3MMT53H7B4600-NA	Neckband	Ea	\$483.83
MT53H7P3E4600-NA	3MMT53H7P3E4600-NA	Hard hat	Ea	\$483.83
M995	3MM995	Wind shield for electret microphone	Ea	\$9.24
MT53N-12	3MMT53N-12	Electret microphone	Ea	\$95.96

3MTM PeltorTM OptimeTM 105 Series Earmuffs

Recommended for noise levels up to 105 dBA. Features double-shell ear cup design, wide padded headband and stainless steel headband wires. Offers liquid foam-filled cushions.

ITERA #	MARTIN #	DESCRIPTION	NRR*	UOM	PRICE
ITEM #	WARTIN #	DESCRIPTION	NRR"	UOW	PRICE
HY10	3MHY10	Hygiene kit		Ea	\$10.61
H10A	3MH10A	Peltor Optime 105 Series, headband	30	Ea	\$22.63
H10B	3MH10B	Peltor Optime 105 Series, neckband	29	Ea	\$22.63
H10P3E	3MH10P3E	Peltor Optime 105 Series, cap-mount	27	Ea	\$22.63
H10P3E-01	3MH10P3E-01	Peltor Optime 105 Series, cap attachable dual cup dielectric protector	27	Ea	\$37.72
H10AHV	3MH10AHV	Peltor Optime 105 Series, hi-viz headband	30	Ea	\$25.84

^{*} NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.






3MTM PeltorTM LiteCom Plus - Two-Way **Headset Radio**

All-in-one, 2-way radio headset allows 2-way conversation on up to 30 channels and has a range of up to 9,500 feet.

Level-dependent listening of ambient sound ensures users are not isolated from surroundings, allowing users to still hear alarm signals, machinery and voices, all at a level below 25 db. Features cable-free design. Headset switches of automatically if it is inactive for more than 2 hours. Automatic connection.

MT7H7A4610-NA



WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor, User Instructions, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.



3MTM PeltorTM X Series Earmuffs

Features dielectric wire headband on over-the-head models. Offers ear cushion foam technology for protection. Spacer design on X3, X4 and X5 models.



ITEM #	MARTIN #	DESCRIPTION	NRR*	иом	PRICE
X1A	3MX1A	Peltor X1, over-the-head	22	Ea	\$13.54
X1P3E	3MX1P3E	Peltor X1, cap-mount	21	Ea	\$13.54
X2A	3MX2A	Peltor X2, over-the-head	24	Ea	\$15.12
X2P3E	3MX2P3E	Peltor X2, cap-mount	24	Ea	\$15.12
ХЗА	3MX3A	Peltor X3, over-the-head	28	Ea	\$20.56
X3P3E	3MX3P3E	Peltor X3, cap-mount	25	Ea	\$20.56
X4A	3MX4A	Peltor X4, over-the-head	27	Ea	\$27.69
X4P3E	3MX4P3E	Peltor X4, cap-mount	25	Ea	\$27.69
X5A	3MX5A	Peltor X5, over-the-head	31	Ea	\$30.24
X5P3E	3MX5P3E	Peltor X5, cap-mount	31	Ea	\$30.24
HYX1	3MHYX1	Peltor X1 replacement hygiene kit, 1 pr.		Ea	\$9.89
HYX2	3MHYX2	Peltor X2 replacement hygiene kit, 1 pr.		Ea	\$9.89
НҮХ3	3МНҮХ3	Peltor X3 replacement hygiene kit, 1 pr.		Ea	\$11.37
HYX4	3MHYX4	Peltor X4 replacement hygiene kit, 1 pr.		Ea	\$11.86
HYX5	3МНҮХ5	Peltor X5 replacement hygiene kit, 1 pr.		Ea	\$12.36

3MTM PeltorTM MT Series **H79 High Noise Headsets**

Features stainless steel spring arms, low-pressure, deep ear cup design, and liquid/ gel-filled ear cushions. Adaptable to any new or existing radio. Radio specific FL50 push-to-talk (PTT) adapter cable required (sold separately).



ITEM #	MARTIN #	DESCRIPTION	NRR*	UOM	PRICE
2-Way					
МТ7Н79А	ЗММТ7Н79А	Headset, headband model w/ noise canceling boom microphone	25	Ea	\$248.40
MT7H79A-C0054	3MMT7H79A-C0054	Headband headset, direct lead to Motorola HT750	25	Ea	\$406.39
MT7H79B-C0054	3MMT7H79B-C0054	Neckband headset, direct lead to Motorola HT750	24	Ea	\$406.39
MT7H79A-C0057	3MMT7H79A-C0057	Headband headset, direct lead to direct lead to Motorola GP300	25	Ea	\$406.39
MT7H79A-C0060	3MMT7H79A-C0060	Headband headset, direct lead to Motorola HT1000	25	Ea	\$406.39
MT7H79A-C0046	3MMT7H79A-C0046	Headband headset, direct lead to Kenwood headband	25	Ea	\$406.39

model TK220/320

NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise

Hand Protection



The Problem:

Are you OSHA ready?

The Martin Safety Solution:

Martin Safety Solutions can help you with any OSHA compliance or laws/standards concerns.

OSHA requires employers to be responsible for providing a safe and healthful workplace.

https://www.osha.gov

Hand protection must be provided whenever necessary to protect against employees' hands that are exposed to hazards such as those from skin absorption of harmful substances; severe cuts or lacerations; severe abrasions; punctures; chemical burns; thermal burns; and harmful temperature extremes. Ensuring worker safety includes conducting a workplace hazard assessment and providing the adequate training to make sure everyone goes home safely to their families.

For our extensive list of Custom Tailored Safety Solutions, please refer to page 1 or visit our website at www.martinsafety.com.

Cut-Resistant	
	54-60
► Leather	61-64
► General Purpose	
	65-67
▶ Disposable	68-69
► Chemical-Resistar	nt
	70-73
► Heat-Resistant	74-76

Welding 77-80

These fine manufacturers help us bring you custom tailored solutions-





























Ansell

HyFlex® 11-800 Light-Duty Multi-Purpose Gloves

Big comfort when handling small parts. Ansell® original foam nitrile coating channels oil away from glove surface for sure grip in light oil. Featuring ZONZ™ Technology, this glove molds naturally to the hand, minimizing fatigue and providing exceptional, unmatched comfort for workers. ANSI level 1 cut resistance, ANSI level 3 abrasion resistance.

ITEM #	MARTIN #	SIZES	иом	PRICE			
HyFlex 11-800 Multi-Purpose Gloves							
11-800-7	ANE11-800-7	7	Pr	\$3.80			
11-800-8	ANE11-800-8	8	Pr	\$3.80			
11-800-9	ANE11-800-9	9	Pr	\$3.80			
11-800-10	ANE11-800-10	10	Pr	\$3.80			

Ansell

HyFlex® 11-518 First-To-Market Ultralight **Cut-Resistant Gloves**

First-to-market 18-gauge style glove provides barehand-like dexterity for high tactility. Dyneema® Diamond Technology provides high cut-to-dexterity ratio for safety with comfort. D3 Pinky matches natural contours of hand. Thin polyurethane coating enables high tactility. High abrasion resistance extends glove life. ANSI cut level 2, ANSI level 3 abrasion resistance.

11-518

ITEM #	MARTIN #	SIZES	UOM	PRICE
HyFlex 11-518 Cut-R	esistant Gloves			
11-518-7	ANE11-518-7	7	Pr	\$8.86
11-518-8	ANE11-518-8	8	Pr	\$8.86
11-518-9	ANE11-518-9	9	Pr	\$8.86
11-518-10	ANE11-518-10	10	Pr	\$8.86
11-518-11	ANE11-518-11	11	Pr	\$8.86

Ansell

HyFlex® 11-531 **Cut-Resistant Gloves**

Made from 18G ultralight weight liner with INTERCEPT™ yarns with ZONZ™ Comfort Fit technology for breathability and ergonomic movement. Palm-dipped coating and FORTIX™ formulation provide enhanced abrasion resistance and grip. ANSI cut level 2.



ITEM #	MARTIN #	SIZES	UOM	PRICE
HyFlex 11-531 (Gloves			
11-531-7	ANE11-531-7	7	Pr	\$10.40
11-531-8	ANE11-531-8	8	Pr	\$10.40
11-531-9	ANE11-531-9	9	Pr	\$10.40
11-531-10	ANE11-531-10	10	Pr	\$10.40
11-531-11	ANE11-531-11	11	Pr	\$10.40

Ansell

HvFlex® 11-537 Gloves

Features 18G ultralight weight liner with INTERCEPT™ yarns and ZONZ™ Comfort Fit technology for breathability and ergonomic movement. The 3/4-dipped coating and FORTIX™ formulation provide enhanced abrasion resistance and grip. ANSI cut level 2.



11-537

ITEM #	MARTIN #	SIZES	UOM	PRICE	
HyFlex 11-537 Glov	es				
11-537-7	ANE11-537-7	7	Pr	\$11.03	4
11-537-8	ANE11-537-8	8	Pr	\$11.03	
11-537-9	ANE11-537-9	9	Pr	\$11.03	
11-537-10	ANE11-537-10	10	Pr	\$11.03	
11-537-11	ANE11-537-11	11	Pr	\$11.03	

Ansell

HvFlex® 11-644 Gloves with Ansell Cut Protection **Technology**TM

Features INTERCEPT™ Cut Resistance Technology offering protection, durability and comfort. Proprietary polyurethane coating provides grip in light oil and dry applications. Soft and cool to the skin for all-day comfort. Can be washed and re-used without loss of cut protection. Ideal for glass handling, machining, stamping and final assembly. Meets ANSI cut level 2 and ANSI level 5 abrasion resistance for longer life.



11-644

ITEM #	MARTIN #	SIZES	UOM	PRICE
HyFlex 11-644 (Cut Protection Gloves			
11-644-7	ANE11-644-7	7	Pr	\$7.54
11-644-8	ANE11-644-8	8	Pr	\$7.54
11-644-9	ANE11-644-9	9	Pr	\$7.54
11-644-10	ANE11-644-10	10	Pr	\$7.54
11-644-11	ANE11-644-11	11	Pr	\$7.54



G-Tek® PolyKorTM Polyurethane Grip Gloves

PolyKor protects against mechanical hazards in the toughest environments. Seamless construction offers increased comfort and breathability. Features polyurethane-coated palm and fingertips, knit wrist and cotton color binding to denote size. Ideal electronics, glass cutting, sheet metal handling, parts assembly and other general-duty applications. ANSI cut level A2.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
16-530/L	PIP16-530/L	G-Tek PolyKor polyurethane grip gloves	L	Dz	\$66.20





MaxiCut3 by ATG® Premium Micro-Foam Nitrile-Coated Gloves

Made from a combination of engineered yarns for moderate cut resistance. Breathable, gray nitrile coating keeps hands cool and dry. Features thin, green, 15-gauge stretch liner. Excellent wet or dry grip. Ideal for protection against glass, sharp parts, components, sheet metal, ceramics, plastic and paper. Used in glass, bottling, automotive, aerospace, domestic appliances, plastics, paper, metal and engineering industries. ANSI cut level A2.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
18-570/L	PIP18-570/L	MaxiCut3 premium micro-foam nitrile-coated gloves	L	Dz	\$101.98







G-Tek® PolyKorTM Polyurethane-Coated Gloves

Made with PolyKor™ fiber. Features polyurethane-coated palm and knit wrist. Abrasion- and puncture-resistant. Ideal for electronics, glass cutting and sheet metal handling. ANSI cut level 2.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
16-150/L	PIP16-150/L	G-Tek PolyKor polyurethane-coated gloves	L	Dz	\$46.80





Kevlar® Gloves with Nitrile Coating

Lightweight, 13-gauge Kevlar with solid nitrile coating and smooth grip. ANSI cut level 2; EN cut level 2.

Note: DuPont[™] and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company. Products made with Kevlar® Technology are cut-resistant but not cut-proof. Do not use with serrated or moving blades.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
09-K1450/L	PIP09-K1450/L	. Kevlar gloves	L	Dz	\$66.53



09-K1450







Maximum Safety® Mad Max Riggers Gloves

Features hi-viz lime foam-laminated spandex fabric back with TPR molded knuckle and back hand guards. Diamond grip PVC is impregnated on fingertips and thumb crotch reinforcements. Breathable airprene wrist keeps debris out. ANSI cut level 2.

ITEM # MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
120-4000/L PIP120-4000/L	Mad Max gloves	L	Pr	\$24.13







MaxiCut3® by ATG® Knit Engineered Yarn Gloves

Made with MicroFoam nitrile coating. Features knit wrist, green engineered yarn shell with reinforcement between thumb and forefinger. Micro-foam nitrile coating offers 360° breathability. ANSI cut level 2.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
18-575/L	PIP18-575/L	MaxiCut3 by ATG Knit Engineered Yarn Gloves	L	Dz	\$102.72



MaxiFlex® CutTM by ATG® Gloves

Seamless knit engineered yarn with premium nitrile-coated micro-foam grip. Available with coating on palm and fingertips or palm and full finger. Reinforcement between thumb and forefinger improves cut resistance. Silicone-free. Ideal for finishing, inspection, assembly, maintenance and handling of small oily parts and components. Made from component material which complies with Federal regulations for food contact, 21 CFR, 170-199. ANSI cut level A2.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
34-8743/L	PIP34-8743/L	MaxiFlex Cut by ATG gloves w/ palm & fingertip coating	L	Dz	\$97.73
34-8753/L	PIP34-8753/L	MaxiFlex Cut by ATG gloves w/ palm & full finger coating	L	Dz	\$101.12







BarracudaTM HPPE Shell **WESTCHESTER** Polyurethane-Dipped Gloves

Made with HPPE fiber shell and gray polyurethane coating. Features 13-gauge seamless knit shell, elastic wrist and TPR on back-of-hand. Ideal for metal fabrication, welding and construction. ANSI cut level 2.

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Barracuda HPPE Shell Polyurethane-Di	pped Gloves			
\blacksquare	713HGWUB/S	WCM713HGWUB/S	S	Pr	\$9.97
	713HGWUB/M	WCM713HGWUB/M	M	Pr	\$9.97
	713HGWUB/L	WCM713HGWUB/L	L	Pr	\$9.97
\blacksquare	713HGWUB/XL	WCM713HGWUB/XL	XL	Pr	\$9.97
	713HGWUB/2XL	WCM713HGWUB/2XL	2XL	Pr	\$9.97



Grip N® Kevlar® **Hot Mill Gloves**

Nitrile palm coating provides excellent grip and longer life. Outer glove is Kevlar fiber, inner glove is cotton/poly. Provides protection against intermittent heat up to 400° F. Complies with USDA and FDA regulations, 21 CFR, for use in food processing. ANSI cut level 3.





Fully-Coated Nitrile Foam Gloves

Features a 10-gauge HPPE shell with green nitrile foam coating. The full coating provides cut, tear, abrasion and liquid resistance past users wrist. Ideal for material handling, general maintenance, manufacturing, machinery and assembly. ANSI cut level 4.







G-Tek® 3GX GREAT WHITETM Gloves with Dyneema® Diamond

Features seamless, Dyneema Diamond blend construction. Polyurethane-coated grip for superior puncture and abrasion resistance. Washable. Resistant to chemicals, water and ultraviolet light. Used for electronics, glass cutting, sheet metal



handling, general-duty, parts assembly and construction.



19-D322



WORLDWIDE

ANSI cut level 3.

Ansell

ATA Fiber Salt and Pepper Gloves

ITEM#

510/XS

510/S

510/M

510/L

▲ 510/XL

Cut-Resistant Gloves

Manufactured in a 7-gauge construction. Features cut/abrasion resistance with a 100% para-aramid design. Ideal for use in steel and metal manufacturing plants. ANSI cut level 3.

ATA® Fiber Salt and Pepper

13-gauge construction. High end palm coating improves grip and abrasion resistance.

Made with ATA technology. Light weight

MARTIN #

WWGL510/XS

WWGL510/S

WWGL510/M

WWGL510/L

WWGL510/XL

WWGL510/XXL

Cut-Resistant Gloves



	ITEM #	MARTIN #	SIZES	иом	PRICE
	Para-Aramid Glove	S			
<u>.</u>	MK30/XS	WWGLMK30/XS	XS	Dz	\$62.22
<u>.</u>	MK30/S	WWGLMK30/S	S	Dz	\$62.22
<u>.</u>	MK30/M	WWGLMK30/M	M	Dz	\$62.22
<u>.</u>	MK30/L	WWGLMK30/L	L	Dz	\$62.22
<u>.</u>	MK30/XL	WWGLMK30/XL	XL	Dz	\$62.22
4	MK30/XXL	WWGLMK30/XXL	2XL	Dz	\$62.22

ANSI cut level A3.

G-Tek® 3GXTM with Dvneema® **Diamond Gloves**

Features polyurethane-coated palm and fingertips, knit wrist and seamless construction. Dyneema Diamond and nylon shell provides dexterity and cut resistance. Abrasion- and puncture-resistant. ANSI cut level A3.



19-D360

ITEM#	MARTIN #	SIZES	UOM	PRICE
G-Tek 3GX with	Dyneema Diamond Gloves			
19-D360/XL	PIP19-D360/XL	XL	Dz	\$121.08



▲ 510/XXL	

HyFlex® 11-511 Gloves

Green foam nitrile coating on exclusive Intercept Technology cut-resistant liner provides increased wear in thumb crotch and palm area. Silicone and latex-free construction with redesigned finger length for comfort, dexterity, wear and flexibility. Enhanced Cuff Overedging (ECO)

provides elasticity for donning and doffing.



510

PRICE

\$88.00

\$88.00

\$88.00

\$88.00

\$88.00

\$88.00

UOM

DΖ

Dz

DΖ

Dz

Dz

Dz

SIZES

S

М

L

XL

2XL

Patented knitted variable stitch design (KVSD) provides improved fit. Ideal for door/wood framing, glass installation, knife handling and maintenance operations. ANSI level 4, EN Level 4 cut protection.

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	HyFlex 11-511 Cut-	Resistant Gloves			
▲	11-511-7	ANE11-511-7	7	Pr	\$15.08
	11-511-8	ANE11-511-8	8	Pr	\$15.08
	11-511-9	ANE11-511-9	9	Pr	\$15.08
	11-511-10	ANE11-511-10	10	Pr	\$15.08
	11-511-11	ANE11-511-11	11	Pr	\$15.08

Maximum Safety® TuffMax5TM Gloves

Features engineered yarn shell, MicroSurface nitrile-coated padded palm and thermoplastic rubber-molded fingers. Reinforced leather between thumb and index finger with Velcro® closure. ANSI cut level A3.



120-5150

ITEM#	MARTIN #	SIZES	UOM	PRICE
Maximum Safe	ty TuffMax5 Gloves			
120-5150/L	PIP120-5150/L	L	Pr	\$23.85



Ansell

HyFlex® 11-515 Medium-Duty Hi-VizTM Cut Protection Gloves

Features orange foam nitrile-coated palm for superior grip, tactility and assurance with high-visibility in low-light situations. Exclusive Hi-Viz™ DuPont™ Kevlar® stretch armor liner. INTERCEPT® Technology yarn creates improved fit and greater comfort. Extended cuff provides additional cut protection in wrist area. Silicone-free and not made with latex to ensure worker and product protection. ANSI cut level 4, ANSI level 4 abrasion resistance.



ITEM #	MARTIN #	SIZES	UOM	PRICE
HyFlex 11-515 N	ledium-Duty Gloves			
11-515-7	ANE11-515-7	7	Pr	\$15.26
11-515-8	ANE11-515-8	8	Pr	\$15.26
11-515-9	ANE11-515-9	9	Pr	\$15.26
11-515-10	ANE11-515-10	10	Pr	\$15.26
11-515-11	ANE11-515-11	11	Pr	\$15.26



HVY710HSNF

PosiGrip® Nitrile Palm-Coated Gloves

Made from hi-viz yellow HPPE fibers with orange foam nitrile palm coating. Rugged HPPE fiber is 10 times stronger than steel and 40% stronger than blended fabrics. Seamless knit shell,

silicone free. Offers excellent cut protection. Machine washable. Ideal for automotive, glass handling and sheet metal work. ANSI cut level 4.

	ITEM #	MARTIN #	SIZES	UOM	PRICE		
	PosiGrip Nitrile Palm-Coated Gloves						
l.	HVY710HSNF/S	WCMHVY710HSNF/S	S	Dz	\$89.00		
	HVY710HSNF/M	WCMHVY710HSNF/M	М	Dz	\$89.00		
	HVY710HSNF/L	WCMHVY710HSNF/L	L	Dz	\$89.00		
	HVY710HSNF/XL	WCMHVY710HSNF/XL	XL	Dz	\$89.00		



ATA® Black Hybrid-Dipped Cut-Resistant Gloves

Made from ATA technology yarn. Features hybrid-dipped palm, high level abrasion resistance and 13-gauge construction. ANSI cut level 4.





ATA® Cotton-Plated Cut-Resistant Gloves

Made with ATA technology. Features seamless 7-gauge construction, knit shell and knitted cotton lining. ANSI cut level 4.

and knitted cotton lining. ANSI cut level 4.					
	ITEM #	MARTIN #	SIZES	иом	PRICE
ATA Cotton-Plated Cut-Resistant Gloves					
	MATA30PL/XS	WWGLMATA30PL/XS	XS	Dz	\$51.68
	MATA30PL/S	WWGLMATA30PL/S	S	Dz	\$51.68
	MATA30PL/M	WWGLMATA30PL/M	М	Dz	\$51.68
	MATA30PL/L	WWGLMATA30PL/L	L	Dz	\$51.68
	MATA30PL/XL	WWGLMATA30PL/XL	XL	Dz	\$51.68

WWGLMATA30PL/XXL

MATA30PL



MATA30PL/XXL

ATA® Cut-Resistant Gloves

Advanced Technology Aramid (ATA) is a high-performance fiber constructed by combining aramids and other synthetic materials to produce cut-resistant properties in a spun fiber. Lightweight, 13-gauge seamless knit shell with durable gray polyurethane palm coating. Provides cut protection, puncture resistance and wet/dry grip. ANSI cut level 4.



Dz

\$51.68

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	ATA Cut-Res	istant Gloves, Gray Polyu	rethane		
A	500/XS	WWGL500/XS	XS	Dz	\$91.20
A	500/S	WWGL500/S	S	Dz	\$91.20
A	500/M	WWGL500/M	M	Dz	\$91.20
<u>.</u>	500/L	WWGL500/L	L	Dz	\$91.20
A	500/XL	WWGL500/XL	XL	Dz	\$91.20
1	500/XXL	WWGL500/XXL	2XL	Dz	\$91.20



Cotton-Plated PVC-Dotted Cut-Resistant Gloves

Made with ATA® technology. Features seamless 7-gauge knit shell, knitted cotton lining and PVC dots on one side of glove. Cut and abrasion-resistant. ANSI cut level 4.



MATA30PL-PD1

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Cotton-Plated PVC-Dotted	Gloves			
$\textcolor{red}{\blacktriangle}$	MATA30PL-PD1/XS	WWGLMATA30PL-PD1/XS	XS	Dz	\$55.30
$\textcolor{red}{\blacktriangle}$	MATA30PL-PD1/S	WWGLMATA30PL-PD1/S	S	Dz	\$55.30
$\textcolor{red}{\blacktriangle}$	MATA30PL-PD1/M	WWGLMATA30PL-PD1/M	М	Dz	\$55.30
$\textcolor{red}{\blacktriangle}$	MATA30PL-PD1/L	WWGLMATA30PL-PD1/L	L	Dz	\$55.30
$\textcolor{red}{\blacktriangle}$	MATA30PL-PD1/XL	WWGLMATA30PL-PD1/XL	XL	Dz	\$55.30
\blacktriangle	MATA30PL-PD1/XXL	WWGLMATA30PL-PD1/XXL	2XL	Dz	\$55.30



Tasset® HPPE Nitrile-Dipped **Cut-Resistant Gloves**

Constructed from 13-gauge HPPE seamless knit shell and black nitrile sand finish coating. Provides excellent tactile sensitivity and dexterity. Salt and pepper. ANSI cut level 4.



	ITEM #	MARTIN #	SIZES	UOM	PRICE
	HPPE Nitrile-Di	pped Gloves			
\blacktriangle	973/XS	WWGL973/XS	XS	Dz	\$78.00
\blacktriangle	973/S	WWGL973/S	S	Dz	\$78.00
\blacktriangle	973/M	WWGL973/M	М	Dz	\$78.00
\blacktriangle	973/L	WWGL973/L	L	Dz	\$78.00
\blacktriangle	973/XL	WWGL973/XL	XL	Dz	\$78.00
\blacktriangle	973/XXL	WWGL973/XXL	2XL	Dz	\$78.00



WORLDWIDE

Boar HogTM ATA® **Leather Palmed**

leather patch, knitted cotton lining and ANSI cut level 5.



	ITEM #	MARTIN #	SIZES	иом	PRICE
	Boar Hog ATA Leather	Palmed Cut-Resistant Gloves			
$\textcolor{red}{\blacktriangle}$	MATA30-BH/S	WWGLMATA30-BH/S	S	Dz	\$120.17
$\textcolor{red}{\blacktriangle}$	MATA30-BH/M	WWGLMATA30-BH/M	М	Dz	\$120.17
$\textcolor{red}{\blacktriangle}$	MATA30-BH/L	WWGLMATA30-BH/L	L	Dz	\$120.17
$\textcolor{red}{\blacktriangle}$	MATA30-BH/XL	WWGLMATA30-BH/XL	XL	Dz	\$120.17
$\textcolor{red}{\blacktriangle}$	MATA30-BH/XXL	WWGLMATA30-BH/XXL	2XL	Dz	\$120.17
	WIATA30-DIT/AAL	WWGEWATA30-BIT/AXE	ZAL	DZ	φ120.1



JavelinaTM ATA[®] Leather **Cut-Resistant Gloves**

Made with split cowhide leather on palm, fingers and knuckles. Features cut, abrasion and puncture resistance. Sewn with Kevlar® thread and ATA seamless liner. ANSI cut level 5.



	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Javelina ATA Leath	ner Gloves			
A	MJVATA/M	WWGLMJVATA/M	M	Dz	\$148.40
A	MJVATA/L	WWGLMJVATA/L	L	Dz	\$148.40
A	MJVATA/XL	WWGLMJVATA/XL	XL	Dz	\$148.40
A	MJVATA/XXL	WWGLMJVATA/XXL	2XL	Dz	\$148.40



Kut-Gard® Knitted Sleeve with Kevlar®

Feature seamless rib-knit. DuPont™ Kevlar fiber provides high tensile strength. Designed to be cut-resistant; will not melt, ignite or conduct electricity. Offers arm cut protection for applications that require large object handling. 18" Length. ANSI cut level A3.



Note: DuPont and Kevlar are trademarks or registered trademarks of E.I. du Pont de Nemours and Company. Products made with Kevlar technology are cut-resistant but not cut-proof. Do not use with serrated or moving blades.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
10-KS18	PIP10-KS18	2-Ply Sleeve	Ea	\$3.20



Pritex® Filament **Polyester Sleeve**

Made of textured filament polyester and antimicrobial fabric. Resistant to acids, alkali, organic solvents and chlorine bleach. Silicone and latex free. Meets FDA and USDA food handling requirements. 18" Length. ANSI cut level A2.



ITEM #	MARTIN #	SIZES	UOM	PRICE
Pritex Filament Po	lyester Sleeve			
15-218BKL/L	PIP15-218BKL/L	L	Ea	\$3.53





Cut-Resistant Sleeves

Made of 100% para-aramid fabric that offers great cut, abrasion and heat resistance. Sleeves available in any length. Single-ply is ANSI cut level 3 and 2-ply is cut level 4. Yellow.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
2-Ply Sleeves					
MSK-10	WWGLMSK-10	2-Ply sleeves	10"	EA	\$1.88
MSK-12	WWGLMSK-12	2-Ply sleeves	12"	EA	\$2.42
MSK-14	WWGLMSK-14	2-Ply sleeves	14"	EA	\$2.77
MSK-16	WWGLMSK-16	2-Ply sleeves	16"	EA	\$3.17
MSK-18	WWGLMSK-18	2-Ply sleeves	18"	EA	\$3.35
MSK-22	WWGLMSK-22	2-Ply sleeves	22"	EA	\$4.22
MSK-24	WWGLMSK-24	2-Ply sleeves	24"	EA	\$4.53
2-Ply Sleeves with	Thumbhole				
MSK-10T	WWGLMSK-10T	2-Ply sleeves w/ thumbhole	10"	EA	\$2.02
MSK-12T	WWGLMSK-12T	2-Ply sleeves w/ thumbhole	12"	EA	\$2.58
MSK-14T	WWGLMSK-14T	2-Ply sleeves w/ thumbhole	14"	EA	\$2.93
MSK-16T	WWGLMSK-16T	2-Ply sleeves w/ thumbhole	16"	EA	\$3.33
MSK-18T	WWGLMSK-18T	2-Ply sleeves w/ thumbhole	18"	EA	\$3.52
MSK-22T	WWGLMSK-22T	2-Ply sleeves w/ thumbhole	22"	EA	\$4.38
MSK-24T	WWGLMSK-24T	2-Ply sleeves w/ thumbhole	24"	EA	\$4.70
Single-ply Sleeves					
MSK1-10	WWGLMSK1-10	Single-Ply sleeves	10"	EA	\$1.27
MSK1-14	WWGLMSK1-14	Single-Ply sleeves	14"	EA	\$1.60
MSK1-18	WWGLMSK1-18	Single-Ply sleeves	18"	EA	\$1.93
MSK1-24	WWGLMSK1-24	Single-Ply sleeves	24"	EA	\$2.70
Single-ply Sleeves	with Thumbhole				
MSK1-10T	WWGLMSK1-10T	Single-Ply sleeves w/ thumbhole	10"	EA	\$1.43
MSK1-14T	WWGLMSK1-14T	Single-Ply sleeves w/ thumbhole	14"	EA	\$1.77
MSK1-18T	WWGLMSK1-18T	Single-Ply sleeves w/ thumbhole	18"	EA	\$2.10
MSK1-24T	WWGLMSK1-24T	Single-Ply sleeves w/ thumbhole	24"	EA	\$2.87
2-Ply Sleeves with	Elastic Top				
MSK-14-SU	WWGLMSK-14-SU	2-Ply sleeves w/ elastic top	14"	EA	\$3.15
MSK-16-SU	WWGLMSK-16-SU	2-Ply sleeves w/ elastic top	16"	EA	\$3.48
MSK-18-SU	WWGLMSK-18-SU	2-Ply sleeves w/ elastic top	18"	EA	\$3.80
MSK-20-SU	WWGLMSK-20-SU	2-Ply sleeves w/ elastic top	20"	EA	\$4.13
2-Ply Sleeves with	Elastic Top and Thumbhole				
MSK-14T-SU	WWGLMSK-14T-SU	2-Ply sleeves w/ elastic top & thumbhole	14"	EA	\$3.32
MSK-16T-SU	WWGLMSK-16T-SU	2-Ply sleeves w/ elastic top & thumbhole	16"	EA	\$3.65
MSK-18T-SU	WWGLMSK-18T-SU	2-Ply sleeves w/ elastic top & thumbhole	18"	EA	\$3.97
MSK-20T-SU	WWGLMSK-20T-SU	2-Ply sleeves w/ elastic top & thumbhole	20"	EA	\$4.30



MSK-10T



ATA® Heather Gray Cut-Resistant Sleeve

Made with ATA fiber technology. Features 13-gauge construction, cut resistance and 1-ply design. Sleeves available in any length. ANSI cut level 3. Available with or without thumb holes. Denote the letter "T" after sleeve length in part number for thumb hole.


ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
MSATP	WWGLMSATP	ATA Heather Gray Sleeve	EA	\$3.38
MSATP/18T	WWGLMSATP/18T	ATA Heather Gray Sleeve w/ Thumbhole 18"	EA	\$3.55





Economy Top-Grain Goatskin Drivers Gloves

Goatskin is softer, has greater tactile sensitivity and outwears other leathers of the same weight. Natural lanolin soothes hands. Provides excellent abrasion resistance. Features keystone thumb. Ideal for use where all-leather







71-3601	

ITEM #	MARTIN #	SIZES	UOM	PRICE
Top-Grain Goats	skin Drivers Gloves			
71-3601/L	PIP71-3601/L	L	Dz	\$96.92



Unlined Top-Grain Cowhide Drivers Gloves

Features a straight thumb, shirred elastic wrist and color cotton binding. All leather top-grain cowhide construction offers excellent dexterity and abrasion resistance. Used in construction, machine operation, light-duty welding, utility work, farming and general applications.



ITEM#	MARTIN #	SIZES	UOM	PRICE			
Top-Grain Cowhide Gloves							
68-103/L	PIP68-103/L	L	Dz	\$67.82			



	and the	7	-	-
400	-	11	-	X.
	37 5 7	· ·	-	
/ /		1 1		

Economy Grade Top-Grain Pigskin Drivers Gloves

Pigskin returns to its original pliability even after being soaked in water. Features straight thumb and elastic back closure for a snug fit. Unlined. Ideal for construction, machine operation, utility work and many other general applications.



70-301

ITEM #	MARTIN #	SIZES	UOM	PRICE		
Top-Grain Pigskin Drivers Gloves						
70-301/L	PIP70-301/L	L	Dz	\$70.33		



Industry Grade Drivers Gloves

Made from cream grain cow leather palm and gray split leather back. Features keystone thumb and shirred elastic back. Kevlar® sewn.

Color-coded hem helps identify size. Ideal for carpentry, farming, landscaping and heavy-equipment operations.



ITEM #	MARTIN #	SIZES	UOM	PRICE
Industry Grade	Drivers Gloves			
32057-S	MCR32057S	S	Dz	\$56.31
32057-M	MCR32057M	М	Dz	\$56.31
32057-L	MCR32057L	L	Dz	\$56.31
32057-XL	MCR32057XL	XL	Dz	\$60.00
32057-2XL	MCR32057XXL	2XL	Dz	\$64.62



Artic Jack® Insulated **Leather Drivers Gloves**

Made from pigskin with slip-on cuff, Thermosock lining and keystone thumb. Pigskin tends to become softer with use and withstands moisture without stiffening. When laundered, this leather will return more to its natural soft texture. Ideal for construction and farming, forklifts, ranching, truck driver, utility work plus



general purpose applications requiring greater dexterity.

ITERA#	MARTIN #	SIZES	HOM	DDICE
ITEM #	WARTIN #	SIZES	UOM	PRICE
Artic Jack Ins	ulated Leather Drivers Glov	es		
3460-S	MCR3460S	S	Dz	\$83.22
3460-M	MCR3460M	M	Dz	\$83.22
3460-L	MCR3460L	L	Dz	\$83.22
3460-XL	MCR3460XL	XL	Dz	\$92.37



Economy Grade Grain Cowhide Drivers Gloves

Made from economy grade grain cowhide with straight thumb and elastic back. Color-coded hem to identify size. Ideal for carpentry,

farming, landscaping and heavy equipment operations.









Road HustlerTM **Keystone Thumb Drivers Gloves**

Constructed from premium grade cow leather. Features shirred elastic back, rolled leather hem and keystone



thumb. Unlined. Ideal for construction and farm equipment, forklifts, utility work, auto industry, material handling plus all general-purpose applications requiring greater dexterity. Durable and launderable by hand or machine washable, or dry clean.

ITEM#	MARTIN #	SIZES	UOM	PRICE
Premium Grade	e Drivers Gloves			
3200-S	MCR3200S	S	Dz	\$143.45
3200-M	MCR3200M	M	Dz	\$143.45
3200-L	MCR3200L	L	Dz	\$143.45
3200-XL	MCR3200XL	XL	Dz	\$150.46





"Watch Your Hands" Leather **Drivers Gloves**

Features hi-viz orange fingertips with orange "Watch Your Hands" logo. Made from industry-grade cowhide grain leather with Gunn pattern, keystone thumb and shirred elastic back.



	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Watch Your Hand	s Leather Drivers Gloves			
	3213HVIXS	MCR3213HVIXS	XS	Dz	\$82.52
\blacktriangle	3213HVIS	MCR3213HVIS	S	Dz	\$82.52
	3213HVIM	MCR3213HVIM	М	Dz	\$82.52
	3213HVIL	MCR3213HVIL	L	Dz	\$82.52
	3213HVIXL	MCR3213HVIXL	XL	Dz	\$86.03
\blacktriangle	3213HVIXXL	MCR3213HVIXXL	2XL	Dz	\$91.20



Pigskin Drivers Gloves

Made from yellow grain pigskin and features straight thumb and shirred back. Unlined.



ITEM #	MARTIN #	SIZES	UOM	PRICE
Pigskin Driver	s Gloves			
3400-S	MCR3400S	S	Dz	\$55.38
3400-M	MCR3400M	М	Dz	\$55.38
3400-L	MCR3400L	L	Dz	\$55.38
3400-XL	MCR3400XL	XL	Dz	\$57.42
3400-AL	WICKS4UUAL	ΛL	DZ	\$57.



Industry Grade Cowhide Leather Drivers Gloves

Constructed from "B/C" grade cow

leather. Features double-stitched shirred elastic back, Gunn pattern, rolled leather hem and keystone thumb. Unlined. Offers high level of comfort, flexibility and dexterity. Cream.

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Industry Grade Con	whide Drivers Gloves			
$\textcolor{red}{\blacktriangle}$	3205-S	MCR3205S	S	Dz	\$57.05
	3205-M	MCR3205M	М	Dz	\$57.05
	3205-L	MCR3205L	L	Dz	\$57.05
	3205-XL	MCR3205XL	XL	Dz	\$59.26
$\textcolor{red}{\blacktriangle}$	3205-2XL	MCR3205XXL	2XL	Dz	\$61.48



Premium Grade Grain Goatskin **Cut-Resistant Drivers Gloves**

3601K

3205

Made from premium grade grain goatskin. Features Gunn cut, straight thumb and shirred elastic back. Lined with 13-gauge Kevlar®. Ideal for carpentry, farming, landscaping and construction. ANSI cut level 3.

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Premium Grade G	Grain Goatskin Drivers Gl	oves		
A	3601KS	MCR3601KS	S	Dz	\$178.34
	3601KM	MCR3601KM	M	Dz	\$178.34
	3601KL	MCR3601KL	L	Dz	\$178.34
	3601KXL	MCR3601KXL	XL	Dz	\$197.91
A	3601KXXL	MCR3601KXXL	2XL	Dz	\$212.31



Select Grain Cowhide **Driver Gloves**

Features grain cowhide with hi-viz fingertips, welted seams on middle fingers and flexible, keystone thumb

construction. Fluorescent "Watch Your Hands" on back of glove. Ideal for construction, masonry, foundry, transportation and electrical contractors.



	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Select Grain Cowh	ide Driver Gloves			
\blacktriangle	990KOT/S	WCM990KOT/S	S	Dz	\$75.40
	990KOT/M	WCM990KOT/M	M	Dz	\$75.40
	990KOT/L	WCM990KOT/L	L	Dz	\$75.40
	990KOT/XL	WCM990KOT/XL	XL	Dz	\$78.80
	990KOT/2XL	WCM990KOT/2XL	2XL	Dz	\$78.80



Select Grain Cowhide Driver Gloves

Made from select grain cowhide leather with keystone thumb and shirred elastic wrist. Color-coded cotton hem for easy size identification. Ideal for construction, masonry, agriculture, mining and electrical.



	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Select Grain Con	whide Driver Gloves			
	990IK/S	WCM990IK/S	S	Dz	\$68.40
	990IK/M	WCM990IK/M	M	Dz	\$68.40
	990IK/L	WCM990IK/L	L	Dz	\$68.40
	990IK/XL	WCM990IK/XL	XL	Dz	\$71.60
\blacksquare	990IK/2XL	WCM990IK/2XL	2XL	Dz	\$71.60



Artic Jack® Insulated **Pigskin Leather Palm Gloves**

Made with premium grain leather with Thermosock® lining and 2 1/2" safety cuff. Pigskin tends to become softer with use and withstands moisture without stiffening. Ideal for construction and farming, forklifts, ranching,

truck driver, utility work, insulated conditions and wet conditions plus general purpose applications requiring greater dexterity.

	ITEM #	MARTIN #	SIZES	UOM	PRICE				
	Artic Jack Insu	Artic Jack Insulated Pigskin Leather Palm Gloves							
\blacksquare	1955-S	MCR1955S	S	Dz	\$75.88				
	1955-M	MCR1955M	М	Dz	\$75.88				
	1955-L	MCR1955L	L	Dz	\$75.88				
	1955-XL	MCR1955XL	XL	Dz	\$79.38				



Big Jake® Leather **Palm Gloves**

Made of heavy, select chrome-tanned, side-split leather, 9 oz. cotton back and absorbent 8 oz. fleece lining. Fully in-sewn on thumb and little finger with

strong, heat-resistant DuPont™ Kevlar® thread. Ideal for assembly, cable construction, farming, foundry, jack hammer operations, iron and steel work, lumberjack and millwright operations, mining, pipe fitting, re-barb, rope handling, and stamping.

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
	1700-S	MCR1700S	W/ 2 3/4" Safety Cuff	S	Dz	\$80.31
	1700-M	MCR1700M	W/ 2 3/4" Safety Cuff	M	Dz	\$80.31
	1700-L	MCR1700L	W/ 2 3/4" Safety Cuff	L	Dz	\$80.31
	1700-XL	MCR1700XL	W/ 2 3/4" Safety Cuff	XL	Dz	\$87.51
	1700-2XL	MCR1700XXL	W/ 2 3/4" Safety Cuff	2XL	Dz	\$98.03
A	1713	MCR1713	W/ 3/4 Leather Back & 2 1/2" Safety Cuff	XL	Pr	\$115.38
A	1717	MCR1717	W/ Full Leather Back & 2 3/4" Safety Cuff	XL	Pr	\$112.43





Bull's Eye® Leather Palm Gloves

Made from premium select "AA" split side leather with Gunn cut pattern and rubberized safety cuffs. Sewn with heat resistant. DuPont™ Kevlar® thread.



	ITEM #	MARTIN #	SIZES	UOM	PRICE
A	Bull's Eye Gloves				
	1900-S	MCR1900S	S	Dz	\$85.66
	1900-M	MCR1900M	M	Dz	\$85.66
	1900-L	MCR1900L	L	Dz	\$85.66
	1900-XL	MCR1900XL	XL	Dz	\$89.91



1955

Select "B" Leather Palm Gloves

Made from premium select "B" shoulder split leather with full feature Gunn cut pattern and durable rubberized cuffs. Features

blue fabric with red stripes and 2 1/2" safety cuff. Ideal for landscaping, construction, farming, iron and steel work, assembly, and any general purpose application requiring leather protection.

	ITEM #	MARTIN #	SIZES	UOM	PRICE		
	Select "B" Leather Palm Gloves						
▲	1300-S	MCR1300S	S	Dz	\$33.23		
	1300-M	MCR1300M	М	Dz	\$33.23		
	1300-L	MCR1300L	L	Dz	\$33.23		
	1300-XL	MCR1300XL	XL	Dz	\$34.34		







Select Grain Pigskin Leather Gloves

Select grain pigskin leather gloves feature red fleece lining, keystone thumb, shirred elastic wrist cuff and full leather palm. Ideal for construction, masonry, agriculture, iron/steel work, mining, foundry operations, transportation and electrical contractors.



ITEM #	MARTIN #	SIZES	UOM	PRICE			
Select Grain Pig	Select Grain Pigskin Leather Gloves						
9940KF/L	WCM9940KF/L	L	Dz	\$86.60			
9940KF/XL	WCM9940KF/XL	XL	Dz	\$90.00			



PHOTICITY PRODUCTS Shoulder Split

Shoulder Split Cowhide Leather Palm Gloves

Constructed split cowhide leather with cotton-lined palm for extra comfort.

Elastic closure sewn inside glove for safety and comfort. Features Gunn cut, rubberized safety cuff and leather knucklestrap/finger tips. Ideal for construction, material handling and general maintenance. Gray and red striped.



85-7512

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM PRI	CE
A	85-7512	PIP85-7512	Shoulder Split Cowhide Gloves	Men's	Dz \$29 .8	82



Sidekick® Leather Palm Gloves

Made from heavy side split cow leather, chrome tanned with durable 2 1/2" rubberized safety cuff. Seams are sewn with heat-resistant DuPont™ Kevlar® thread. Ideal for cable work, construction, farming, foundry, jack hammer operations, iron and steel work.



	ITEM #	MARTIN #	SIZES	иом	PRICE			
	Sidekick Leather Palm Gloves							
A	16010-S	MCR16010S	S	Dz	\$65.92			
	16010-M	MCR16010M	M	Dz	\$65.92			
	16010-L	MCR16010L	L	Dz	\$65.92			
	16010-XL	MCR16010XL	XL	Dz	\$71.08			
	Sidekick Leather Palm Gloves with Green Double palm							
	16012-M	MCR16012M	М	Dz	\$82.34			
	16012-L	MCR16012L	L	Dz	\$82.34			
	16012-XL	MCR16012XL	XL	Dz	\$87.69			



Split Cowhide Leather Palm Gloves

Select split cowhide leather palm gloves feature a canvas back and wing thumb. Ideal for construction, masonry, agriculture, transportation and general-duty applications. Available with 2 1/2" rubberized safety cuff or 4 1/2" rubberized gauntlet cuff.

ITEM #	MARTIN #	SIZES	UOM	PRICE			
Select Split Cowhide Gloves with 2 1/2" Rubberized Safety Cuff							
558	WCM558	L	Dz	\$27.00			
558/XL	WCM558/XL	XL	Dz	\$27.00			
Select Split Co	owhide Gloves with 4 1/2" R	ubberized Gauntl	et Cuff				
858	WCM858	L	Dz	\$30.80			
858/XL	WCM858/XL	XL	Dz	\$33.20			



Lumber Jake[®] Double Leather Palm Gloves

Made from heavy select chrome tanned, side split leather with extra leather in the palms for increased protection. Lined with absorbent fleece and sewn with heat resistant

DuPont™ Kevlar® thread. Features Gunn pattern with 9-ounce cotton back, rubberized cuff, fully in-sewn on thumb and little finger. CE approval and labeled with CE test results. Ideal for assembly, cable, construction, farming, foundry, jack hammer operations, iron and steel work, mining, pipe fitting, re-barb, rope handling and stamping.

ITEM #	MARTIN #	SIZES	UOM	PRICE			
Double Leather Palm Gloves, Index and Thumb with Safety Cuff							
1711	MCR1711	XL	Dz	\$115.38			
Lumber Jake D	P Gloves, Palm, Fingers a	and Triple Thumb w	ith Safety Cuff				
1735-M	MCR1735M	М	Dz	\$153.42			
1735-L	MCR1735L	L	Dz	\$153.42			
1735-XL	MCR1735XL	XL	Dz	\$158.40			



Split Cowhide Double Palm Gloves

Double palm provides extra protection and durability. Features a canvas back, Gunn pattern with leather fingertips and knuckle strap. Ideal for construction, masonry, agriculture and general applications. Available with rubberized or plasticized safety cuff.

• • • • • • • • • • • • • • • • • • • •	PRICE							
Split Cowhide Double Palm Gloves								
Dz	\$70.80							
Dz	\$70.80							
Dz	\$70.80							
Dz	\$73.80							
	Dz Dz							



G-Tek® AG® Gloves with Nitrile Coating

Features 13-gauge blue nylon liner with black nitrile MicroSurface coating and knit wrist. MicroSurface provides superior grip in dry, wet and oily conditions by reacting like tiny suction cups attaching firmly to material

G-Tek® Gloves with Coated


polyurethane coating on palm and fingers for

dexterity and abrasion resistance. Breathable

back offers extra comfort. Ideal for electronic

and computer assembly, quality control,

inspection and general assembly. Black.



	ITEM #	MARTIN #	SIZES	UOM	PRICE			
A	G-Tek AG Gloves with Nitrile Coating							
	34-500/XS	PIP34-500/XS	XS	Dz	\$29.08			
	34-500/S	PIP34-500/S	S	Dz	\$29.08			
	34-500/M	PIP34-500/M	M	Dz	\$29.08			
	34-500/L	PIP34-500/L	L	Dz	\$29.08			
	34-500/XL	PIP34-500/XL	XL	Dz	\$29.08			
	34-500/2XL	PIP34-500/2XL	2XL	Dz	\$29.08			





MaxiDry® Gloves by ATG®

Ultra lightweight nitrile on fine gauge seamless knit nylon liner. GripTech® coating for non-slip capabilities. Locking cuff ensures glove doesn't slip and LiquiTech® Barrier Technology provides resistance to oil and liquids. 10" Length.

ITEM #	MARTIN #	SIZES	иом	PRICE	
ATG MaxiDry Glove	es, 3/4 Coated				
56-425/S	PIP56-425/S	S	Dz	\$67.32	
56-425/M	PIP56-425/M	М	Dz	\$67.32	
56-425/L	PIP56-425/L	L	Dz	\$67.32	
56-425/XL	PIP56-425/XL	XL	Dz	\$67.32	
ATG MaxiDry Nitrile Gloves, Palm and Finger Coated					
56-426/S	PIP56-426/S	S	Dz	\$87.23	
56-426/M	PIP56-426/M	М	Dz	\$87.23	
56-426/L	PIP56-426/L	L	Dz	\$87.23	
56-426/XL	PIP56-426/XL	XL	Dz	\$87.23	





MaxiFoam® LiteTM by ATG® Nitrile-Coated Gloves

Seamless 1-piece nylon shell offers increased comfort, finger dexterity and breathability. Dark coating and gray shell hide dirt. Features nitrile coated foam grip on palm and fingers. Extended

cuff provides comfort and keeps dirt out. Silicone-free. Ideal for general assembly, micro-engineering, automotive, painting and horticulture. Made from component materials that comply with Federal Regulations for food contact 21 CFR, 170-199. CFIA Approved. EN388: 3121.



3	3	-	В	1	2	,

	ITEM #	MARTIN #	SIZES	иом	PRICE
	MaxiFoam Lite Niti	rile-Coated Gloves			
A	34-900/S	PIP34-900/S	S	Dz	\$39.22
A	34-900/M	PIP34-900/M	M	Dz	\$39.22
A	34-900/L	PIP34-900/L	L	Dz	\$39.22
A	34-900/XL	PIP34-900/XL	XL	Dz	\$39.22



Palm and Fingers

Features seamless knit nylon with

MaxiFlex® UltimateTM By ATG® Micro-Foam Nitrile-Coated Nylon Gloves

Cool, seamless, gray knit nylon liner and black nitrile micro-foam coating keep hands cool and dry. Contoured hand shape provides fit, dexterity, sensitivity and tactility. Excellent dry grip. Pre-laundered to reduce shrinkage. Non-marking to reduce contamination. AirTech Technology delivers 360° breathability.

_		••	-			
ITEM #	MARTIN #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
34-874/S	PIP34-874/S	MaxiFlex Ultimate Gloves w/ coated palm & fingertips	Gray/black	S	Dz	\$47.85
34-874/M	PIP34-874/M	MaxiFlex Ultimate Gloves w/ coated palm & fingertips	Gray/black	M	Dz	\$47.85
34-874/L	PIP34-874/L	MaxiFlex Ultimate Gloves w/ coated palm & fingertips	Gray/black	L	Dz	\$47.85
34-874/XL	PIP34-874/XL	MaxiFlex Ultimate Gloves w/ coated palm & fingertips	Gray/black	XL	Dz	\$47.85
34-875/S	PIP34-875/S	MaxiFlex Ultimate Gloves w/ full fingers & knuckles	Gray/black	S	Dz	\$51.90
34-875/M	PIP34-875/M	MaxiFlex Ultimate Gloves w/ full fingers & knuckles	Gray/black	M	Dz	\$51.90
34-875/L	PIP34-875/L	MaxiFlex Ultimate Gloves w/ full fingers & knuckles	Gray/black	L	Dz	\$51.90
34-875/XL	PIP34-875/XL	MaxiFlex Ultimate Gloves w/ full fingers & knuckles	Gray/black	XL	Dz	\$51.90
34-874FY/S	PIP34-874FY/S	MaxiFlex Ultimate Gloves w/ coated palm & fingertips	Hi-viz yellow	S	Dz	\$56.77
34-874FY/M	PIP34-874FY/M	MaxiFlex Ultimate Gloves w/ coated palm & fingertips	Hi-viz yellow	М	Dz	\$56.77
34-874FY/L	PIP34-874FY/L	MaxiFlex Ultimate Gloves w/ coated palm & fingertips	Hi-viz yellow	L	Dz	\$56.77
34-874FY/XL	PIP34-874FY/XL	MaxiFlex Ultimate Gloves w/ coated palm & fingertips	Hi-viz yellow	XL	Dz	\$56.77





Ansell HyFlex® 11-600 Light-Duty **Multi-Purpose Gloves**

Safety without sacrificing performance. Polyurethane palm coating offers maximum tactile sensitivity in finger area for exceptional feel, and an ultra-cool stretch nylon liner increases worker acceptance and safety compliance. Barehand dexterity, excellent fit and performance help to maintain high productivity.

ITEM #	MARTIN #	SIZES	UOM	PRICE
HyFlex® 11-600 Ligi	ht-Duty Multi-Purpose Gloves			
11-600B-7	ANE11-600B-7	7	Pr	\$2.48
11-600B-8	ANE11-600B-8	8	Pr	\$2.48
11-600B-9	ANE11-600B-9	9	Pr	\$2.48
11-600B-10	ANE11-600B-10	10	Pr	\$2.48



WESTCHESTER Hi-Viz Polyurethane-Coated Gloves

Features knit wrist, polyurethane coating and conductive threads in finger tips for touch screen use. Ideal for manufacturing.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
HVY713SUTS/S	WCMHVY713SUTS/S	Hi-Viz Polyurethane-Coated Gloves	S	Dz	\$18.00
HVY713SUTS/M	WCMHVY713SUTS/M	Hi-Viz Polyurethane-Coated Gloves	М	Dz	\$18.00
HVY713SUTS/L	WCMHVY713SUTS/L	Hi-Viz Polyurethane-Coated Gloves	L	Dz	\$18.00
HVY713SUTS/XL	WCMHVY713SUTS/XL	Hi-Viz Polyurethane-Coated Gloves	XL	Dz	\$18.00
HVY713SUTS/2XL	WCMHVY713SUTS/2XL	Hi-Viz Polyurethane-Coated Gloves	2XL	Dz	\$18.00



HVY713SUTS





WEST CHESTER Hi-Viz Impact Protection Gloves

Features seamless hi-viz yellow shell, foam nitrile palm coating and 7-mil back-of-hand TPR impact protection. Ideal for metal fabrication, welding and material handling.

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
\blacktriangle	HVY713NFB/S	WCMHVY713NFB/S	Hi-Viz Impact Protection Gloves	S	Pr	\$8.57
	HVY713NFB/M	WCMHVY713NFB/M	Hi-Viz Impact Protection Gloves	М	Pr	\$8.57
	HVY713NFB/L	WCMHVY713NFB/L	Hi-Viz Impact Protection Gloves	L	Pr	\$8.57
	HVY713NFB/XL	WCMHVY713NFB/XL	Hi-Viz Impact Protection Gloves	XL	Pr	\$8.57
\blacktriangle	HVY713NFB/XXL	WCMHVY713NFB/XXL	Hi-Viz Impact Protection Gloves	2XL	Pr	\$8.57



THUISTING PRODUSTIAN PRODUSTS 100% Nylon Seamless Knit Gloves

Seamless construction provides comfort and reduces hand fatigue. Low lint gloves knit from nylon filament yarns. Fingerless styles provide excellent dexterity. Nylon yarns absorb perspiration and leave hands cool and comfortable. Color-coded hems for easy size identification. Liners can be worn under disposable and other liquid-proof gloves. Ideal for product handling, finishing and assembly, electronics assembly, photography labs and computer manufacturing.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
40-730/S	PIP40-730/S	100% Nylon Seamless Knit Gloves, fine gauge	S	Dz	\$11.25
40-730/M	PIP40-730/M	100% Nylon Seamless Knit Gloves, fine gauge	M	Dz	\$11.25
40-730/L	PIP40-730/L	100% Nylon Seamless Knit Gloves, fine gauge	L	Dz	\$11.25
40-730/XL	PIP40-730/XL	100% Nylon Seamless Knit Gloves, fine gauge	XL	Dz	\$11.25





Cotton Canvas Single Palm Gloves

Made from 8 oz. natural cotton canvas fabric with Clute cut and knit wrist. Multi-purpose gloves are ideal for light protection in many general applications.

ITEM#	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
90-9081	PIP90-908I	Cotton Canvas Single Palm Gloves	Men's	Dz	\$7.92







String Knit Gloves

A cool and comfortable layer of protection ideal for use as a glove liner. Made from poly/cotton blend and is available with PVC dots on both sides for enhanced gripping ability. Ideal for manufacturing, general labor, material handling, shipping and receiving applications.

	ITEM #	MARTIN #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
\blacktriangle	708S	WCM708S	String Knit Gloves	Natural white	Men's	Dz	\$6.80
	708SL	WCM708SL	String Knit Gloves	Natural white	Ladies'	Dz	\$3.40
	708SG	WCM708SG	String Knit Gloves	Gray	Men's	Dz	\$3.40
	708SLG	WCM708SLG	String Knit Gloves	Gray	Ladies'	Dz	\$6.80
	708SKBS	WCM708SKBS	String Knit Gloves w/ PVC dots on both sides	Natural white	Men's	Dz	\$6.80
	708SKBSL	WCM708SKBSL	String Knit Gloves w/ PVC dots on both sides	Gray	Ladies'	Dz	\$3.40
	710SG	WCM710SG	Medium Weight String Knit Gloves	Gray	Men's	Dz	\$3.80
	710SLG	WCM710SLG	Medium Weight String Knit Gloves	Gray	Ladies'	Dz	\$3.80



Jersey Work Gloves

Provides comfortable, close fitting hand protection. Jersey knitted material allows for good dexterity and additional warmth when used as glove liners.



750

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
750	WCM750	9 oz. Brown Jersey Gloves	Men's	Dz	\$6.60
750L	WCM750L	9 oz. Brown Jersey Gloves	Ladies'	Dz	\$6.60



Seamless Gloves

Loop-out fabric wicks heat away from the hand and is made of 100% cotton. Resistant to cuts and abrasions and outlasts regular string knits. Features 24 oz. construction and knit wrist. Natural.



42-C700

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
42-C700/L	PIP42-C700/L	Terry Cloth Seamless Gloves	L	Dz	\$15.68





Ambi-dex® Disposable Nitrile Gloves

For light hand protection from liquids, chemicals and debris. Contains no natural rubber latex proteins. Industrial grade gloves features 5-mil thickness and textured grip. Powdered. Ambidextrous. Meets FDA Regulations for food contact, 21 CFR, 170-199.



63-332PF

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE	4
Ambi-dex Dis	posable Nitrile Glo	ves				
63-332/L	PIP63-332/L	Powdered, 5-mil	L	100/Bx	\$9.40	
63-332PF/L	PIP63-332PF	/L Powder-free, 5-mil	L	100/Bx	\$9.70	



Industrial Grade Black Nitrile Gloves

Black nitrile gloves feature 4-mil thickness, textured finger tips and ambidextrous design. Powder-free.



ITEM #	MARTIN #	SIZES	иом	PRICE
Industrial Grad	le Black Nitrile Gloves			
2015W-S	LIGL2015W-S	S	Bx	\$7.29
2015W-M	LIGL2015W-M	М	Bx	\$7.29
2015W-L	LIGL2015W-L	L	Bx	\$7.29
2015W-XL	LIGL2015W-XL	XL	Bx	\$7.29





Ambi-dex® Powdered Nitrile Gloves

Features 5-mil thickness, fully textured grip and ambidextrous design. Contains no natural rubber latex proteins. Ideal for light hand protection from liquids and debris. Powdered.



63-732

ITEM#	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE	
63-732/L	PIP63-732/L	Powdered nitrile gloves	L	100/Bx	\$11.88	4



Industrial Green Chloroprene Gloves

Industrial grade green chloroprene gloves are available in 6-mil thickness and 9" cuff length. Ambidextrous and powder-free.



ITEM #	MARTIN #	SIZES	UOM	PRICE
Industrial Gre	een Chloroprene Gloves			
2011W-S	LIGL2011W-S	S	100/Bx	\$10.29
2011W-M	LIGL2011W-M	М	100/Bx	\$10.29
2011W-L	LIGL2011W-L	L	100/Bx	\$10.29
2011W-XL	LIGL2011W-XL	XL	100/Bx	\$10.29



CleanTeam® Cleanroom Latex Gloves

Exceed standards required for use in Class 10, Class 100 and other controlled environments. Beaded cuff and finger textures for added touch sensitivity. Features 9-mil thickness and 12" length. Hand specific.

Natural color. Used in biotechnology and medical device manufacturing. Packed 100 gloves double bagged in ESD poly bags.

CAUTION: This product contains natural rubber latex which may cause allergic reactions.

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	CleanTeam Cleanro	oom Latex Gloves			
\blacktriangle	100-3201/6	PIP100-3201/6	S	100/Bg	\$136.68
	100-3201/7	PIP100-3201/7	M	100/Bg	\$136.68
	100-3201/8	PIP100-3201/8	L	100/Bg	\$136.68
	100-3201/9	PIP100-3201/9	XL	100/Bg	\$136.68



Duraskin® Industrial Grade Disposable Latex Gloves

Provides excellent barrier protection with good dexterity. Both are available in an industrial grade, powdered or powder-free construction. Ambidextrous.



	ITEM#	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
	Latex Dispos	able Gloves				
A	2800W-S	LIGL2800W-S	Powdered	S	100/Bx	\$4.29
	2800W-M	LIGL2800W-M	Powdered	М	100/Bx	\$4.29
	2800W-L	LIGL2800W-L	Powdered	L	100/Bx	\$4.29
	2800W-XL	LIGL2800W-XL	Powdered	XL	100/Bx	\$4.29
A	2810W-S	LIGL2810W-S	Powder-free	S	100/Bx	\$4.71
	2810W-M	LIGL2810W-M	Powder-free	М	100/Bx	\$4.71
	2810W-L	LIGL2810W-L	Powder-free	L	100/Bx	\$4.71
	2810W-XL	LIGL2810W-XL	Powder-free	XL	100/Bx	\$4.71

100-3201





Duraskin® Industrial Grade Disposable Nitrile Gloves

F2010WC

Provides excellent barrier protection. Durable. Ambidextrous. Powder-free.

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Blue Nitrile Gloves	, 8-mil, Powder-free			
	2018W-S	LIGL2018W-S	S	100/Bx	\$6.14
	2018W-M	LIGL2018W-M	M	100/Bx	\$6.14
	2018W-L	LIGL2018W-L	L	100/Bx	\$6.14
	2018W-XL	LIGL2018W-XL	XL	100/Bx	\$6.14
	2018W-2XL	LIGL2018W-2XL	2XL	100/Bx	\$6.14
	Blue Soft Skin Nitr	ile Gloves, 4-mil, Powder-fr	ee, Textured Finge	r Tips	
	2026W-S	LIGL2026W-S	S	100/Bx	\$6.14
	2026W-M	LIGL2026W-M	M	100/Bx	\$6.14
A	2026W-L	LIGL2026W-L	L	100/Bx	\$6.14
	2026W-XL	LIGL2026W-XL	XL	100/Bx	\$6.14
	Duraskin Industria	l Grade Blue Nitrile Gloves,	4-mil, Powder-free	, Textured Finge	r Tips
	F2010WC-XS	LIGLF2010WC-XS	XS	100/Bx	\$5.57
	F2010WC-S	LIGLF2010WC-S	S	100/Bx	\$5.57
	F2010WC-M	LIGLF2010WC-M	М	100/Bx	\$5.57
	F2010WC-L	LIGLF2010WC-L	L	100/Bx	\$5.57
	F2010WC-XL	LIGLF2010WC-XL	XL	100/Bx	\$5.57
\blacksquare	F2010WC-2XL	LIGLF2010WC-2XL	2XL	100/Bx	\$5.57



disposable gloves offer three times the puncture resistance of standard latex or vinyl gloves. Combines excellent fingertip sensitivity with exceptional durability. Gives a high level of protection against grease and oil. Lightweight and comfortable to wear. Made without silicone. Complies with FDA food handling requirements (21 CFR 177.2600).

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	TouchNTuff 92-50	0 Gloves, Powdered			
A	92-500-S	ANE92-500-S	S	100/Bx	\$9.88
	92-500-M	ANE92-500-M	M	100/Bx	\$9.88
	92-500-L	ANE92-500-L	L	100/Bx	\$9.88
	92-500-XL	ANE92-500-XL	XL	100/Bx	\$9.88
	TouchNTuff 92-60	0 Gloves, Powder-Free			
	92-600-S	ANE92-600-S	S	100/Bx	\$11.82
	92-600-M	ANE92-600-M	M	100/Bx	\$11.82
	92-600-L	ANE92-600-L	L	100/Bx	\$11.82
	92-600-XL	ANE92-600-XL	XL	100/Bx	\$11.82

MICR@FLEX

Supreno® SE Nitrile **Exam Gloves**

Made from durable nitrile with advanced barrier protection (0.65 AQL). Sturdy glove is ideal



SU-690

for longer wear times and demanding applications. Powder-free examination grade. Compliant with U.S. Food Contact Regulations.

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Supreno SE Nitrile	e Exam Gloves			
\blacktriangle	SU-690-XS	ANESU-690-XS	XS	100/Bx	\$13.91
\blacktriangle	SU-690-S	ANESU-690-S	S	100/Bx	\$13.91
	SU-690-M	ANESU-690-M	М	100/Bx	\$13.91
	SU-690-L	ANESU-690-L	L	100/Bx	\$13.91
	SU-690-XL	ANESU-690-XL	XL	100/Bx	\$13.91

MICROFLEX

XCEED® Nitrile Exam Gloves

Designed with ERGOFORM™ Technology and ergonomically certified, these 2.8 mil exam gloves are scientifically



designed to reduce muscle effort. Lowest pinhole rates (AQL 0.65) standard of protection. Smart packaging reduces cost and waste. Features textured fingertips and beaded cuff. Powder-free, chlorinated. Compliant with U.S. Food Contact Regulations. Blue.

ITEM #	MARTIN #	SIZES	UOM	PRICE
XCEED Nitrile Exar	n Gloves			
XC-310-XS	ANEXC-310-XS	XS	250/Bx	\$19.57
XC-310-S	ANEXC-310-S	S	250/Bx	\$19.57
XC-310-M	ANEXC-310-M	M	250/Bx	\$19.57
XC-310-L	ANEXC-310-L	L	250/Bx	\$19.57
XC-310-XL	ANEXC-310-XL	XL	250/Bx	\$19.57

Ansell

ITEM#

92-575-S

92-575-M

92-575-L

92-575-XL

92-675-S

92-675-M

92-675-L

92-675-XL

TouchNTuff® Blue 92-575 and 92-675 **Disposable Nitrile Gloves**

TouchNTuff Blue 92-675 Gloves, Powder-Free

ANE92-675-S

ANE92-675-M

ANE92-675-L

ANE92-675-XL

Excellent grip, comfort and durability for the job. Durable, 5-mil nitrile gloves are soft and comfortable and have textured fingers for exceptional grip. Complies with FDA food handling requirements (21 CFR 177.2600).



S

Μ

L

ΧL

100/Bx

100/Bx

100/Bx

100/Bx

\$9.98 \$9.98

\$9.98

\$9.98



Assurance® Unlined Nitrile Gloves

Light weight, 8-mil construction and hand specific design provides real comfort and protection. Provides flexibility, tactile sensitivity and dexterity. Unlined to reduce potential product contamination. Features straight cuff and raised diamond pattern for enhanced grip. Chlorinated. Ideal for light chemical applications, printing, meat and poultry processing. Complies with 21 CFR-170-199.



50-N092B

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
50-N092B/L	PIP50-N092B/L	Assurance Unlined Nitrile Gloves	L	Dz	\$14.62





Assurance® Unsupported **Neoprene Gloves**

Double dipped gloves are 28-mil thick providing comfort and hand protection from wide range of chemicals including acids, caustics, solvents and oils. Ideal for use in petrochemical industry, janitorial, general maintenance and photo finishing.

CAUTION: Contains natural rubber latex which may cause allergic reactions. Safe use by or on latex-sensitive individuals has not been established.



52-3670

	ITEM #	MARTIN #	DESCRIPTION	SIZES	иом	PRICE
A	52-3670/L	PIP52-3670/L	Assurance Unsupported Neoprene Gloves	L	Dz	\$26.60



Maxicileiii	Dy AIG				
Multi-Polymer					
Blends Glove	es				
Features blended p	olymer on fine ga				

auge seamless knit liner and gauntlet cuff. Exclusive micro-cup non-slip grip on palm and fingers. LiquiTech® Barrier

Technology provides resistance to oils and liquids. Silicone-free. Used for chemical sampling, offsore petroleum, acids and caustics, solvent-based cleaning, fertilizer and pesticide handling. Certified 100% chemical-resistant blended polymer, EN 374 AKL.

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
A	56-630/L	PIP56-630/L	MaxiChem Gloves w/ 12" gauntlet	L	Dz	\$121.93



TRIDENT® Long **Natural Rubber Gloves**



Extended 18" length provides added chemical protection to the forearm. Chlorinated, unlined finish offers comfort and decreases risk of product contamination. Features 40-mil thickness, smooth grip and rolled cuff.

	ITEM #	MARTIN #	SIZES	иом	PRICE
	TRIDENT 286	6 Natural Rubber Gloves			
<u>.</u>	286319	MAPA286319	9	Pr	\$10.35
<u>.</u>	286310	MAPA286310	10	Pr	\$10.35
<u>.</u>	286311	MAPA286311	11	Pr	\$10.35



PROTECTORTM/AFR-282

Nitrile/Natural Rubber Gloves

Heavyweight blended 13", 26-mil thickness provides protection and resistance to cuts, punctures and abrasions. Flock-lined natural rubber body provides comfort and flexibility. Embossed chain grip prevents fluids and greasy solids build-up on working surface, ensuring non-slip grip on hard-to-grasp materials. Two-tone construction provides visual indicator of glove wear-through. Ideal for chemical processing, acid cleaning, metal machining, agri-chemical and plant maintenance. In compliance with 21 CFR, 170-199.

	ITEM #	MARTIN #	SIZES	иом	PRICE		
	PROTECTOR/AFR-282 Nitrile/Natural Rubber Gloves						
L	293426	MAPA293426	S	Pr	\$1.92		
L	293427	MAPA293427	M	Pr	\$1.92		
N.	293428	MAPA293428	L	Pr	\$1.92		
N.	293429	MAPA293429	XL	Pr	\$1.92		
À	293420	MAPA293420	2XL	Pr	\$1.92		







M A DA

BLUE-GRIPTM Natural Rubber Gloves

Unique etched surface provides a non-slip grip and heavy-gauge provides chemical protection with high cut resistance and tensile strength. Interlock liner with thermal protection. Contoured palm for low hand fatigue. Used in food processing, in hot and cold applications, agri-chemicals, sheet metal assembly and glass handling. In compliance with 21 CFR, 170-199.

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	BLUE-GRIP Natura	l Rubber Gloves			
	301426	MAPA301426	S	Pr	\$4.30
\blacktriangle	301427	MAPA301427	М	Pr	\$4.30
$\textcolor{red}{\blacktriangle}$	301428	MAPA301428	L	Pr	\$4.30



332428

PROFESSIONAL
TEMP-TEC®/NL-56
Insulated Neoprene Gloves
Multi-layer thermal-lined neoprene gloves provide
all-round chemical resistance with comfortable
thermal protection. Heavyweight gloves feature
non-slip grip and overedged cuff. 14" length.

	ITEM #	MARTIN #	SIZES	UOM	PRICE	
TEMP-TEC/NL-56 Insulated Neoprene Gloves						
	332428	MAPA332428	8	Pr	\$26.50	
	332429	MAPA332429	9	Pr	\$26.50	
\blacksquare	332420	MAPA332420	10	Pr	\$26.50	



STANZOIL®/NK-22 Neoprene Gloves

Durable, 14" knit-lined neoprene gloves provide comfort and dexterity with long-lasting protection from permeation by toxic compounds. Separate shell and knit liner construction prevents leaks. Features 2-way stretch interlock

cotton liner to absorb perspiration and help insulate, pinked-cuff and Z-pattern grip to channel fluids off working surface for a secure grip. In compliance with 21 CFR, 170-199.

ITEM #	MARTIN #	SIZES	UOM	PRICE
STANZOIL/				
382427	MAPA382427	7	Pr	\$6.82
382428	MAPA382428	8	Pr	\$6.82
382429	MAPA382429	9	Pr	\$6.82
382420	MAPA382420	10	Pr	\$6.82
382421	MAPA382421	11	Pr	\$6.82







MAPA

STANZOIL®/NL-34 Neoprene Gloves

Features unique multi-layer construction to avoid the thin spots and pinholes common to single-dipped supported gloves. Durable, 12" neoprene gloves offer dexterity, mechanical and chemical protection. Soft and absorbent interlock knit cotton liner adds comfort with high and low-temperature protection. Roughed overdip provides positive non-slip grip for hard-to-grasp materials. Two-color construction for visual indicator of glove wear-through. Launderable. In compliance with 21 CFR, 170-199.

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	STANZOIL	/NL-34 Neoprene Gloves			
$\textcolor{red}{\blacktriangle}$	334946	MAPA334946	S	Pr	\$5.37
$\textcolor{red}{\blacktriangle}$	334947	MAPA334947	М	Pr	\$5.37
$\textcolor{red}{\blacktriangle}$	334948	MAPA334948	L	Pr	\$5.37
$\textcolor{red}{\blacktriangle}$	334949	MAPA334949	XL	Pr	\$5.37



FLUONIT® 468 Chemical Resistant Gloves

Several outer layers of fluoroelastomer with interior nitrile layer for added mechanical resistance. Features chlorinated interior. 20-mil thickness, smooth finish and pinked cuff. Unlined. 12" length.



	ITEM #	MARTIN #	SIZES	UOM	PRICE
FLUONIT 468 Gloves					
A	468128	MAPA468128	8	Pr	\$55.00
A	468129	MAPA468129	9	Pr	\$55.00
4	468120	MAPA468120	10	Pr	\$55.00

Ansell

Scorpio® 8-352 and 8-354 **Neoprene Immersion Gloves**

Heavy-duty protection against a wide range of chemicals. Specially designed neoprene construction with a knit-liner for comfort and easy donning and doffing. Textured finish provides excellent grip on wet and slippery materials with great flexibility. Snug fit with high degree of fingertip sensitivity. Interlock knit cotton 2-piece lining eliminates seams that can cause hand irritation.



ES	UOM	PRICE
	Pr	\$4.72

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
8-352-9	ANE8-352-9	Scorpio 8-352 Gloves w/ 12" gauntlet cuff	9	Pr	\$4.72
8-354-9	ANE8-354-9	Scorpio 8-354 Gloves w/ 14" gauntlet cuff	9	Pr	\$5.68



MAPA

STANSOLV® A-14 Heavyweight Nitrile (NBR) Gloves

Heavyweight double-dipped construction provides a barrier against chemical permeation. Features 22-mil thickness, embossed Z-grip and flat cuff. 14" Length. Unlined.



474018

	ITEM #	MARTIN #	SIZES	иом	PRICE
	A-14 Heavyv	veight Nitrile Gloves			
	474017	MAPA474017	7	Pr	\$6.40
\blacktriangle	474018	MAPA474018	8	Pr	\$6.40
	474019	MAPA474019	9	Pr	\$6.40
	474010	MAPA474010	10	Pr	\$6.40
•	474011	MAPA474011	11	Pr	\$6.40

Ansell

Solvex® 37-175 Nitrile **Immersion Gloves**

Versatile chemical protection that performs across a diverse range of applications. High performance nitrile compound provides an outstanding combination of chemical resistance and strength. Offers superior snag, puncture and abrasion protection over rubber or neoprene gloves. Suitable for heavy-duty cleaning applications. High levels of flexibility, comfort and dexterity. Won't swell, weaken or degrade, and does not promote contact dermatitis. Features 15-mil thickness, flock lining, straight cuff, sandpatch grip and 13" length. Complies with FDA food handling requirements (21 CFR 177.2600).

ITEM#	MARTIN #	SIZES	иом	PRICE
Solvex 15-mil	Thickness			
37-175-7	ANE37-175-7	7	Pr	\$1.92
37-175-8	ANE37-175-8	8	Pr	\$1.92
37-175-9	ANE37-175-9	9	Pr	\$1.92
37-175-10	ANE37-175-10	10	Pr	\$1.92
37-175-11	ANE37-175-11	11	Pr	\$1.92





Ansell AlphaTec® 58-430 and 58-435 Gloves

Ansell Grip Technology™ provides optimal control when handling oily or wet items. Features cotton-flocked lined nitrile shell and snug, second-skin tailoring. Nitrile coating offers superior snag, puncture and abrasion protection for long-term wear. A foldable gutter cuff helps prevent dripping onto forearm, while an extra-long cuff (58-435) extends protection to the upper forearm. Available in medium-duty, 10-mil shell or heavy-duty, 16-mil shell.

ITEM #	MARTIN #	SIZES	UOM	PRICE		
AlphaTec Gloves w	ith Gauntlet Cuff, 10-mil					
58-430-7	ANE58-430-7	7	Pr	\$3.85		
58-430-8	ANE58-430-8	8	Pr	\$3.85		
58-430-9	ANE58-430-9	9	Pr	\$3.85		
58-430-10	ANE58-430-10	10	Pr	\$3.85		
58-430-11	ANE58-430-11	11	Pr	\$3.85		
AlphaTec Gloves with Extra Long Cuff, 16-mil						
58-435-7	ANE58-435-7	7	Pr	\$4.31		
58-435-8	ANE58-435-8	8	Pr	\$4.31		
58-435-9	ANE58-435-9	9	Pr	\$4.31		
58-435-10	ANE58-435-10	10	Pr	\$4.31		
58-435-11	ANE58-435-11	11	Pr	\$4.31		
	AlphaTec Gloves w. 58-430-7 58-430-8 58-430-9 58-430-10 58-430-11 AlphaTec Gloves w. 58-435-7 58-435-8 58-435-9 58-435-10	AlphaTec Gloves with Gauntlet Cuff, 10-mil 58-430-7 ANE58-430-7 58-430-8 ANE58-430-8 58-430-9 ANE58-430-9 58-430-10 ANE58-430-10 58-430-11 ANE58-430-11 AlphaTec Gloves with Extra Long Cuff, 16-min 58-435-7 ANE58-435-7 58-435-8 ANE58-435-8 58-435-9 ANE58-435-9 58-435-10 ANE58-435-10	AlphaTec Gloves with Gauntlet Cuff, 10-mil 58-430-7 ANE58-430-7 7 58-430-8 ANE58-430-8 8 58-430-9 ANE58-430-9 9 58-430-10 ANE58-430-10 10 58-430-11 ANE58-430-11 11 AlphaTec Gloves with Extra Long Cuff, 16-mil 58-435-7 ANE58-435-7 7 58-435-8 ANE58-435-8 8 58-435-9 ANE58-435-9 9 58-435-10 ANE58-435-10 10	AlphaTec Gloves with Gauntlet Cuff, 10-mil 58-430-7 ANE58-430-7 7 Pr 58-430-8 ANE58-430-8 8 Pr 58-430-9 ANE58-430-9 9 Pr 58-430-10 ANE58-430-10 10 Pr 58-430-11 ANE58-430-11 11 Pr AlphaTec Gloves with Extra Long Cuff, 16-mil 58-435-7 ANE58-435-7 7 Pr 58-435-8 ANE58-435-8 8 Pr 58-435-9 ANE58-435-9 9 Pr 58-435-10 ANE58-435-10 10 Pr		

Ansell Snorkel 04-644 PVC Chemical-Resistant Gloves

Provides optimum abrasion resistance in combination with excellent wet grip. Offers excellent chemical resistance to petrochemicals and acids. Features 63-mil thickness, 12" gauntlet cuff and jersey lining for cushioned comfort and moderate insulation. Ideal for fisheries and petrochemical refining.

				04-044		
ITEM #	MARTIN #	SIZES	UOM	PRICE		
Snorkel PVC Chemical-Resistant Gloves						
04-644-8	ANE04-644-8	8	Pr	\$3.32		
04-644-9	ANE04-644-9	9	Pr	\$3.32		
04-644-10	ANE04-644-10	10	Pr	\$3.32		
04-644-11	ANE04-644-11	11	Pr	\$3.32		

Ansell VersaTouch® 23-202 Insulated Gloves

Made of PVC coating material with polar acrylic liner. Features 13-gauge construction, roughened sandblast finish on glove and smooth finish on cuff. Designed to protect at temperatures down to -22° F. 12" Length.

2	2 _	21	12

ITEM #	MARTIN #	SIZES	UOM	PRICE			
VersaTouch Insulated Gloves							
23-202-8	ANE23-202-8	8	Pr	\$7.88			
23-202-9	ANE23-202-9	9	Pr	\$7.88			
23-202-10	ANF23-202-10	10	Pr	\$7.88			



Honeywell

Nitri-KnitTM Supported Gloves

Supported nitrile gloves offer comfort and protection along with resistance to cuts, snags, abrasions and punctures. Interlock liner offers additional strength and comfort along with protection from extreme temperatures. Rough finish for wet or oily grip. Treated with a permanent anti-bacterial and anti-mildew agent. Washable. 12" Length.

Note: Not intended to be resistant to needle stick punctures.

ITEM #	MARTIN #	SIZES	UOM	PRICE
Nitri-Knit Suppor	ted Gloves			
NK803/08	NTHNK803/08	8	Dz	\$72.42
NK803/09	NTHNK803/09	9	Dz	\$72.42
NK803/10	NTHNK803/10	10	Dz	\$72.42
NK803/11	NTHNK803/11	11	Dz	\$72.42
Insulated Nitri-Kr	nit Supported Gloves			
NK803IN/7	NTHNK803IN/7	7	Dz	\$72.42
NK803IN/8	NTHNK803IN/8	8	Dz	\$72.42
NK803IN/9	NTHNK803IN/9	9	Dz	\$72.42
NK803IN/10	NTHNK803IN/10	10	Dz	\$72.42
NK803IN/11	NTHNK803IN/11	11	Dz	\$72.42





WELLS LAMONT

Jomac® Extra Heavyweight Terry Cloth Gloves

Brown and white loop-out terry cloth gloves with 5" gauntlet. Ambidextrous. Lined to protect up to 450° F.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
636HRL	WELS636HRL	Extra Heavyweight Terry Cloth Gloves	XL	Pr	\$14.03

WELLS LAMONT

Jomac® Kevlar® Heat-Resistant Gloves

Heavyweight, 100% Kevlar outer shell fully lined with virgin wool and 5" flame-resistant duck gauntlet cuff. Loop-out, clute pattern. Ambidextrous. Protects to 700° F.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
625	WELS625	Jomac Kevlar Heat-Resistant Gloves	XL	Pr	\$33.17





WELLS LAMONT Industrial

Standard Weight Hot Mill Gloves

Features 24 oz. natural cotton with nap out, straight thumb and safety cuff. Protects up to 300° F.



MFTT2	LAMIUNI
	Industrial

Jomac® Heavyweight

Terry Cloth Gloves White loop-out terry gloves with knit wrist. Protects up

to 325° F. Ambidextrous.



ITEM # MARTIN # DESCRIPTION		SIZES	UOM	PRICE	
766	WELS766	Jomac Heavyweight Terry Cloth Gloves	L	Pr	\$3.00

	ITEM #	MARTIN #	DESCRIPTION	SIZES	иом	PRICE
A	Y6243L	WELSY6243L	Standard Weight Hot Mill Gloves	L	Pr	\$2.13

WELLS LAMONT

Kevlar®/Nomex® Seamless Gloves

Kevlar/Nomex outer shell allows wearers to handle hot objects and protects up to 500° F. Fully lined with cotton for softness. Ambidextrous with knit continuous cuff.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
2610S	WELS2610S	Kevlar/Nomex Seamless Gloves	S	Pr	\$10.80
2610M	WELS2610M	Kevlar/Nomex Seamless Gloves	М	Pr	\$10.80
2610L	WELS2610L	Kevlar/Nomex Seamless Gloves	L	Pr	\$10.80
2610XL	WELS2610XL	Kevlar/Nomex Seamless Gloves	XL	Pr	\$12.72



WELLS LAMONT

Jomac® Cotton-Lined Kevlar® Gloves

Heavyweight glove with 100% Kevlar outer shell, cotton lining and 5 1/2" gauntlet cuff. Loop-out, clute pattern. Protects to 700° F.

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
\blacktriangle	636KCL	WELS636KCL	Jomac Cotton-Lined Kevlar Gloves	XL	Pr	\$43.95







Kevlar® Blend High Heat Protection Gloves

Durable, flame-resistant, heat- and cut-resistant. Features Thermonal blend, full 11 oz. wool lining, 14" length and Kevlar stitching for added protection.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
$\textcolor{red}{\blacktriangle}$	TH210-14F	STGRTH210-14F	14" High Heat Gloves	Pr	\$33.33
	TH252R-14	STGRTH252R-14	14" Reversible High Heat Mitts	Pr	\$35.28
\blacktriangle	ATH TH210-14 F	STGRATH TH 210-14 F	14" Aluminized Thermonol Gloves	Pr	\$46.81
	TH 250R-14 F	STGRTH 250R-14 F	14" Reversible Thermonol High Heat Mitts	Pr	\$27.64





WELLS LAMONT

Industria

Jomac® Kevlar® Wool-Lined Gloves

100% Kevlar outer shell fully lined with virgin wool. Clute cut, loop-out. Protects up to 700° F.

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
$\textcolor{red}{\blacktriangle}$	305KWL	WELS305KWL	Jomac Kevlar Wool-Lined Gloves	XL	Pr	\$60.88





14" Aluminized Carbon/Kevlar® Gloves with Leather Palm

Aluminized back gloves with 19 oz. aluminized Carbon/Kevlar and 3.5 oz. special tanned split heat-resistant leather palm. Features wing thumb, Gunn cut and 11 oz. knitted wool lining. Sewn with Kevlar. 14" Length.



ITEM #	MARTIN #	иом	PRICE	
14" Aluminized Carbon/Kevlar Gloves with Leather Palm				
ACK SC 13902-14 F	STGRACK SC 13902-14 F	Pr	\$40.28	



Grip N[®] Hot Mill Nitrile-Coated Gloves

Protects against high-heat, up to 400° F. Features a nitrile N-pattern palm coating for excellent grip and long life. Knit design allows hands to

breathe. Available with extended cuff for additional protection above the wrist. Used in auto assembly, food processing and manufacturing.

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
A	51/7147	NTH51/7147	Glove-within-glove Seamless Knit Thermal Gloves	Men's, 10 (XL)	Dz	\$66.97
A	51/7147C	NTH51/7147C	Glove-within-glove Seamless Knit Thermal Gloves w/ extended cuff	Men's, 10 (XL)	Dz	\$94.15









PBI/Kevlar® High Heat **Gloves with Wing Thumb**

Made from 30 oz. PBI/Kevlar blend with 22 oz. Thermonol cuff and 14 oz. wool lining. Features Nomex® aramid palm patch and wing thumb. Sewn with Kevlar thread. 14" Length.



TH	PB30	221-14	CWX02
----	-------------	--------	-------

ITEM #	MARTIN #	UOM	PRICE		
PBI/Kevlar High Hea	PBI/Kevlar High Heat Gloves with Wing Thumb				
TH PB30 221-14	CWX02 STGRTH PB30 221	-14 CWX02 Pr	\$102.78		



Reversible PBI/Kevlar®

High Heat Mitts

Made from 22 oz. PBI/Kevlar blend with 3-ply insulating palm patch and full 14 oz. knit wool lining. Features butterfly thumb and 14" length. Reversible style. Sewn with Kevlar.



ITEM #	MARTIN #	UOM	PRICE
Reversible PBI/Ke	vlar® High Heat Mitts		
PB22 9738-14 I	301W STGRPB22 9738-14 B01W	Pr	\$57.78



8" Reversible Thermonol **High Heat Cover Mitts**

Reversible, open-end style. Full thumb fits over most gloves. Made from 22 oz. Thermonol. Sewn with Kevlar®. 8" Length.



	ITEM #	MARTIN #	UOM	PRICE
	8" Reversible Thermonol	High Heat Cover Mitts		
N.	TH 7614R-8 CA	STGRTH 7614R-8 CA	Pr	\$15.83



10" Reversible **Glass Cover Mitts**

High heat cover mitts for extreme handling. Reversible, closed-end style. Made from 28 oz. glass cloth



(Vermiculite) with inner glass palm patch, 2-ply inconel wire mesh over outer layer and set-in thumb style. Sewn with Kevlar®. 10" Length.

	ITEM #	MARTIN #	UOM	PRICE
	10" Reversible Glass Cover Mitt	s		
L	GLP 9001-10 S02	STGRGLP 9001-10 S02	Pr	\$92.36

PBI/Kevlar High Heat Gloves w/ Glass Cloth Cuff

MARTIN #

▲ GL PB22 221-14 AW06 STGRGL PB22 221-14 AW06

ITEM #

PRICE

\$60.56

иом



MIG TIG Welders Gloves

All-leather construction with no inside linings. Provides dexterity and light heat protection. Sewn with Kevlar® thread to prolong glove life and protect seams from burning. Ideal for MIG TIG welding and automotive assembly.

Note: DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
A	75-320/L	PIP75-320/L	MIG TIG Gloves, top grain pigskin w/ split leather cuff, unlined palm & straight thumb	L	Pr	\$116.80
	75-4904/L	PIP75-4904/L	MIG TIG Gloves, 2" leather cuff, clute pattern	L	Pr	\$117.78



75-320



MustangTM Mig/Tig Welding Gloves

Made from premium grain, select heavy side cow leather on the palm and back. Features die-cut Gunn pattern, wing thumb, full sock lining, in-sewn at all fingertips and a long gauntlet cuff. All seams are fully-welted with turned leather hems and flame-resistant sleeves. Sewn throughout with heat-resistant DuPont™ Kevlar® thread. Ideal for welding and heat applications, plus all general purpose applications requiring heat, flame or spark protection.

ITEM #	MARTIN #	SIZES	UOM	PRICE
Mig/Tig Welding Gloves, Unlin	ned			
4950-S	MCR4950S	S	Dz	\$181.66
4950-M	MCR4950M	М	Dz	\$181.66
4950-L	MCR4950L	L	Dz	\$181.66
4950-XL	MCR4950XL	XL	Dz	\$189.97






Made from premium select heavy side leather with wing thumb and a full sock lining, in-sewn at all finger tips. Extra-large die cut Gunn pattern is

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
4700	MCR4700	Mustang Welding Gloves	XL	Dz	\$138.46



855 Gold Deerskin Stick Gloves	2/2
Made with top grain deerskin back and cowhide palm. Features cotton/foam lined back for heat protection, unlined palm for	9/1/
dexterity, straight thumb and fully welted fingers. Sewn with Kevlar® thread.	855

	ITEM #	MARTIN #	SIZES	UOM	PRICE
A	Gold Deerskin Sti	ck Gloves			
	855M	TILL855M	M	Pr	\$19.38
	855L	TILL855L	L	Pr	\$19.38
	855XI	TILL 855XI	ΧI	Pr	\$19.38





750 Stick Welders Gloves

Premium top-grain elkskin gloves feature reinforced thumb, lock stitching with Kevlar® thread and welted fingers protect seams, unlined palm for added dexterity. Cotton/foam-lined back offers added heat protection and 14" length enhances safety. Pearl.



	M)	
TIL	LMAN	ľ

1000 Shoulder Split Cowhide Stick Welders Gloves

Shoulder split cowhide with cotton lining for comfort. Features welted fingers and locked stitching with cotton thread. 14" Length. Pearl.



4	n	n	•	

	ITEM #	MARTIN #	SIZES	UOM	PRICE	
	Top-Grain Elksk	in Welders Gloves				
	750S	TILL750S	S	Pr	\$23.08	A
	750M	TILL750M	M	Pr	\$23.08	A
▲	750L	TILL750L	L	Pr	\$23.08	A
\blacksquare	750XL	TILL750XL	XL	Pr	\$23.08	À

	ITEM #	MARTIN #	SIZES	иом	PRICE
	1000 Stick Welders	Gloves			
	1000S	TILL1000S	S	Pr	\$6.08
	1000M	TILL1000M	M	Pr	\$6.08
▲	1000L	TILL1000L	L	Pr	\$6.08
	1000XL	TILL1000XL	XL	Pr	\$6.08





1250 Premium Cowhide Split Stick Welders Gloves

Durable, premium side split cowhide with cotton/foam lining for insulation. Double reinforced thumb. Welted fingers protect stitching. Lock stitched with Kevlar® thread for added strength. 14" Length. Blue.



1250

ITEM #	MARTIN #	SIZES	UOM	PRICE
Side Split Cov	vhide Welders Gloves			
1250S	TILL1250S	S	Pr	\$9.92
1250M	TILL1250M	М	Pr	\$9.92
1250L	TILL1250L	L	Pr	\$9.92
1250XL	TILL1250XL	XL	Pr	\$9.92
12502X	TILL12502X	2XL	Pr	\$9.92



50 MIG Welders Gloves

Top-grain cowhide palm with cowhide split reinforcements and cowhide split back with elastic for best fit. Features top-grain seamless index finger, fleece lining and 4" cuff for added protection. Sewn with Kevlar® thread for strength and heat resistance.



ITEM #	MARTIN #	SIZES	иом	PRICE			
Cowhide MIG Welders Gloves							
50L TILL50L		L	Pr	\$16.15			
50XL	TILL50XL	XL	Pr	\$16.15			





48 Insulated MIG Gloves

Top-grain goatskin palm and cowhide split back resists heat. Fleece-lined for added protection. Features straight thumb, elastic back, 3 1/2" cuff, thumb strap for extra strength and Kevlar® stitching for seam protection.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
▲ 48M	TILL48M	Insulated MIG Gloves	M	Pr	\$12.23
▲ 48L	TILL48L	Insulated MIG Gloves	L	Pr	\$12.23
▲ 48XL	TILL48XL	Insulated MIG Gloves	XL	Pr	\$12.23







1354 Cowhide Cut-Resistant MIG Welding Gloves

Top-grain cowhide palm with cowhide split back. Features full Kevlar® sock lining, seamless index finger and 4" cuff. ANSI cut level 2.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
1354S	TILL1354S	Cowhide Cut-Resistant MIG Gloves	S	Pr	\$21.92
1354M	TILL1354M	Cowhide Cut-Resistant MIG Gloves	М	Pr	\$21.92
1354L	TILL1354L	Cowhide Cut-Resistant MIG Gloves	L	Pr	\$21.92
1354XL	TILL1354XL	Cowhide Cut-Resistant MIG Gloves	XL	Pr	\$21.92
13542X	TILL13542X	Cowhide Cut-Resistant MIG Gloves	2XL	Pr	\$21.92



1350 MIG Welders Gloves

Heavy-duty top-grain cowhide MIG welding gloves, unlined with 4" cuff for added protection. Features wing thumb and seamless forefinger for comfort. Lock stitched with Kevlar® thread for added strength. Pearl.

17	TEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
▲ 1	350S	TILL1350S	Cowhide MIG Welders Gloves	S	Pr	\$12.46
▲ 1:	350M	TILL1350M	Cowhide MIG Welders Gloves	M	Pr	\$12.46
▲ 1:	350L	TILL1350L	Cowhide MIG Welders Gloves	L	Pr	\$12.46
▲ 1:	350XL	TILL1350XL	Cowhide MIG Welders Gloves	XL	Pr	\$12.46







1329 Economy Goatskin TIG Gloves

Top-grain goatskin. Features 4" cuff, unlined construction and wing thumb. Sewn with Kevlar® thread.

ITEM #	MARTIN #	DESCRIPTION	SIZES	иом	PRICE
1329M	TILL1329M	Goatskin TIG Gloves	M	Pr	\$6.69
1329L	TILL1329L	Goatskin TIG Gloves	L	Pr	\$6.69
1329XL	TILL1329XL	Goatskin TIG Gloves	XL	Pr	\$6.69





Standard Welding Gloves

Gray select shoulder leather welders provide good protection and durability. Features extended cuff and wing thumb.

A	930	WCM930	L	Dz	\$66.00
	Standard Wel	ding Gloves with Wing Thu	mb		
	ITEM #	MARTIN #	SIZES	иом	PRICE





Cowhide TIG Welding Gloves

Made of grain cowhide leather. Features gauntlet cuff and heat/flame resistance. Sewn with Kevlar® thread.

resistance. Sewn with Kevlar® thread.								
ITEM #	MARTIN #	SIZES	иом	PRICE				
Cowhide TIG \	Nelding Gloves							
6000/S	WCM6000/S	S	Dz	\$92.20				
6000/M	WCM6000/M	M	Dz	\$92.20				
6000/L	WCM6000/L	L	Dz	\$92.20				
6000/XL	WCM6000/XL	XL	Dz	\$95.60				





Premium Blue Split Welding Gloves

Provides excellent heat protection.
One piece palm has no exposed seams. Sewn with heat resistant
Kevlar® thread. Cotton sock lining absorbs perspiration. Heavy full leather gauntlet cuffs protects lower arms from sparks.
Reinforced welted seams provide durability.

	ITEM #	MARTIN #	SIZES	UOM	PRICE	
	Premium Blue Split	Welding Gloves				
A	945	WCM945	L	Dz	\$96.00	





IRONCAT® Premium Kidskin TIG Gloves

Made of premium top grain kidskin. Features soft leather, straight thumb and heat/flame resistance. Sewn with Kevlar® thread.



6000

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	IRONCAT Premiur	n Kidskin TIG Gloves			
▲	6141/S	WCM6141/S	S	Pr	\$10.83
▲	6141/M	WCM6141/M	М	Pr	\$10.83
▲	6141/L	WCM6141/L	L	Pr	\$10.83
▲	6141/XL	WCM6141/XL	XL	Pr	\$10.83
▲	6141/2XL	WCM6141/2XL	2XL	Pr	\$11.33
▲	6141/3XL	WCM6141/3XL	3XL	Pr	\$11.83



Protective Clothing



The Problem:

Are you OSHA ready?

The Martin Safety Solution:

Martin Safety Solutions can help you with any OSHA compliance or laws/standards concerns.

OSHA requires employers to be responsible for providing a safe and healthful workplace.

https://www.osha.gov

Protective Clothing must be provided whenever necessary to protect against chemicals, environmental, and radiological hazards or mechanical irritants. Ensuring worker safety includes conducting a workplace hazard assessment and providing the adequate training to make sure everyone goes home safely to their families.

For our extensive list of Custom Tailored Safety Solutions, please refer to page 1 or visit our website at www.martinsafety.com.

- ► Ergonomics 82
- ▶ Disposable 83-88
- ► Flame-Resistant 89-91
- ► Hi-Viz & Rainwear 92-94

These fine manufacturers help us bring you custom tailored solutions-



DuPont Personal Protection













ProFlex® 1100SF Standard Back Supports

Features patented non-conductive
Sticky Fingers® stays that deliver
firm, continuous lower back
and abdominal support.
Durable 280-denier
spandex body cloth offers
breathability and consistent
stretch. Adjustable 2-stage
closure helps remind
wearers to lift properly.



The 1 1/4" knit elastic suspenders are adjustable and detachable. Patented Power Panel Positioners™ keep elastic bands close to sides. Machine washable. Black.

	ITEM #	MARTIN #	SIZES	иом	PRICE
$\textcolor{red}{\blacktriangle}$	11601	ERGO11601	XS	Ea	\$30.09
\blacktriangle	11602	ERGO11602	S	Ea	\$30.09
	11603	ERGO11603	М	Ea	\$30.09
	11604	ERGO11604	L	Ea	\$30.09
	11605	ERGO11605	XL	Ea	\$30.09
	11606	ERGO11606	2XL	Ea	\$30.09
$\textcolor{red}{\blacktriangle}$	11607	ERGO11607	3XL	Ea	\$30.09
$\textcolor{red}{\blacktriangle}$	11608	ERGO11608	4XL	Ea	\$30.09



ProFlex® 2000SF High-Performance Back Supports

Contoured V-shape naturally positions the back support. Sticky Fingers® stays provide excellent gripping properties and deliver firm, continuous lower back and abdominal support. Power Panel Positioners™ keep elastic bands close to sides so they won't fall out of reach when not in use.

Also features reinforced woven cinch

tabs and 840-denier durable spandex body cloth for breathability and consistent stretch. Adjustable 2-stage closure reminds wearers to lift properly. Includes detachable 1 1/2" knit elastic suspenders. Machine washable. Black.

	ITEM #	MARTIN #	SIZES	UOM	PRICE
A	11281	ERGO11281	XS	Ea	\$40.00
A	11282	ERGO11282	S	Ea	\$40.00
	11283	ERGO11283	М	Ea	\$40.00
	11284	ERGO11284	L	Ea	\$40.00
	11285	ERGO11285	XL	Ea	\$40.00
	11286	ERGO11286	2XL	Ea	\$40.00
l.	11287	ERGO11287	3XL	Ea	\$40.00
ĺ.	11288	ERGO11288	4XL	Ea	\$40.00





ProFlex® 4000 Single Strap Wrist Supports

Limits downward wrist movements and features patented Open-Center Stay™ to reduce pressure on the median nerve. Durable fabric design is fully adjustable for an exact fit. Machine washable.







4000

ProFlex® 4010 Dual Strap Wrist Supports

Durable, dual strap wrist supports limit upward and downward wrist movements and include patented Open-Center StayTM to reduce pressure on median nerve. Fully adjustable for comfortable wear. Machine washable.

	SIZES	ITEM #	MARTIN #	ITEM #	MARTIN #	UOM	PRICE
		Dual Strap Right Hand	Wrist Support, I, Black	Dual Strap Left Hand,	Wrist Support, Black		
	S	70022	ERGO70022	70032	ERGO70032	Ea	\$16.00
	M	70024	ERGO70024	70034	ERGO70034	Ea	\$16.00
	L	70026	ERGO70026	70036	ERGO70036	Ea	\$16.00
	XL	70028	ERGO70028	70038	ERGO70038	Ea	\$16.00
		Dual Strap Right Hand	Wrist Support, I, Tan	Dual Strap Left Hand,	Wrist Support, Tan		
\blacktriangle	S	70122	ERGO70122	70132	ERGO70132	Ea	\$16.00
	M	70124	ERGO70124	70134	ERGO70134	Ea	\$16.00
	L	70126	ERGO70126	70136	ERGO70136	Ea	\$16.00
	XL	70128	ERGO70128	70138	ERGO70138	Ea	\$16.00





4010

Lakeland ChemMax1 Coveralls

Constructed with polyethylene barrier film and continuous filament polypropylene nonwoven. Prevents contaminants from penetrating to inner clothing and offers quality and durability at an economical price. Features serged seams and zipper front closure. Yellow. 25/Cs.

	ITEM #	MARTIN #	SIZES	UOM	PRICE	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Attached Hood	d and Boots, Elastic Wri	sts			Attached Hood	d, Elastic Wrists and An	kles		
	C5414-S	LAKC5414-S	S	Cs	\$152.45	C5428-S	LAKC5428-S	S	Cs	\$130.12
	C5414-M	LAKC5414-M	М	Cs	\$152.45	C5428-M	LAKC5428-M	М	Cs	\$130.12
	C5414-L	LAKC5414-L	L	Cs	\$152.45	C5428-L	LAKC5428-L	L	Cs	\$130.12
	C5414-XL	LAKC5414-XL	XL	Cs	\$152.45	C5428-XL	LAKC5428-XL	XL	Cs	\$130.12
	C5414-2X	LAKC5414-2X	2XL	Cs	\$160.07	C5428-2X	LAKC5428-2X	2XL	Cs	\$136.62
	C5414-3X	LAKC5414-3X	3XL	Cs	\$169.68	C5428-3X	LAKC5428-3X	3XL	Cs	\$144.82
A	C5414-4X	LAKC5414-4X	4XL	Cs	\$182.40	C5428-4X	LAKC5428-4X	4XL	Cs	\$155.68
	C5414-5X	LAKC5414-5X	5XL	Cs	\$200.63	C5428-5X	LAKC5428-5X	5XL	Cs	\$171.25



C44414



Lakeland ChemMax2 Coveralls

Chemical protective suit features Dow Saranex® 23P film on (2) layers of a bi-component, spunbond, non-woven substrate. Applications include chemical mixing and handling, environmental cleanup, hazardous materials remediation and response, and general industry. Bound seams. White. 12/Cs.

	ITEM#	MARTIN #	SIZES	UOM	PRICE		ITEM #	MARTIN #	SIZES	UOM	PRICE
	Collar, Open Wri	sts and Ankles					Attached Hood	and Boots, Elastic Wris	sts		
\blacktriangle	C44412-S	LAKC44412-S	S	Cs	\$160.28	\blacktriangle	C44414-S	LAKC44414-S	S	Cs	\$190.32
\blacktriangle	C44412-M	LAKC44412-M	М	Cs	\$160.28	\blacktriangle	C44414-M	LAKC44414-M	M	Cs	\$190.32
\blacktriangle	C44412-L	LAKC44412-L	L	Cs	\$160.28	\blacktriangle	C44414-L	LAKC44414-L	L	Cs	\$190.32
\blacktriangle	C44412-XL	LAKC44412-XL	XL	Cs	\$160.28	\blacktriangle	C44414-XL	LAKC44414-XL	XL	Cs	\$190.32
$\textcolor{red}{\blacktriangle}$	C44412-2X	LAKC44412-2X	2XL	Cs	\$168.30	\blacktriangle	C44414-2X	LAKC44414-2X	2XL	Cs	\$199.83
\blacktriangle	C44412-3X	LAKC44412-3X	3XL	Cs	\$178.40	\blacktriangle	C44414-3X	LAKC44414-3X	3XL	Cs	\$211.83
$\textcolor{red}{\blacktriangle}$	C44412-4X	LAKC44412-4X	4XL	Cs	\$191.77	\blacktriangle	C44414-4X	LAKC44414-4X	4XL	Cs	\$227.72
	C44412-5X	LAKC44412-5X	5XL	Cs	\$210.95	\blacktriangle	C44414-5X	LAKC44414-5X	5XL	Cs	\$250.50

Lakeland MicroMax® Protective Coveralls

General purpose protective clothing well-suited for non-hazardous and hazardous environments where dirt, grime and contaminants are present, or where splashes and spills occur. Made of microporous film with nylon scrim between the film and substrate giving the material additional strength. Features zipper front closure. White. 25/Cs.

VVIII.C. 20/00	•									
ITEM #	MARTIN #	SIZES	UOM	PRICE		ITEM #	MARTIN #	SIZES	UOM	PRICE
Collar, Open Wri	sts and Ankles					Collar, Elastic	Wrists and Ankles			
TG412-S	LAKTG412-S	S	Cs	\$83.72		TG417-S	LAKTG417-S	S	Cs	\$97.33
TG412-M	LAKTG412-M	М	Cs	\$83.72		TG417-M	LAKTG417-M	М	Cs	\$97.33
TG412-L	LAKTG412-L	L	Cs	\$83.72		TG417-L	LAKTG417-L	L	Cs	\$97.33
TG412-XL	LAKTG412-XL	XL	Cs	\$83.72	\blacktriangle	TG417-XL	LAKTG417-XL	XL	Cs	\$97.33
TG412-2X	LAKTG412-2X	2XL	Cs	\$83.72	\blacktriangle	TG417-2X	LAKTG417-2X	2XL	Cs	\$97.33
TG412-3X	LAKTG412-3X	3XL	Cs	\$87.90	\blacktriangle	TG417-3X	LAKTG417-3X	3XL	Cs	\$102.18
TG412-4X	LAKTG412-4X	4XL	Cs	\$93.17	\blacktriangle	TG417-4X	LAKTG417-4X	4XL	Cs	\$108.32
TG412-5X	LAKTG412-5X	5XL	Cs	\$100.17	\blacktriangle	TG417-5X	LAKTG417-5X	5XL	Cs	\$116.45
Attached Hood a	and Boots, Elastic Wris	sts				Attached Hood	l, Elastic Wrists and Ani	kles		
TG414-S	LAKTG414-S	S	Cs	\$111.77		TG428-S	LAKTG428-S	S	Cs	\$102.45
TG414-M	LAKTG414-M	М	Cs	\$111.78		TG428-M	LAKTG428-M	М	Cs	\$102.45
TG414-L	LAKTG414-L	L	Cs	\$111.78		TG428-L	LAKTG428-L	L	Cs	\$102.45
TG414-XL	LAKTG414-XL	XL	Cs	\$111.77		TG428-XL	LAKTG428-XL	XL	Cs	\$102.45
TG414-2X	LAKTG414-2X	2XL	Cs	\$111.77	\blacktriangle	TG428-2X	LAKTG428-2X	2XL	Cs	\$102.45
TG414-3X	LAKTG414-3X	3XL	Cs	\$117.35	\blacktriangle	TG428-3X	LAKTG428-3X	3XL	Cs	\$107.58
TG414-4X	LAKTG414-4X	4XL	Cs	\$124.40	\blacktriangle	TG428-4X	LAKTG428-4X	4XL	Cs	\$114.03
TG414-5X	LAKTG414-5X	5XL	Cs	\$133.73		TG428-5X	LAKTG428-5X	5XL	Cs	\$122.58







Lakeland ChemMax3 Coveralls

Provides lightweight, yet durable barrier against a broad spectrum of toxic industrial and dual-use chemicals, chemical warfare agents and other harmful contaminants. Multi-layer film is applied to heavy polypropylene nonwoven for increased strength. Barrier film's increased softness results in a quiet, comfortable garment. Features taped seams and zipper front closure. Gray. 6/Cs.

	ITEM #	MARTIN #	SIZES	UOM	PRICE	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Attached Hood,	Elastic Face, Wrists an	nd Ankles			Attached Respi	rator-Fit Hood and Boo	ts, Elastic	Face and	l Wrists
\blacktriangle	C3T130-M	LAKC3T130-M	М	Cs	\$235.43	C3T151-M	LAKC3T151-M	М	Cs	\$285.83
	C3T130-L	LAKC3T130-L	L	Cs	\$235.43	C3T151-L	LAKC3T151-L	L	Cs	\$285.83
\blacktriangle	C3T130-XL	LAKC3T130-XL	XL	Cs	\$235.43	C3T151-XL	LAKC3T151-XL	XL	Cs	\$285.83
\blacktriangle	C3T130-2X	LAKC3T130-2X	2XL	Cs	\$247.23	C3T151-2X	LAKC3T151-2X	2XL	Cs	\$300.12
	C3T130-3X	LAKC3T130-3X	3XL	Cs	\$259.58	C3T151-3X	LAKC3T151-3X	3XL	Cs	\$315.10
	C3T130-4X	LAKC3T130-4X	4XL	Cs	\$272.57	C3T151-4X	LAKC3T151-4X	4XL	Cs	\$330.85
	C3T130-5X	LAKC3T130-5X	5XL	Cs	\$286.23	C3T151-5X	LAKC3T151-5X	5XL	Cs	\$347.42

Lakeland MicroMaxNS Coveralls

Offers lightweight and economical microporous protection from dirt, grease, grime and light chemical splash. Features high moisture vapor transmission rate (MVTR) for better ventilation, worker comfort and strength, wet or dry. Zipper front closure. White. 25/Cs.

, , ,									
ITEM #	MARTIN #	SIZES	UOM	PRICE	ITEM #	MARTIN #	SIZES	UOM	PRICE
Collar, Open Wri	sts and Ankles				Attached Hood,	Elastic Wrists and Ank	les		
CTL412-S	LAKCTL412-S	S	Cs	\$72.03	CTL428-S	LAKCTL428-S	S	Cs	\$83.78
CTL412-M	LAKCTL412-M	М	Cs	\$72.03	CTL428-M	LAKCTL428-M	M	Cs	\$83.78
CTL412-L	LAKCTL412-L	L	Cs	\$72.03	CTL428-L	LAKCTL428-L	L	Cs	\$83.78
CTL412-XL	LAKCTL412-XL	XL	Cs	\$72.03	CTL428-XL	LAKCTL428-XL	XL	Cs	\$83.78
CTL412-2X	LAKCTL412-2X	2XL	Cs	\$72.03	CTL428-2X	LAKCTL428-2X	2XL	Cs	\$84.50
CTL412-3X	LAKCTL412-3X	3XL	Cs	\$75.65	CTL428-3X	LAKCTL428-3X	3XL	Cs	\$87.97
CTL412-4X	LAKCTL412-4X	4XL	Cs	\$80.18	CTL428-4X	LAKCTL428-4X	4XL	Cs	\$93.25
CTL412-5X	LAKCTL412-5X	5XL	Cs	\$86.20	CTL428-5X	LAKCTL428-5X	5XL	Cs	\$100.25
Attached Hood a	and Boots, Elastic Wris	sts			Collar, Elastic W	rists and Ankles			
CTL414-S	LAKCTL414-S	S	Cs	\$91.17	CTL417-S	LAKCTL417-S	S	Cs	\$90.02
CTL414-M	LAKCTL414-M	M	Cs	\$91.17	CTL417-M	LAKCTL417-M	M	Cs	\$90.02
CTL414-L	LAKCTL414-L	L	Cs	\$91.17	CTL417-L	LAKCTL417-L	L	Cs	\$90.02
CTL414-XL	LAKCTL414-XL	XL	Cs	\$91.17	CTL417-XL	LAKCTL417-XL	XL	Cs	\$90.02
CTL414-2X	LAKCTL414-2X	2XL	Cs	\$91.17	CTL417-2X	LAKCTL417-2X	2XL	Cs	\$90.02
CTL414-3X	LAKCTL414-3X	3XL	Cs	\$95.72	CTL417-3X	LAKCTL417-3X	3XL	Cs	\$94.52
CTL414-4X	LAKCTL414-4X	4XL	Cs	\$101.47	CTL417-4X	LAKCTL417-4X	4XL	Cs	\$100.18
CTL414-5X	LAKCTL414-5X	5XL	Cs	\$109.07	CTL417-5XL	LAKCTL417-5XL	5XL	Cs	\$110.20

Lakeland SafeGard® 2000 SMS Coveralls

Keep workers safe from toxic particles and water-based liquids with (2) outer layers of spunbond filaments that are resistant to tears and abrasions and an inner layer of meltblown polypropylene microfibers that filters out particulate matter and liquids. Air and water vapor pass through easily for added comfort. Features zipper front, triple-stitching, elastic back, serged seams and (2) sewn pockets. White. 25/Cs. Not recommended for use near heat flames or in flammable sites

	ITEM #	MARTIN #	SIZES	UOM	PRICE	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Attached Hood	l, Elastic Wrists and An	kles			Collar, Open VI	Vrists and Ankles			
\blacktriangle	C8428-S	LAKC8428-S	S	Cs	\$80.92	C8412-S	LAKC8412-S	S	Cs	\$76.25
\blacktriangle	C8428-M	LAKC8428-M	М	Cs	\$80.92	C8412-M	LAKC8412-M	М	Cs	\$76.25
\blacktriangle	C8428-L	LAKC8428-L	L	Cs	\$80.92	C8412-L	LAKC8412-L	L	Cs	\$76.25
$\textcolor{red}{\blacktriangle}$	C8428-XL	LAKC8428-XL	XL	Cs	\$80.92	C8412-XL	LAKC8412-XL	XL	Cs	\$76.25
$\textcolor{red}{\blacktriangle}$	C8428-2X	LAKC8428-2X	2XL	Cs	\$84.95	C8412-2X	LAKC8412-2X	2XL	Cs	\$80.07
\blacktriangle	C8428-3X	LAKC8428-3X	3XL	Cs	\$90.05	C8412-3X	LAKC8412-3X	3XL	Cs	\$84.87
\blacktriangle	C8428-4X	LAKC8428-4X	4XL	Cs	\$96.80	C8412-4X	LAKC8412-4X	4XL	Cs	\$91.23
\blacktriangle	C8428-5X	LAKC8428-5X	5XL	Cs	\$106.48	C8412-5X	LAKC8412-5X	5XL	Cs	\$100.35



Lakeland MicroMaxNS Apparel

Offers lightweight and economical microporous protection from dirt, grease, grime and light chemical splash. Features high moisture vapor transmission rate (MVTR) for better ventilation, worker comfort and strength, wet or dry. Coveralls have zipper front. Lab coats and shirts have snap front closure. Pants have an elastic waist.

ITEM #	MARTIN #	SIZES	PRICE		ITEM #	MARTIN #	SIZES	PRICE
MicroMaxNS Long	Sleeve Lab Coats, 2 Pockets	s, White, 30/	'Cs		MicroMaxNS Pants	s, White, 50/Cs		
CTL101-S	LAKCTL101-S	S	\$84.63	\blacktriangle	CTL301-4X	LAKCTL301-4X	4XL	\$115.55
CTL101-M	LAKCTL101-M	M	\$84.63	$\textcolor{red}{\blacktriangle}$	CTL301-5X	LAKCTL301-5X	5XL	\$124.22
CTL101-L	LAKCTL101-L	L	\$84.63		MicroMaxNS Apro	ns with Sewn Ties, White, 1	00/Cs	
CTL101-XL	LAKCTL101-XL	XL	\$134.23		CTL601	LAKCTL601	28" x 36"	\$86.42
CTL101-2X	LAKCTL101-2X	2XL	\$88.87		MicroMaxNS Sleev	es with Elastic Both Ends,	100 Pr/Cs	
CTL101-3X	LAKCTL101-3X	3XL	\$94.20		CTL850-18	LAKCTL850-18	18"	\$54.80
CTL101-4X	LAKCTL101-4X	4XL	\$101.28		MicroMaxNS Long	Sleeve Smocks, White, 50/	Cs	
CTL101-5X	LAKCTL101-5X	5XL	\$84.63	$\textcolor{red}{\blacktriangle}$	CTL501-S	LAKCTL501-S	S	\$111.32
MicroMaxNS Long	Sleeve Shirts, White, 50/Cs				CTL501-M	LAKCTL501-M	M	\$111.32
CTL201-S	LAKCTL201-S	S	\$134.23		CTL501-L	LAKCTL501-L	L	\$111.32
CTL201-XL	LAKCTL201-XL	XL	\$134.23		CTL501-XL	LAKCTL501-XL	XL	\$111.32
MicroMaxNS Pants	s, White, 50/Cs			$\textcolor{red}{\blacktriangle}$	CTL501-2X	LAKCTL501-2X	2XL	\$111.32
CTL301-S	LAKCTL301-S	S	\$103.82	$\textcolor{red}{\blacktriangle}$	CTL501-3X	LAKCTL501-3X	3XL	\$116.88
CTL301-M	LAKCTL301-M	M	\$103.82	$\textcolor{red}{\blacktriangle}$	CTL501-4X	LAKCTL501-4X	4XL	\$123.88
CTL301-L	LAKCTL301-L	L	\$103.82	$\textcolor{red}{\blacktriangle}$	CTL501-5X	LAKCTL501-5X	5XL	\$136.28
CTL301-XL	LAKCTL301-XL	XL	\$103.82		MicroMaxNS Long	Sleeve Smocks, White, 200)/Cs	
CTL301-2X	LAKCTL301-2X	2XL	\$103.82	$\textcolor{red}{\blacktriangle}$	901NS-L/XL	LAK901NS-L/XL	L/XL	\$169.68
CTL301-3X	LAKCTL301-3X	3XL	\$109.02	$\textcolor{red}{\blacktriangle}$	903NS-L/XL	LAK903NS-L/XL	L/XL	\$258.23
	CTL101-S CTL101-M CTL101-L CTL101-XL CTL101-2X CTL101-3X CTL101-3X CTL101-5X MicroMaxNS Long CTL201-S CTL201-S CTL201-XL	MicroMaxNS Long Sleeve Lab Coals, 2 Pockets CTL101-S LAKCTL101-S CTL101-M LAKCTL101-M CTL101-L LAKCTL101-L CTL101-XL LAKCTL101-XL CTL101-3X LAKCTL101-2X CTL101-3X LAKCTL101-3X CTL101-4X LAKCTL101-5X MicroMaxNS Long Sleeve Shirts, White, 50/Cs CTL201-S LAKCTL201-S CTL201-XL LAKCTL201-XL MicroMaxNS Pants, White, 50/Cs CTL301-S LAKCTL301-S CTL301-M LAKCTL301-M CTL301-L LAKCTL301-L CTL301-XL LAKCTL301-L CTL301-XL LAKCTL301-XL CTL301-XL LAKCTL301-XL	MicroMaxNS Long Sleeve Lab Coats, 2 Pockets, White, 30/1 CTL101-S LAKCTL101-S S CTL101-M LAKCTL101-M M CTL101-L LAKCTL101-L L CTL101-XL LAKCTL101-XL XL CTL101-2X LAKCTL101-2X 2XL CTL101-3X LAKCTL101-3X 3XL CTL101-4X LAKCTL101-4X 4XL CTL101-5X LAKCTL101-5X 5XL MicroMaxNS Long Sleeve Shirts, White, 50/Cs S CTL201-S LAKCTL201-S S CTL201-XL LAKCTL201-XL XL MicroMaxNS Pants, White, 50/Cs S CTL301-S LAKCTL301-S S CTL301-M LAKCTL301-M M CTL301-L LAKCTL301-L L CTL301-XL LAKCTL301-XL XL CTL301-XL LAKCTL301-XL XL CTL301-XL LAKCTL301-2X 2XL	MicroMaxNS Long Sleeve Lab Coats, 2 Pockets, White, 30/Cs CTL101-S LAKCTL101-S \$ \$84.63 CTL101-M LAKCTL101-M M \$84.63 CTL101-L LAKCTL101-L L \$84.63 CTL101-XL LAKCTL101-XL XL \$134.23 CTL101-XL LAKCTL101-XL 2XL \$88.87 CTL101-3X LAKCTL101-3X 3XL \$94.20 CTL101-4X LAKCTL101-4X 4XL \$101.28 CTL101-5X LAKCTL101-5X 5XL \$84.63 MicroMaxNS Long Sleeve Shirts, White, 50/Cs CTL201-S S \$134.23 CTL201-S LAKCTL201-S S \$134.23 CTL201-XL LAKCTL201-XL XL \$134.23 MicroMaxNS Pants, White, 50/Cs CTL301-S S \$103.82 CTL301-S LAKCTL301-S S \$103.82 CTL301-M LAKCTL301-M M \$103.82 CTL301-L LAKCTL301-XL XL \$103.82 CTL301-XL LAKCTL301-XL XL \$103.82 <	MicroMaxNS Long Sleeve Lab Coats, 2 Pockets, White, 30/Cs CTL101-S LAKCTL101-S \$84.63 ▲ CTL101-M LAKCTL101-M M \$84.63 ▲ CTL101-L LAKCTL101-L L \$84.63 ▲ CTL101-L LAKCTL101-L L \$134.23 CTL101-XL XL \$134.23 CTL101-2X 2XL \$88.87 CTL101-2X 2XL \$88.87 CTL101-3X AXL \$94.20 CTL101-3X AXL \$94.20 CTL101-4X LAKCTL101-4X 4XL \$101.28 A CTL101-5X LAKCTL101-5X 5XL \$84.63 A	MicroMaxNS Long Sleeve Lab Coats, 2 Pockets, White, 30/Cs MicroMaxNS Pants CTL101-S LAKCTL101-S \$ \$84.63 △ CTL301-4X CTL101-M LAKCTL101-M M \$84.63 △ CTL301-5X CTL101-L LAKCTL101-L L \$84.63 MicroMaxNS Apro CTL101-XL LAKCTL101-XL XL \$134.23 CTL601 CTL101-XL LAKCTL101-3X 3XL \$94.20 CTL850-18 CTL101-3X LAKCTL101-4X 4XL \$101.28 MicroMaxNS Long CTL101-5X LAKCTL101-5X 5XL \$84.63 ▲ CTL501-S CTL101-5X LAKCTL101-4X 4XL \$101.28 MicroMaxNS Long CTL201-5X LAKCTL201-5X 5XL \$84.63 ▲ CTL501-S CTL201-S LAKCTL201-S S \$134.23 CTL501-S CTL201-XL LAKCTL201-XL XL \$134.23 CTL501-XL CTL301-S LAKCTL301-S S \$103.82 CTL501-XL CTL301-S LAKCTL301-M M \$103.82 CTL501-4X CTL301-L	MicroMaxNS Long Sleeve Lab Coals, 2 Pockets, White, 30/Cs MicroMaxNS Pants, White, 50/Cs CTL101-S LAKCTL101-S S \$84.63 CTL301-4X LAKCTL301-4X CTL101-M LAKCTL101-M M \$84.63 CTL301-5X LAKCTL301-5X CTL101-L LAKCTL101-L L \$84.63 MicroMaxNS Aprons with Sewn Ties, White, 1 CTL101-XL LAKCTL101-XL XL \$134.23 MicroMaxNS Sleeves with Elastic Both Ends, CTL101-3X CTL101-3X AKCTL101-3X AKCTL101-4X AXL \$94.20 CTL850-18 LAKCTL850-18 CTL101-5X LAKCTL101-5X 5XL \$84.63 MicroMaxNS Sleeves with Elastic Both Ends, CTL850-18 CTL101-5X LAKCTL101-5X 5XL \$84.63 CTL501-S LAKCTL501-B CTL201-S LAKCTL201-S S \$134.23 CTL501-S LAKCTL501-S CTL201-XL LAKCTL201-XL XL \$134.23 CTL501-L LAKCTL501-L CTL301-S LAKCTL301-S S \$103.82 CTL501-XL LAKCTL501-XL CTL301-S LAKCTL301-M M \$103.82	MicroMaxNS Long Sleeve Lab Coats, 2 Pockets, White, 30/Cs MicroMaxNS Pants, White, 50/Cs CTL101-S LAKCTL101-M M \$84.63 ▲ CTL301-4X LAKCTL301-4X 4XL CTL101-L LAKCTL101-M M \$84.63 ▲ CTL301-5X LAKCTL301-5X 5XL CTL101-L LAKCTL101-L L \$84.63 ▲ CTL301-5X LAKCTL301-5X 5XL CTL101-XL LAKCTL101-XL XL \$134.23 CTL601 LAKCTL601 28" x 36" CTL101-3X LAKCTL101-3X 3XL \$94.20 CTL850-18 LAKCTL850-18 18" CTL101-5X LAKCTL101-5X 5XL \$84.63 ▲ CTL501-S LAKCTL850-18 18" CTL101-5X LAKCTL101-5X 5XL \$84.63 ▲ CTL501-S LAKCTL501-S S CTL201-S LAKCTL201-S S \$134.23 ▲ CTL501-S LAKCTL501-S S CTL201-XL LAKCTL201-X XL \$134.23 ▲ CTL501-X LAKCTL501-X XL CTL301-S LAKCTL301-S S \$103.82 ▲ CT





DuPont Personal Protection

DuPontTM **ProShield**[®] **Basic Coveralls**

Meltblown, spunbond polypropylene garments have been optimized for comfort, softness and breathability. Features serged seams and zipper front with storm flap. Offers protection from dirt, grime and non-hazardous dry particles. Applications include general maintenance and janitorial/cleaning. 25/Case.



ITEM #	MARTIN #	SIZES	UOM	PRICE		ITEM #	MARTIN #	SIZES	UOM	PRICE
Collar, Open Wrists and An	kles, Blue					Attached Hood and Boots,	Elastic Wrists, Blue			
PB120SBUMD002500	EIDUPB120SBUMD002500	М	Cs	\$119.15	\blacktriangle	PB122SBUMD002500	EIDUPB122SBUMD002500	M	Cs	\$155.73
PB120SBULG002500	EIDUPB120SBULG002500	L	Cs	\$119.15	$\textcolor{red}{\blacktriangle}$	PB122SBULG002500	EIDUPB122SBULG002500	L	Cs	\$155.73
PB120SBUXL002500	EIDUPB120SBUXL002500	XL	Cs	\$119.15	$\textcolor{red}{\blacktriangle}$	PB122SBUXL002500	EIDUPB122SBUXL002500	XL	Cs	\$155.73
PB120SBU2X002500	EIDUPB120SBU2X002500	2XL	Cs	\$126.31	$\textcolor{red}{\blacktriangle}$	PB122SBU2X002500	EIDUPB122SBU2X002500	2XL	Cs	\$165.09
PB120SBU3X002500	EIDUPB120SBU3X002500	3XL	Cs	\$133.87	$\textcolor{red}{\blacktriangle}$	PB122SBU3X002500	EIDUPB122SBU3X002500	3XL	Cs	\$174.95
PB120SBU4X002500	EIDUPB120SBU4X002500	4XL	Cs	\$144.60	$\textcolor{red}{\blacktriangle}$	PB122SBU4X002500	EIDUPB122SBU4X002500	4XL	Cs	\$188.98
PB120SBU5X002500	EIDUPB120SBU5X002500	5XL	Cs	\$156.15		Attached Hood and Boots,	Elastic Wrists, White			
Collar, Open Wrists and An	kles, White				$\textcolor{red}{\blacktriangle}$	PB122SWHMD002500	EIDUPB122SWHMD002500	M	Cs	\$155.73
PB120SWHMD002500	EIDUPB120SWHMD002500	M	Cs	\$119.15	$\textcolor{red}{\blacktriangle}$	PB122SWHLG002500	EIDUPB122SWHLG002500	L	Cs	\$155.73
PB120SWHLG002500	EIDUPB120SWHLG002500	L	Cs	\$119.15	$\textcolor{red}{\blacktriangle}$	PB122SWHXL002500	EIDUPB122SWHXL002500	XL	Cs	\$155.73
PB120SWHXL002500	EIDUPB120SWHXL002500	XL	Cs	\$119.15	$\textcolor{red}{\blacktriangle}$	PB122SWH2X002500	EIDUPB122SWH2X002500	2XL	Cs	\$165.09
PB120SWH2X002500	EIDUPB120SWH2X002500	2XL	Cs	\$126.31	$\textcolor{red}{\blacktriangle}$	PB122SWH3X002500	EIDUPB122SWH3X002500	3XL	Cs	\$174.95
PB120SWH3X002500	EIDUPB120SWH3X002500	3XL	Cs	\$133.87	$\textcolor{red}{\blacktriangle}$	PB122SWH4X002500	EIDUPB122SWH4X002500	4XL	Cs	\$188.98
PB120SWH4X002500	EIDUPB120SWH4X002500	4XL	Cs	\$144.60						









Nylon Hairnets

Lightweight or heavyweight nylon construction, washable. Flame resistant. 100% Latex-free.

ITEM #	MARTIN #	COLOR	SIZES	PRICE
Heavyweight, Honeycomb	Hairnet, 1/16" Holes, 100/Bg, 1	0 Bg/Cs		
109HPI-18-WHITE	KEAD109HPI-18-WH	White	18"	\$77.71
109HPI-21-WHITE	KEAD109HPI-21-WH	White	21"	\$86.61
109HPI-24-WHITE	KEAD109HPI-24-WH	White	24"	\$95.11
109HPI-28-WHITE	KEAD109HPI-28-WH	White	28"	\$133.87
109HPI-21-BROWN	KEAD109HPI-21-BR	Brown	21"	\$87.40
109HPI-24-BROWN	KEAD109HPI-24-BR	Brown	24"	\$97.45
109HPI-18-BLUE	KEAD109HPI-18-BL	Blue	18"	\$78.10
109HPI-21-BLUE	KEAD109HPI-21-BL	Blue	21"	\$87.40
109HPI-24-BLUE	KEAD109HPI-24-BL	Blue	24"	\$97.45

ITEM #	MARTIN #	COLOR	SIZES	PRICE
Heavyweight, Honeycomb	Hairnet, 1/4" Holes, 144/Bx, 10	Bx/Cs		
75-20-WHITE	KEAD75-20-WH	White	20"	\$322.01
75-20-BROWN	KEAD75-20-BR	Brown	20"	\$322.01
Lightweight, Fine Mesh H	airnet, 100/Bg, 10 Bg/Cs			
109HSI-21-WHITE	KEAD109HSI-21-WH	White	21"	\$122.42
109HSI-24-WHITE	KEAD109HSI-24-WH	White	24"	\$140.36
Lightweight, Invisible Net	Hairnet, 144/Bx, 10 Bx/Cs			
109I-L-WHITE	KEAD109I-L-WH	White	28"	\$147.05





Laminated Polypropylene Boot Covers

Polypropylene boot covers are laminated and offer water resistance. Elastic top for snug fit.

ITEM #	MARTIN #	COLOR	UOM	PRICE
BC-NWP-I	KEADBC-NWP-I	White	100 Pr/Cs	\$52.61





KleenGuard* **A40 Liquid and Particle Protection Boot and Shoe Covers**

Made of breathable, microporous white film laminate. Serged seams. Low in lint. Passes NFPA 99 criteria for anti-static materials.

SIZES	UOM	PRICE
XL/2XL	400/Cs	\$174.55
	31223	3,223









Vinyl/PVC Aprons

Waterproof, durable and tear-resistant aprons come in a variety of sizes and other options.

ITEM #	MARTIN #	COLOR	SIZES	иом	PRICE
Raw Edge Finish, Vinyl/PVC Apro	ons, 6 mil				
AP-PVC-6R-3545-WHITE	KEADAP-PVC-6R-3545-WH	White	35" x 45"	12/Bg, 6 Bg/Cs	\$103.22
AP-PVC-6R-3550-WHITE	KEADAP-PVC-6R-3550-WH	White	35" x 50"	12/Bg, 6 Bg/Cs	\$108.69
AP-PVC-6R-3545-BLUE	KEADAP-PVC-6R-3545-BL	Blue	35" x 45"	12/Bg, 6 Bg/Cs	\$103.22
AP-PVC-6R-3550-BLUE	KEADAP-PVC-6R-3550-BL	Blue	35" x 50"	12/Bg, 6 Bg/Cs	\$108.69
Sewn Edge Finish, Vinyl/PVC Apr	rons, 8 mil				
AP-PVC-8S-3545-WHITE	KEADAP-PVC-8S-3545-WH	White	35" x 45"	12/Bg, 6 Bg/Cs	\$146.62
AP-PVC-8S-3550-WHITE	KEADAP-PVC-8S-3550-WH	White	35" x 50"	12/Bg, 6 Bg/Cs	\$155.98
AP-PVC-8S-3545-BLUE	KEADAP-PVC-8S-3545-BL	Blue	35" x 45"	12/Bg, 6 Bg/Cs	\$146.62
AP-PVC-8S-3550-BLUE	KEADAP-PVC-8S-3550-BL	Blue	35" x 50"	12/Bg, 6 Bg/Cs	\$155.98



SMS Lab Coat - 40 Gram

Polypropylene lab coat with (3) pockets, knit wrists, knit collar and snap front. White.

ITEM #	MARTIN #	SIZES	UOM	PRICE
LC3-WK-SMS-SM-WHITE	KEADLC3-WK-SMS-SM-WH	S	30/Cs	\$61.66
LC3-WK-SMS-MED-WHITE	KEADLC3-WK-SMS-MED-WH	M	30/Cs	\$61.66
LC3-WK-SMS-LRG-WHITE	KEADLC3-WK-SMS-LRG-WH	L	30/Cs	\$61.66
LC3-WK-SMS-XL-WHITE	KEADLC3-WK-SMS-XL-WH	XL	30/Cs	\$61.66
LC3-WK-SMS-2XL-WHITE	KEADLC3-WK-SMS-2XL-WH	2XL	30/Cs	\$61.66
LC3-WK-SMS-3XL-WHITE	KEADLC3-WK-SMS-3XL-WH	3XL	30/Cs	\$63.29



35623











Polypropylene Arm Guard

Polypropylene arm guard is 18" in length and white in color. Large size to fit most.

ITEM #	MARTIN #	UOM	PRICE
Polypropylene Sleeves			
AG-NWI-WHITE	KEADAG-NWI-WHITE	100/Cs	\$84.63



KEY/TONE

Polyethylene Sleeves

Made of polyethylene with elastic on both ends to hold in place.

ITEM #	MARTIN #	COLOR	PRICE
II LIVI #	WARTIN #	COLOR	FRICE
Polyethylene Sleeves, 18" x 9", 1,000) Pr/Cs		
AG-PE-LGHD2000-WH	KEADAG-PE-LGHD2000-WH	White	\$86.25
AG-PE-LGHD2000-BL	KEADAG-PE-LGHD2000-BL	Blue	\$86.25
Polyethylene Sleeves, Extra Wide, 16	5" x 10", 500 Pr/Cs		
AG-PE-16X10-WHITE	KEADAG-PE-16X10-WHITE	White	\$41.43
AG-PE-16X10-BLUE	KEADAG-PE-16X10-BLUE	Blue	\$41.43





Vinyl Sleeves

Made of vinyl PVC with elastic on both ends to hold in place.

,		•	
ITEM #	MARTIN #	COLOR	PRICE
Vinyl Sleeves, 6 mil, 24/Bg, 12 Bg/C	's		
AG-PVC-6-WHITE	KEADAG-PVC-6-WH	White	\$119.07
AG-PVC-6-BLUE	KEADAG-PVC-6-BL	Blue	\$119.07
Vinyl Sleeves, 8 mil, 24/Bg, 12 Bg/C	's		
AG-PVC-8-WHITE	KEADAG-PVC-8-WH	White	\$157.39
AG-PVC-8-BLUE	KEADAG-PVC-8-BL	Blue	\$157.39





Kevlar® Sleeves

Offer good abrasion, cut resistance, thermal properties and durability. Optional thumb holes create a more secure fit and a greater area of protection. Features (2) layers of Kevlar for excellent protection.

	ITEM #	MARTIN #	SIZES	UOM	PRICE	
Kevlar Sleeve with Thumb Hole						
$\textcolor{red}{\blacktriangle}$	41422TH	LAK41422TH	14"	Ea	\$3.20	
$\textcolor{red}{\blacktriangle}$	41622TH	LAK41622TH	16"	Ea	\$3.48	
$\textcolor{red}{\blacktriangle}$	41822TH	LAK41822TH	18"	Ea	\$3.83	
$\textcolor{red}{\blacktriangle}$	42222TH	LAK42222TH	22"	Ea	\$3.83	



Flame-Resistant Heavyweight Hooded Sweatshirt

Constructed of heavyweight, 14.25 oz. FR fleece, 58% cotton/35% modacrylic/7% polyester. Features an attached hood with adjustable drawcord closure and a front hand-warmer pocket. Anti-odor control is also included. Dark navy. Meets NFPA 70E standards.

	ITEM #	MARTIN #	SIZES	UOM	PRICE	
	Heavyweight Hooded Swea	ntshirt				
\blacktriangle	FRK006S	CARHFRK006S	S	Ea	\$138.33	
	FRK006M	CARHFRK006M	М	Ea	\$138.33	
	FRK006L	CARHFRK006L	L	Ea	\$138.33	
	FRK006XL	CARHFRK006XL	XL	Ea	\$138.33	4
\blacktriangle	FRK0062XL	CARHFRK0062XL	2XL	Ea	\$138.33	4
\blacktriangle	FRK0063XL	CARHFRK0063XL	3XL	Ea	\$155.00	4
\blacktriangle	FRK0064XL	CARHFRK0064XL	4XL	Ea	\$155.00	
\blacktriangle	FRK0065XL	CARHFRK0065XL	5XL	Ea	\$155.00	



ITEM #	MARTIN #	SIZES	UOM	PRICE
Heavyweight Hoode	d Sweatshirt, Tall			
FRK006MT	CARHFRK006MT	M	Ea	\$155.00
FRK006LT	CARHFRK006LT	L	Ea	\$155.00
FRK006XLT	CARHFRK006XLT	XL	Ea	\$155.00
FRK0062XLT	CARHFRK0062XLT	2XL	Ea	\$155.00
FRK0063XLT	CARHFRK0063XLT	3XL	Ea	\$155.00
FRK0064XLT	CARHFRK0064XLT	4XL	Ea	\$155.00





Flame-Resistant Heavyweight Klondike Sweatshirt

Made from 14.25 oz. heavyweight FR Fleece, 58% cotton/35% modacrylic/7% polyester blend with Rain Defender. Features yarn-dyed stripes, shirt tail hem, convertible three-quarter length sleeves and Rain Defender™ durable water-repellent finish. Black. Arc rating: 34 cal/cm², HRC3. Meets NFPA 70E and NFPA 2112 requirements.

	ITEM #	MARTIN #	SIZES	UOM	PRICE	
	FR Heavyweig	ght Klondike Sweatshirt				
4	101203-S	CARH101203-S	S	Ea	\$60.00	
	101203-M	CARH101203-M	M	Ea	\$60.00	
	101203-L	CARH101203-L	L	Ea	\$60.00	
	101203-XL	CARH101203-XL	XL	Ea	\$60.00	
4	101203-2X	CARH101203-2X	2XL	Ea	\$65.00	
4	101203-3X	CARH101203-3X	3XL	Ea	\$65.00	
4	101203-4X	CARH101203-4X	4XL	Ea	\$65.00	
4	101203-5X	CARH101203-5X	5XL	Ea	\$65.00	

П	ГЕМ #	MARTIN #	SIZES	UOM	PRICE
F	R Heavyweigl	ht Klondike Sweatshirt,	Tall		
1	01203-MT	CARH101203-MT	М	Ea	\$65.00
1	01203-LT	CARH101203-LT	L	Ea	\$65.00
1	01203-XLT	CARH101203-XLT	XL	Ea	\$65.00
1	01203-2XT	CARH101203-2XT	2XL	Ea	\$65.00
1	01203-3XT	CARH101203-3XT	3XL	Ea	\$65.00
1	01203-4XT	CARH101203-4XT	4XL	Ea	\$65.00







Women's Flame-Resistant Mid-Weight Canvas Jackets

Made of 8.5 oz. flame-resistant canvas (88% cotton/12% high tenacity nylon) with a 8.75 oz. flame-resistant quilt lining for warmth. Features (2) inside patch pockets with hook-and-loop closures, attached 3-piece hood, Nomex® rib-knit cuffs and waistband, and a brass front zipper with Nomex zipper tape. NFPA 70E compliant.

SIZES	ITEM #	MARTIN #	ITEM #	MARTIN #	UOM	PRICE
	Carhartt Brown		Dark Navy			
XS	101629-CB-XS	CARH101629-CB-XS	101629-DN-XS	CARH101629-DN-XS	Ea	\$205.00
S	101629-CB-S	CARH101629-CB-S	101629-DN-S	CARH101629-DN-S	Ea	\$205.00
М	101629-CB-M	CARH101629-CB-M	101629-DN-M	CARH101629-DN-M	Ea	\$205.00
L	101629-CB-L	CARH101629-CB-L	101629-DN-L	CARH101629-DN-L	Ea	\$205.00
XL	101629-CB-XL	CARH101629-CB-XL	101629-DN-XL	CARH101629-DN-XL	Ea	\$205.00
2XL	101629-CB-2X	CARH101629-CB-2X	101629-DN-2X	CARH101629-DN-2X	Ea	\$205.00







Flame-Resistant Mid-Weight Active Jacket with Quilt Lining

Made from 8.5 oz. FR canvas, 88% cotton/12% high-tenacity nylon with 8.75 oz. FR quilt lining/FR modacrylic batting quilted to twill face cloth. Features (2) inside patch pockets with FR hook-and-loop closure, Nomex® rib-knit cuff and waistband, brass front zipper with Nomex zipper tape with inside and outside protective flap and hidden snap closure for electric arc protection. Attached quilt-lined 3-piece hood with Nomex drawcord adjustment. Arc rating: 34 cal/cm², CAT 3. NFPA 70E and NFPA 2112 compliant.

	SIZES	ITEM #	MARTIN #
		FR Mid-Weight Active	lacket, Carhartt Brown
\blacktriangle	S	101622-CB-S	CARH101622-CB-S
\blacktriangle	М	101622-CB-M	CARH101622-CB-M
\blacktriangle	L	101622-CB-L	CARH101622-CB-L
\blacktriangle	XL	101622-CB-XL	CARH101622-CB-XL
	2XL	101622-CB-2XL	CARH101622-CB-2XL
	3XL	101622-CB-3XL	CARH101622-CB-3XL
	4XL	101622-CB-4XL	CARH101622-CB-4XL
		FR Mid-Weight Active	lacket, Tall, Carhartt Brown
\blacktriangle	L	101622-CB-LT	CARH101622-CB-LT
	XL	101622-CB-XLT	CARH101622-CB-XLT
	2XL	101622-CB-2XLT	CARH101622-CB-2XLT
\blacktriangle	3XL	101622-CB-3XLT	CARH101622-CB-3XLT
	4XL	101622-CB-4XLT	CARH101622-CB-4XLT

ITEM #	MARTIN #	UOM	PRICE
FR Mid-Weight Active	Jacket, Dark Navy		
101622-DN-S	CARH101622-DN-S	Ea	\$205.00
101622-DN-M	CARH101622-DN-M	Ea	\$205.00
101622-DN-L	CARH101622-DN-L	Ea	\$205.00
101622-DN-XL	CARH101622-DN-XL	Ea	\$205.00
101622-DN-2XL	CARH101622-DN-2XL	Ea	\$233.33
101622-DN-3XL	CARH101622-DN-3XL	Ea	\$233.33
101622-DN-4XL	CARH101622-DN-4XL	Ea	\$233.33
FR Mid-Weight Active	Jacket, Tall, Dark Navy		
101622-DN-LT	CARH101622-DN-LT	Ea	\$233.33
101622-DN-XLT	CARH101622-DN-XLT	Ea	\$233.33
101622-DN-2XLT	CARH101622-DN-2XLT	Ea	\$233.33
101622-DN-3XLT	CARH101622-DN-3XLT	Ea	\$233.33
101622-DN-4XLT	CARH101622-DN-4XLT	Ea	\$233.33





carpant Canvas Shirt Jackets

Made of 8.5 oz. FR canvas, 88% cotton/12% high-tenacity nylon. Offers 7 oz., FR 88% cotton/12% high-tenacity nylon FR twill lining. Features antique-finish brass snaps throughout, (2) chest pockets with rivet reinforcements, adjustable 2-snap cuffs with extended plackets, and Carhartt FR and HRC3 labels sewn on left pocket. Dark brown. Arc rating: 34 cal/cm², HRC3. Meets performance requirements of NFPA 70E standards and is UL® Classified to NFPA 2112.

ITEM #	MARTIN #	SIZES	UOM	PRICE	ITEM #	MA
Canvas Shirt Jacket					Canvas Shirt Jacket, Tall	
100432-DB-S	CARH100432-DB-S	S	Ea	\$98.33	100432-DB-MT	CAI
100432-DB-M	CARH100432-DB-M	М	Ea	\$98.33	100432-DB-LT	CAI
100432-DB-L	CARH100432-DB-L	L	Ea	\$98.33	100432-DB-XLT	CAI
100432-DB-XL	CARH100432-DB-XL	XL	Ea	\$98.33	100432-DB-2XT	CA
100432-DB-2X	CARH100432-DB-2X	2XL	Ea	\$113.33	100432-DB-3XT	CAI
100432-DB-3X	CARH100432-DB-3X	3XL	Ea	\$113.33	100432-DB-4XT	CAI
100432-DB-4X	CARH100432-DB-4X	4XL	Ea	\$113.33		





	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Canvas Shirt Jacket, Tall				
\blacktriangle	100432-DB-MT	CARH100432-DB-MT	M	Ea	\$113.33
	100432-DB-LT	CARH100432-DB-LT	L	Ea	\$113.33
	100432-DB-XLT	CARH100432-DB-XLT	XL	Ea	\$113.33
	100432-DB-2XT	CARH100432-DB-2XT	2XL	Ea	\$113.33
	100432-DB-3XT	CARH100432-DB-3XT	3XL	Ea	\$113.33
\blacktriangle	100432-DB-4XT	CARH100432-DB-4XT	4XL	Ea	\$113.33

Lakeland 7 oz. FR Cotton Coveralls

Constructed of 7 oz. Fyrban 100% FR cotton fabric. Features pleated bi-wing back, elastic waist, adjustable sleeve cuffs, (2) hip pockets and swing pockets with pass-throughs. Navy. Arc rating: 9.8 cal/cm², HRC2. NFPA 2112 certified.

ITEM	#	MARTIN #	SIZES	UOM	PRICE
▲ NC070	OFRC13-S	LAKNC070FRC13-S	S	Ea	\$56.12
NC070	OFRC13-M	LAKNC070FRC13-M	M	Ea	\$56.12
NC070	OFRC13-L	LAKNC070FRC13-L	L	Ea	\$56.12
NC070	FRC13-XL	LAKNC070FRC13-XL	XL	Ea	\$56.12
▲ NC070	DFRC13-2X	LAKNC070FRC13-2X	2XL	Ea	\$56.12
▲ NC070	OFRC13-3X	LAKNC070FRC13-3X	3XL	Ea	\$63.25
▲ NC070	DFRC13-4X	LAKNC070FRC13-4X	4XL	Ea	\$63.25
▲ NC070	DFRC13-5X	LAKNC070FRC13-5X	5XL	Ea	\$63.25





Lakeland 9 oz. Deluxe Flame-Resistant Cotton Coveralls

Flame-resistant, affordable, durable 100% FR cotton. Guaranteed to be flame-resistant for the life of garment. Features (2) patch breast pockets, left chest pocket with safety flap, (2) hip pockets with snap closure on left pocket, utility pocket on right leg, and (2) swing pockets with internal pass-throughs. Heavy-duty, 2-way quick-release brass zipper, heavy-duty snaps covered internally, pleated bi-swing back with elasticized waistband, adjustable sleeve cuffs, and flared leg cuffs for ease of donning and doffing. Sewn throughout with Nomex® thread. Navy. ATPV: 12.4 cal/cm², HRC2. NFPA 2112 certified.

	ITEM#	MARTIN #	SIZES	UOM	PRICE		ITEM #	MARTIN #	SIZES	UOM	PRICE
	Deluxe FR cott	on coveralls					C081-L	LAKC081-L	L	Ea	\$62.38
\blacktriangle	C081-S	LAKC081-S	S	Ea	\$62.38		C081-XL	LAKC081-XL	XL	Ea	\$62.38
	C081-M	LAKC081-M	М	Ea	\$62.38	<u>.</u>	C081-2X	LAKC081-2X	2XL	Ea	\$62.38



Lakeland FR Cotton Coveralls with Reflective Trim

Made of 7 oz., 88% cotton/12% nylon with 2" reflective trim to enhance visibility in low light or night work environments. Features pleated bi-swing back, elastic waist, (2) chest pockets, (2) hip pockets, (2) swing pockets with internal pass-throughs, (1) utility pocket on right leg, adjustable sleeve cuffs and flared leg cuffs. Sewn throughout with FR thread. Navy. Arc rating: 8.9 cal/cm², HRC2. Meets or Exceeds NFPA 2112, UL® certified.

ITEM #	MARTIN #	SIZES	UOM	PRICE		ITEM #	MARTIN #	SIZES	UOM	PRICE
C071RT-S	LAKC071RT-S	S	Ea	\$113.75	\blacktriangle	C071RT-2X	LAKC071RT-2X	2XL	Ea	\$113.75
C071RT-M	LAKC071RT-M	M	Ea	\$113.75	\blacktriangle	C071RT-3X	LAKC071RT-3X	3XL	Ea	\$142.17
C071RT-L	LAKC071RT-L	L	Ea	\$113.75	\blacktriangle	C071RT-4X	LAKC071RT-4X	4XL	Ea	\$142.17
C071RT-XL	LAKC071RT-XL	XL	Ea	\$113.75	\blacktriangle	C071RT-5X	LAKC071RT-5X	5XL	Ea	\$142.17





carhartt Flame-Resistant Canvas Bib Overalls, Unlined

FR protection, comfort and utility in an unlined garment. Built of FR 8.5 oz., 88% cotton/12% high-tenacity nylon canvas. Features a high back with adjustable FR elastic suspenders and FR center-release buckles. Chap-style double front enhances durability. Ankle-to-thigh leg zippers are constructed with Nomex® FR zipper tape and are covered by protective flaps with arc-resistant snap closures. Brass zipper fly also features Nomex FR zipper tape, and the buttons at the waist are FR melamine. Multiple tool and utility pockets carry workers' tools and other items throughout the workday. Arc rating: 12.1 cal/cm², HRC2. Meets NFPA 70E standards.

5	SIZES	ITEM #	MARTIN #	ITEM #	MARTIN #	UOM	PRICE
Ī		Canvas Bib Overalls, U	nlined, Carhartt Brown	Canvas Bib Overalls, U	Inlined, Navy		
_	М	100163-CB-M	CARH100163-CB-M	100163-NV-M	CARH100163-NV-M	Ea	\$135.00
_	L	100163-CB-L	CARH100163-CB-L	100163-NV-L	CARH100163-NV-L	Ea	\$135.00
_	XL	100163-CB-XL	CARH100163-CB-XL	100163-NV-XL	CARH100163-NV-XL	Ea	\$135.00
_	2XL	100163-CB-2X	CARH100163-CB-2X	100163-NV-2X	CARH100163-NV-2X	Ea	\$135.00
_	3XL	100163-CB-3X	CARH100163-CB-3X	100163-NV-3X	CARH100163-NV-3X	Ea	\$148.33
_	4XL	100163-CB-4X	CARH100163-CB-4X	100163-NV-4X	CARH100163-NV-4X	Ea	\$148.33
		Canvas Bib Overalls, U	nlined, Tall, Carhartt Brown	Canvas Bib Overalls, U	Inlined, Tall, Navy		
_	L	100163-CB-LT	CARH100163-CB-LT	100163-NV-LT	CARH100163-NV-LT	Ea	\$148.33
_	XL	100163-CB-XLT	CARH100163-CB-XLT	100163-NV-XLT	CARH100163-NV-XLT	Ea	\$148.33
_	2XL	100163-CB-2XT	CARH100163-CB-2XT	100163-NV-2XT	CARH100163-NV-2XT	Ea	\$148.33
_	3XL	100163-CB-3XT	CARH100163-CB-3XT	100163-NV-3XT	CARH100163-NV-3XT	Ea	\$148.33







41404

CORE Performance Work Wear® 6490 Heated Jacket with Removable Sleeves

Three heat settings distribute heat to front chest and back. Up to 9 hours continuous heat on low setting, 5 hours on medium setting and 3 hours on high setting. Easy touch controller button to navigate through heat settings. Waterand wind-resistant outer shell and soft, warm fleece lining. Features removable sleeves for vest option, (3) external pockets and battery holder pocket inside jacket with zipper closure. Includes wall charger, compatible with 7.4V, 5200 MAH li-ion battery, and adapter extension wire that allows user to heat jacket from alternate power source (tool battery). Replacement parts available.

ITEM #	MARTIN #	SIZES	UOM	PRICE
6490 Heated Jacket				
41403	ERGO41403	М	Ea	\$272.64
41404	ERGO41404	L	Ea	\$272.64
41405	ERGO41405	XL	Ea	\$272.64
41406	ERGO41406	2XL	Ea	\$272.64
41407	ERGO41407	3XL	Ea	\$272.64
6490 Heated Jacket Only	,			
41303	ERGO41303	М	Ea	\$181.73
41304	ERGO41304	L	Ea	\$181.73
41305	ERGO41305	XL	Ea	\$181.73
41306	ERGO41306	2XL	Ea	\$181.73
41307	ERGO41307	3XL	Ea	\$181.73



Men's Flame-Resistant Hi-Viz Long Sleeve Shirt

Flame-resistant, high-viz original fit shirt is made of 7.75 oz. knit, 61% modacrylic/32% cotton/7% polyester. Features a rib-knit collar and cuffs, side-seamed construction that minimizes twisting, a left chest pocket and 3M[™] Scotchlite[™] Reflective Material. Carhartt FR and HRC2 labels are sewn on pocket. Segmented trim maintains performance through 75 home launderings. Arc rating: 10 cal/cm², HRC2. Meets ANSI/ISEA 107-2010, NFPA 70E standard and ANSI Class 3, level 2 visibility standards, and is UL® Classified to NFPA 2112.

•	·			
ITEM #	MARTIN #	SIZES	UOM	PRICE
FR Hi-Viz Long Sleeve Shirt				
FRK003-M	CARHFRK003-M	M	Ea	\$105.00
FRK003-L	CARHFRK003-L	L	Ea	\$105.00
FRK003-XL	CARHFRK003-XL	XL	Ea	\$120.00
FRK003-2X	CARHFRK003-2X	2XL	Ea	\$120.00
FRK003-3X	CARHFRK003-3X	3XL	Ea	\$120.00
FRK003-4X	CARHFRK003-4X	4XL	Ea	\$120.00
FR Hi-Viz Long Sleeve Shirt, Tall				
FRK003-MT	CARHFRK003-MT	M	Ea	\$120.00
FRK003-LT	CARHFRK003-LT	L	Ea	\$120.00
FRK003-XLT	CARHFRK003-XLT	XL	Ea	\$120.00
FRK003-2XT	CARHFRK003-2XT	2XL	Ea	\$120.00
FRK003-3XT	CARHFRK003-3XT	3XL	Ea	\$120.00





Lakeland Class 2 Mesh Vest

Made with cool polyester mesh. Features 2" silver reflective stripes, (1) 6" x 7" inside utility pocket and (1) 3 1/2" x 4 1/2" pencil slot pocket. Lime yellow. ANSI/ISEA 107-2004 Class 2 compliant.

ITEM #	MARTIN #	SIZES	UOM	PRICE	ITEM #	MARTIN #	SIZES	UOM	PRICE
VAM-C2PV-L-M	LAKVAM-C2PV-L-M	M	Ea	\$10.05	VAM-C2PV-L-3X	LAKVAM-C2PV-L-3X	3XL	Ea	\$11.13
VAM-C2PV-L-L	LAKVAM-C2PV-L-L	L	Ea	\$10.05	VAM-C2PV-L-4X	LAKVAM-C2PV-L-4X	4XL	Ea	\$11.72
VAM-C2PV-L-XL	LAKVAM-C2PV-L-XL	XL	Ea	\$10.05	VAM-C2PV-L-5X	LAKVAM-C2PV-L-5X	5XL	Ea	\$12.33
VAM-C2PV-L-2X	LAKVAM-C2PV-L-2X	2XL	Ea	\$10.58	VAM-C2PV-L-6X	LAKVAM-C2PV-L-6X	6XL	Ea	\$12.98





Made with wicking fabric. Features left chest pocket and silver reflective trim. Available in ANSI/ISEA 107-2004 Class 2 and Class 3 compliant styles.

						V+A2-CONT-L-XL
	ITEM #	MARTIN #	SIZES	UOM	PRICE	V+A2-CONT-L-2X
	Class 2 T-Shirt, Lime Yello					V+A2-CONT-L-3X
	T-A2-P-L-S	LAKT-A2-P-L-S	S	Ea	\$22.92	V+A2-CONT-L-4X
	T-A2-P-L-M	LAKT-A2-P-L-M	М	Ea	\$22.92	V+A2-CONT-L-5X
	T-A2-P-L-L	LAKT-A2-P-L-L	L	Ea	\$22.92	V+A2-CONT-L-6X
	T-A2-P-L-XL	LAKT-A2-P-L-XL	XL	Ea	\$22.92	Orange
\blacktriangle	T-A2-P-L-2X	LAKT-A2-P-L-2X	2XL	Ea	\$24.12	V+A2-CONT-O-M
	T-A2-P-L-3X	LAKT-A2-P-L-3X	3XL	Ea	\$25.40	V+A2-CONT-O-M
	T-A2-P-L-4X	LAKT-A2-P-L-4X	4XL	Ea	\$27.60	
	T-A2-P-L-5X	LAKT-A2-P-L-5X	5XL	Ea	\$30.67	V+A2-CONT-O-XL
	T-A2-P-L-6X	LAKT-A2-P-L-6X	6XL	Ea	\$34.07	V+A2-CONT-O-2X
	Class 3 T-Shirt, Orange					V+A2-CONT-O-3X
	T-A3-G-O-S	LAKT-A3-G-O-S	S	Ea	\$24.08	V+A2-CONT-O-4X
_	T-A3-G-O-M	LAKT-A3-G-O-M	M	Ea	\$24.08	V+A2-CONT-O-5X
	T-A3-G-O-L	LAKT-A3-G-O-L	I	Ea	\$24.08	V+A2-CONT-O-6X
	T-A3-G-O-XL	LAKT-A3-G-O-XL	XL	Ea	\$24.08	
_	T-A3-G-O-2X	LAKT-A3-G-O-2X	2XL	Ea	\$21.48	
	T-A3-G-O-3X	LAKT-A3-G-O-3X	3XL	Ea	\$26.68	
\blacksquare	T-A3-G-O-4X	LAKT-A3-G-O-4X	4XL	Ea	\$29.00	
\blacktriangle	T-A3-G-O-5X	LAKT-A3-G-O-5X	5XL	Ea	\$32.23	
\blacktriangle	T-A3-G-O-6X	LAKT-A3-G-O-6X	6XL	Ea	\$35.82	
						4.00

Lakeland

▲ C3SA-FRG-L-5X

Hi-Viz Bomber Jacket

Lakeland INDUSTRIES, INC.

Class 2 FR Contractor Vests

Made of FR-treated mesh with zipper front closure and 2" silver reflective stripes. Features (2) chest pockets and (2) inside pockets. ANSI/ISEA 107-2004 Class 2 compliant.

		Name and Address of the Owner, where the Owner, which the		-
ITEM #	MARTIN #	SIZES	UOM	PRICE
Lime Yellow				
V+A2-CONT-L-M	LAKV+A2-CONT-L-M	М	Ea	\$20.42
V+A2-CONT-L-L	LAKV+A2-CONT-L-L	L	Ea	\$20.42
V+A2-CONT-L-XL	LAKV+A2-CONT-L-XL	XL	Ea	\$20.42
V+A2-CONT-L-2X	LAKV+A2-CONT-L-2X	2XL	Ea	\$21.48
V+A2-CONT-L-3X	LAKV+A2-CONT-L-3X	3XL	Ea	\$22.62
V+A2-CONT-L-4X	LAKV+A2-CONT-L-4X	4XL	Ea	\$24.58
V+A2-CONT-L-5X	LAKV+A2-CONT-L-5X	5XL	Ea	\$27.32
V+A2-CONT-L-6X	LAKV+A2-CONT-L-6X	6XL	Ea	\$30.35
Orange				
V+A2-CONT-O-M	LAKV+A2-CONT-O-M	М	Ea	\$20.42
V+A2-CONT-O-L	LAKV+A2-CONT-O-L	L	Ea	\$20.42
V+A2-CONT-O-XL	LAKV+A2-CONT-O-XL	XL	Ea	\$20.42
V+A2-CONT-O-2X	LAKV+A2-CONT-O-2X	2XL	Ea	\$21.48
V+A2-CONT-O-3X	LAKV+A2-CONT-O-3X	3XL	Ea	\$22.62
V+A2-CONT-O-4X	LAKV+A2-CONT-O-4X	4XL	Ea	\$24.58
V+A2-CONT-O-5X	LAKV+A2-CONT-O-5X	5XL	Ea	\$27.32

LAKV+A2-CONT-O-6X

V+A2-CONT-O



6XL

\$30.35

	Lime yellow. ANSI/	ISEA 107-2010 Class 3 co	ompliant.		
	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Hi-Viz Bomber Jacket				
<u> </u>	C3SA-FRG-L-S	LAKC3SA-FRG-L-S	S	Ea	\$104.92
	C3SA-FRG-L-M	LAKC3SA-FRG-L-M	М	Ea	\$104.92
	C3SA-FRG-L-L	LAKC3SA-FRG-L-L	L	Ea	\$104.92
	C3SA-FRG-L-XL	LAKC3SA-FRG-L-XL	XL	Ea	\$104.92
<u> </u>	C3SA-FRG-L-2X	LAKC3SA-FRG-L-2X	2XL	Ea	\$109.92
<u> </u>	C3SA-FRG-L-3X	LAKC3SA-FRG-L-3X	3XL	Ea	\$113.25
4	C3SA-FRG-L-4X	LAKC3SA-FRG-L-4X	4XL	Ea	\$116.58

Shell is FR-treated, 150-denier polyester with sealed seams and 2" silver reflective tape on 3" 3MTM 8910 contrasting trim. Features (2) mic tabs, (2) slant pockets, cell phone/small radio pocket, pencil pocket, 2-way, heavy-duty zipper, non-conductive closures, navy collar and cuffs, and elastic take-up on bottom edge. Includes removable, navy fleece liner with (2) pockets and yellow/silver trim on sleeves.

\$131.92

ITEM #	MARTIN #	SIZES	UOM	PRICE
Hi-Viz Bomber Jacket, Ta	II .			
C3SA-FRG-L-MT	LAKC3SA-FRG-L-MT	М	Ea	\$110.17
C3SA-FRG-L-LT	LAKC3SA-FRG-L-LT	L	Ea	\$110.17
C3SA-FRG-L-XLT	LAKC3SA-FRG-L-XLT	XL	Ea	\$110.17
C3SA-FRG-L-2XT	LAKC3SA-FRG-L-2XT	2XL	Ea	\$115.42
C3SA-FRG-L-3XT	LAKC3SA-FRG-L-3XT	3XL	Ea	\$118.92
C3SA-FRG-L-4XT	LAKC3SA-FRG-L-4XT	4XL	Ea	\$122.42
C3SA-FRG-L-5XT	LAKC3SA-FRG-L-5XT	5XL	Ea	\$126.08

LAKC3SA-FRG-L-5X

100100-0

carbantt PVC Rain Coats with Detachable Hood

Made of .50 mm, polyester-backed PVC with electronically welded seams. Major seams are also sewn for greater durability. Features interior neoprene cuffs with adjustable hook-and-loop closure, double-front storm flaps with inside and outside snap closure, reinforced elbows, (1) chest pocket and (2) hand pockets with hook-and-loop closure. Includes 3-piece contoured, detachable hood with adjustable closure and drawcord.

	SIZES	ITEM #	MARTIN #	ITEM #	MARTIN #	UOM	PRICE
		PVC Rain Coat wit	h Detachable Hood, Yellow	PVC Rain Coat wit	h Detachable Hood, Orange		
	S	100100-Y-S	CARH100100-Y-S	100100-O-S	CARH100100-O-S	Ea	\$60.00
	М	100100-Y-M	CARH100100-Y-M	100100-O-M	CARH100100-O-M	Ea	\$60.00
	L	100100-Y-L	CARH100100-Y-L	100100-O-L	CARH100100-O-L	Ea	\$60.00
A	XL	100100-Y-XL	CARH100100-Y-XL	100100-O-XL	CARH100100-O-XL	Ea	\$60.00
A	2XL	100100-Y-2X	CARH100100-Y-2X	100100-O-2X	CARH100100-O-2X	Ea	\$65.00
A	3XL	100100-Y-3X	CARH100100-Y-3X	100100-O-3X	CARH100100-O-3X	Ea	\$65.00
	4XL	100100-Y-4X	CARH100100-Y-4X	100100-O-4X	CARH100100-O-4X	Ea	\$65.00
		PVC Rain Coat wit	h Detachable Hood, Tall, Yellow	PVC Rain Coat wit	h Detachable Hood, Tall, Orange		
	М	100100-Y-MT	CARH100100-Y-MT	100100-O-MT	CARH100100-O-MT	Ea	\$65.00
A	L	100100-Y-LT	CARH100100-Y-LT	100100-O-LT	CARH100100-O-LT	Ea	\$65.00
	XL	100100-Y-XLT	CARH100100-Y-XLT	100100-O-XLT	CARH100100-O-XLT	Ea	\$65.00
	2XL	100100-Y-2XT	CARH100100-Y-2XT	100100-O-2XT	CARH100100-O-2XT	Ea	\$65.00
•	3XL	100100-Y-3XT	CARH100100-Y-3XT	100100-O-3XT	CARH100100-O-3XT	Ea	\$65.00

AJPU10LY

Lakeland ARC TECH FR/Arc Rated Rainwear

Made from 10 oz. breathable polyurethane over FR cotton knit rainwear with 3" internal anti-wicking dam on bottom of jacket and pants to prevent internal moisture migration. ANSI 107-2010 Class 3-compliant jacket features reflective strips around the torso, over the shoulders and (2) around the sleeves to increase visibility; zipper front closure with hook-and-loop storm flap; ventilated jacket back; reinforced lanyard opening; oversize jacket hood with adjustable drawstring; and collar with self-stowing hood storage. Bib features non-metallic quick-release pant strap clips, leg zipper, reinforced oversize 9" x 9 1/2" pant pocket with hook-and-loop closure and pull tabs, and DRP™ diamond reinforced patch to prevent crotch "blow out." Lime yellow. Arc rating: 16.3 cal/cm², HRC2. Meets ASTM F1891, ASTM F2733, ASTM F903 and NFPA 70E.

ITEM #	MARTIN #	SIZES	UOM	PRICE	ITEM #	MARTIN #	SIZES	UOM	PRICE
FR/Arc Rated Rain Ja	ncket				FR/Arc Rated Rain Bi	b Pants			
AJPU10LY-S	LAKAJPU10LY-S	S	Ea	\$186.67	ABPU10LYZ-S	LAKABPU10LYZ-S	S	Ea	\$143.33
AJPU10LY-M	LAKAJPU10LY-M	М	Ea	\$186.67	ABPU10LYZ-M	LAKABPU10LYZ-M	М	Ea	\$143.33
AJPU10LY-L	LAKAJPU10LY-L	L	Ea	\$186.67	ABPU10LYZ-L	LAKABPU10LYZ-L	L	Ea	\$143.33
AJPU10LY-XL	LAKAJPU10LY-XL	XL	Ea	\$186.67	ABPU10LYZ-XL	LAKABPU10LYZ-XL	XL	Ea	\$143.33
AJPU10LY-2X	LAKAJPU10LY-2X	2XL	Ea	\$186.67	ABPU10LYZ-2X	LAKABPU10LYZ-2X	2XL	Ea	\$143.33
AJPU10LY-3X	LAKAJPU10LY-3X	3XL	Ea	\$195.00	ABPU10LYZ-3X	LAKABPU10LYZ-3X	3XL	Ea	\$151.67
AJPU10LY-4X	LAKAJPU10LY-4X	4XL	Ea	\$195.00	ABPU10LYZ-4X	LAKABPU10LYZ-4X	4XL	Ea	\$151.67
AJPU10LY-5X	LAKAJPU10LY-5X	5XL	Ea	\$208.58	ABPU10LYZ-5X	LAKABPU10LYZ-5X	5XL	Ea	\$159.67



Lakeland Class 3 PVC-Coated Polyester Rainwear

PVC-coated, waterproof and windproof apparel. Coat features (2) lower slash pockets, removable hood with cord lock and back ventilation. Pants feature (2) pass-through slash pockets and adjustable legs. Lime yellow. ANSI/ISEA 107-2004 Class 3 compliant.

200	ITEM #	MARTIN #	SIZES	UOM	PRICE	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Class 3 Raincoat					Class 3 Rain Pants				
A	C-HVRSO1-L-S	LAKC-HVRSO1-L-S	S	Ea	\$40.93	P-HVRS01-L-S	LAKP-HVRS01-L-S	S	Ea	\$35.33
	C-HVRSO1-L-M	LAKC-HVRSO1-L-M	M	Ea	\$40.93	P-HVRS01-L-M	LAKP-HVRS01-L-M	M	Ea	\$35.33
	C-HVRSO1-L-L	LAKC-HVRSO1-L-L	L	Ea	\$40.93	P-HVRS01-L-L	LAKP-HVRS01-L-L	L	Ea	\$35.33
	C-HVRSO1-L-XL	LAKC-HVRSO1-L-XL	XL	Ea	\$40.93	P-HVRS01-L-XL	LAKP-HVRS01-L-XL	XL	Ea	\$35.33
	C-HVRSO1-L-2X	LAKC-HVRSO1-L-2X	2XL	Ea	\$42.65	P-HVRS01-L-2X	LAKP-HVRS01-L-2X	2XL	Ea	\$37.18
	C-HVRSO1-L-3X	LAKC-HVRSO1-L-3X	3XL	Ea	\$44.88	P-HVRS01-L-3X	LAKP-HVRS01-L-3X	3XL	Ea	\$39.13
	C-HVRSO1-L-4X	LAKC-HVRSO1-L-4X	4XL	Ea	\$48.78	P-HVRS01-L-4X	LAKP-HVRS01-L-4X	4XL	Ea	\$42.55
	C-HVRSO1-L-5X	LAKC-HVRSO1-L-5X	5XL	Ea	\$54.78	P-HVRS01-L-5X	LAKP-HVRS01-L-5X	5XL	Ea	\$47.27



Fall Protection



The Problem:

Are you OSHA ready?

The Martin Safety Solution:

Martin Safety Solutions can help you with any OSHA compliance or laws/standards concerns.

OSHA requires employers to be responsible for providing a safe and healthful workplace.

https://www.osha.gov

Fall protection must be provided whenever necessary to protect against any risk that exists where a worker may fall. As a general rule, the fall arrest system should be used anytime a working height of six feet or more is reached. Ensuring worker safety includes conducting a workplace hazard assessment and providing the adequate training to make sure everyone goes home safely to their families.

For our extensive list of Custom Tailored Safety Solutions, please refer to page 1 or visit our website at www.martinsafety.com.

- ► Harnesses 96-99
- ► Lanyards & SRLs..... 99-105
- ► Anchors 105-106
- ► Lifeline Systems . . . 107
- ► Confined Space & Rescue 108-110

These fine manufacturers help us bring you custom tailored solutions-



















FS99280-E

FALLSAFE: V-LINE Full-Body Harness

Universal-sized with multiple adjustment points, a single back D-ring or additional side D-rings for positioning, and pass-through leg straps.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
\blacktriangle	FS99280-E	EXCOFS99280-E	Harness w/ back D-ring & pass-thru legs	Ea	\$40.00

FALLSAFE: V-LINE Compliance Kit

Includes single D-ring harness with pass-through leg straps, adjustable buckles, fall arrest indicators and lanyard keepers; 6' Shock-absorbing lanyard with 1" polyester webbing and double-locking snap hooks (3,600-lb. rated gates); and transport bag.

	ITEM # MARTIN #		DESCRIPTION	UOM	PRICE
\blacktriangle	FS126-E	EXCOFS126-E	V-LINE compliance kit	Ea	\$81.67



Construction Vest Style Harness

Constructed from highly durable polyester webbing that resists sunlight and chemicals. No-Tangle® feature increases user acceptance by eliminating tangling and innovative design provides extra comfort throughout neck, shoulders and back areas. Includes standup back D-ring and side D-rings, belt loops, body belt, back and shoulder pads, and adjustable tongue-buckle leg straps. Capacity is 420 lbs. i-Safe™ enabled with RFID technology. Meets all applicable OSHA requirements, ANSI standards and CSA certifications.

ITEM#	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
1101655	DBI1101655	Construction vest style harness	L	Ea	\$196.00



ExoFit NEXTM Construction Style Harness

Full-body harness provides comfort and function with soft, yet extremely durable, anti-absorbent webbing, strategically placed padding and protective elements that prolong service life of harness. Chest platform places labels and i-Safe™ RFID tag behind a Velcro® cover to protect labels and provide easy access. Covered pocket with elastic sides is conveniently placed on front of chest strap to hold workplace or personal items such as a cellular phone. Includes reflective material that increases worker safety in low-visibility environments, stand-up dorsal D-ring, side D-rings, integrated suspension trauma straps for post fall-arrest comfort, sewn-in hip pad and removable body belt, impact indicator stitches and breakaway lanyard keepers. Capacity: 420 lbs. Meets all applicable OSHA regulations and ANSI Z359.11 standard.

- Duo-Lok™ quick-connect buckles: lightweight, one-hand use with memory-fit
- Revolver[™] vertical torso adjusters: simple, fast adjustment that locks into position
- · Hybrid comfort padding: combines premium comfort with durability
- Tech-Lite™ aluminum D-rings: lightweight alloy for added comfort
- Repel[™] technology webbing: provides up to 5 times more abrasion resistance and water repellency

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
1113124	DBI1113124	Construction style harness	М	Ea	\$399.00

/!\ WARNING

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the User Instructions provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. Misuse or failure to follow warnings and instructions may result in serious personal injury or death. For proper use, see supervisor, User Instructions, or call Technical Service at 1-800-560-1094.



DeltaTM Vest Style Harnesses

Patented No-Tangle triangular design allows harness to fall into place for guick and easy donning and holds its basic shape so shoulder straps don't rub against neck. Water-repellent Repel™ webbing has built-in rip-stitch impact indicators for inspection of harness for prior damaging impact loads. Revolver™ vertical torso adjuster makes adjustments simple and fast, eliminating loose ends and locking into place to prevent slippage. Includes tongue-buckle leg straps and incorporates a spring-loaded, stand-up dorsal D-ring for fast, easy and safe connections. Tech-Lite™ aluminum alloy buckles reduce both carried weight and energy required for all-day job performance. Features lanyard keepers for holding unused snap hooks and reducing trip hazards. i-Safe™ enabled with RFID technology; label protector has Velcro® cover for holding harness labels and i-Safe identification tag. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.11.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
1102000	DBI1102000	Vest style harness w/ tongue-buckle legs w/ back D-ring	Universal	Ea	\$117.00
1102008	DBI1102008	Vest style harness w/ tongue-buckle legs w/ back & side D-rings	Universal	Ea	\$140.00







ExoFit NEXTM Tower Climbing Harness

Full-body harness provides comfort and function with soft, yet extremely durable, anti-absorbent webbing, strategically placed padding and protective elements that prolong service life of harness. Chest platform places labels and i-Safe™ RFID tag behind a Velcro® cover to protect labels and provide easy access. Covered pocket with elastic sides is conveniently placed on front of chest strap to hold workplace or personal items such as a cellular phone. Includes reflective material that increases worker safety in low-visibility environments, stand-up dorsal and front D-rings, integrated suspension trauma straps for post fall-arrest comfort, sewn-in hip pad and body belt with side D-rings, removable seat sling with positioning D-rings, impact indicator stitches and breakaway lanyard keepers. Capacity: 420 lbs. Meets all applicable OSHA regulations and ANSI standards.

Features:

- Duo-Lok™ quick-connect buckles: lightweight, one-hand use with memory-fit
- Revolver™ vertical torso adjusters: simple, fast adjustment that locks into position
- Hybrid comfort padding: combines premium comfort with durability
- Tech-Lite™ aluminum D-rings: lightweight alloy for added comfort
- Repel[™] technology webbing: provides up to 5 times more abrasion resistance and water repellency

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
1113191	DBI1113191	Tower climbing harness	M	Ea	\$657.00





ExoFit NEXTM Vest Style Harness

Full-body harness provides comfort and function with soft, yet extremely durable, anti-absorbent webbing, strategically placed padding and protective elements that prolong service life of harness. Chest platform places labels and i-Safe™ RFID tag behind a Velcro® cover to protect labels and provide easy access. Covered pocket with elastic sides is conveniently placed on front of chest strap to hold workplace or personal items such as a cellular phone. Includes reflective material that increases worker safety in low-visibility environments, stand-up, aluminum dorsal D-ring, integrated suspension trauma straps for post fall-arrest comfort, impact indicator stitches and breakaway lanyard keepers. Capacity: 420 lbs. Meets all applicable OSHA regulations and ANSI Z359.11 standard.

Features:

- Duo-Lok™ quick-connect buckles: lightweight, one-hand use with memory-fit
- Revolver[™] vertical torso adjusters: simple, fast adjustment that locks into position
- Hybrid comfort padding: combines premium comfort with durability, protective shoulder caps
- Tech-Lite™ aluminum D-rings: lightweight alloy for added comfort
- Repel[™] technology webbing: provides up to 5 times more abrasion resistance and water repellency

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
1113004	DBI1113004	Vest style harness	M	Fa	\$341.00





DeltaTM Comfort Construction Style Positioning Harness

Features shoulder, back and leg padding, coated, corrosion-resistant hardware, and abrasion-resistant webbing with built-in ripstitch impact indicators for inspection of harness for prior damaging impact loads. Padding wraps around the body and incorporates vent windows allowing direct air contact and better circulation to cool the body. Revolver™ vertical torso adjuster makes adjustments simple and fast, eliminating loose ends and locking into place to prevent slippage. Includes tongue-buckle leg straps, a fixed back D-ring, body belt and hip pad with side D-rings for positioning, and lanyard keepers to hold unused snap hooks and reduce trip hazards. i-Safe™ enabled with RFID technology; label protector has Velcro® cover for holding harness labels and i-Safe identification tag. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.





1113191





MILLER Miller AirCoreTM Harnesses

Lightweight, full-body harness designed with breathable, open-core padding technology that provides optimal air flow while reducing heat and moisture entrapment, keeping worker drier and cooler. Patented Miller DuraFlex® stretchable webbing provides greater flexibility and increased comfort. Unique cam buckles on the shoulder straps make vertical webbing adjustment easy. Original, vibrant style design for easy identification and greater visibility. Includes stand-up back D-ring, quick-connect chest strap, sub-pelvic strap, and steel components. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA requirements.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
AC-QC/UGN	NTHAC-QC/UGN	AirCore harness w/ quick-connect leg straps	Universal	Ea	\$226.34
AC-TB/UGN	NTHAC-TB/UGN	AirCore harness w/ tongue-buckle leg straps	Universal	Ea	\$220.83
AC-QC-BDP/UGN	NTHAC-QC-BDP/UGN	AirCore harness w/ side D-rings, lumbar pad, removable belt & quick-connect leg straps	Universal	Ea	\$275.14

Honeywell MILLER Miller DuraFlex Python® Harness

Shoulder straps with friction buckles are constructed of soft, cushioned tubular webbing; lower torso straps of specially-formulated DuraFlex® stretchable webbing; and leg straps of lightweight, non-stretch webbing. Increases overall comfort when using tool belt and holds its shape for ease of donning. Includes comfort-touch back D-ring pad, pull-free lanyard rings, mating-buckle chest straps and belt loops. Universal size is L/XL. Green. Meets all applicable OSHA, ANSI and CSA requirements.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
P950-4/UGN	NTHP950-4/UGN	Python harness w/ tongue-buckle legs	Universal	Ea	\$125.89





P950QC/UGN

Honeywell MILLER Miller DuraFlex Python® Ultra Harness

Constructed with cushioned tubular webbing in shoulder straps to enhance comfort around neck and shoulders when required to wear a tool belt. Features high strength abrasion-resistant webbing with contoured edges and high-density water repellent foam. Comfort-touch back D-ring pad is designed with woven, breathable fabric for greater comfort. Quick-connect buckle chest and leg straps interlock similar to a seat belt and feature a dual-tab release mechanism. Belt loops included. Universal size is L/XL. Green. Meets all applicable OSHA, ANSI and CSA requirements.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
P950QC/UGN	NTHP950QC/UGN	Python Ultra harness	Universal	Ea	\$147.54

Honeywell

Miller RevolutionTM Harness with DualTechTM Webbing

DualTech webbing offers soft, textured inside and durable, chemical-resistant polyester outer material. Features ErgoArmor™ semi-flexible back shield for impact protection, PivotLink™ connection, quick-release cam buckles for one-hand adjustments, self-contained label pack, quick-connect chest and leg buckles, stand-up back D-ring, subpelvic strap and web finials. Tested to 7,000-lb. minimum tensile strength for greater safety and longer service life. Rated to 400 lbs. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA requirements.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
RDT-QC/UBK	NTHRDT-QC/UBK	Harness w/ DualTech webbing	Universal	Ea	\$248.08







Miller DuraFlex® Stretchable Harnesses

Comfortable, stretchable webbing with back D-ring, mating-buckle chest straps, mating- or tongue-buckle leg straps, sub-pelvic straps, friction shoulder straps and back strap to prevent user from falling out of the harness. Pull-free lanyard rings allow for attachment of lanyard when not in use. Universal size is L/XL. Green. Meets all applicable OSHA, ANSI and CSA requirements.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
E650/UGN	NTHE650/UGN	Stretchable harness w/ mating-buckle legs	Universal	Ea	\$133.34
E650-4/UGN	NTHE650-4/UGI	Stretchable harness w/ tongue-buckle legs	Universal	Ea	\$147.35

650CN-BDP/UGN



MILLER Miller Contractor Harness

Specifically designed for use in construction. Lightweight, non-stretch webbing with a combination back D-ring pad/shoulder pads to minimize discomfort and stress around neck and shoulders. Soft lumbar back pad adds support and comfort. Features side D-rings, belt loops and removable waist belt, tongue-buckle leg straps, friction-buckle shoulder adjustments, mating-buckle chest straps, self-contained label pack and (2) pull-free lanyard rings. Rated to 400 lbs. capacity. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
650CN-BDP/UGN	NTH650CN-BDP/UGN	Contractor harness	Universal	Ea	\$152.94



8798B/6FTGN



FALLSAFE

Shock-Absorbing Lanyards

Streamline model features tubular webbing construction with double-locking snap hooks or rebar hooks (3,600-lb. rated gates). Stretch model has stretch tubular webbing with 4'-6' maneuverability. V-LINE model has 6', 1" polyester web construction with shock pack and double-locking snap hooks (3,600-lb. rated gates).

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
A	FS580	EXCOFS580	Streamline shock-absorbing lanyard, single leg w/ snap hooks	Ea	\$45.00
A	FS590	EXCOFS590	Stretch shock-absorbing lanyard, single leg w/ snap hooks	Ea	\$65.00
A	FS88560-E	EXCOFS88560-E	V-LINE web shock-absorbing lanyard, single leg w/ double-locking snap hooks	Ea	\$40.00

Honeywell

Miller BackBiter® **Tie-Back Lanyard**

All-in-one lanyard designed specifically for tie-back use reduces inventory and increases worker compliance. Features SofStop® shock absorber designed with a specially-woven inner core that smoothly expands to reduce fall arrest forces. Includes locking Miller 5K® snap hook (5,000-lb. gate load capacity from any angle), locking snap hook with 3/4" gate opening harness connection, heavy-duty webbing and cross-arm anchorage connector. Twin-leg model; can be used for 100% tie-off requirements. Connectors rated at 3,600-lb. gate strength. Meets all applicable OSHA, ANSI and CSA requirements.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
8798B/6FTGN	NTH8798B/6FTGN	Tie-back lanyard	6'	Ea	\$193.55

Honeywell

Miller Manyard® II Stretchable Shock-Absorbing Lanyards

Contracts from 6' to 4', reducing chances of tripping, snagging or dragging. Woven shock-absorbing inner core smoothly expands to reduce fall arrest forces, while outer jacket serves as a back-up web lanyard. Unique warning flag provides visual proof that lanyard has been involved in a fall and must be removed from service. Snap hooks have 3/4" gate opening and rebar hooks have 2 1/2" opening. Includes inspection log label. Meets all applicable OSHA, ANSI and CSA requirements. Connectors rated at 3,600 lbs.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
219M-Z7/6FTGN	NTH219M-Z7/6FTGN	Single leg lanyard w/ locking snap hook & rebar hook	6'	Ea	\$129.38
231M-Z7/6FTGN	NTH231M-Z7/6FTGN	Twin-leg lanyard w/ locking snap hook & rebar hooks	6'	Ea	\$233.29

219M-77/6FTGN

Miller Manyard® Shock-Absorbing Lanyard

Specially woven shock-absorbing inner core smoothly expands to reduce fall arrest forces, while outer jacket serves as a back-up web lanyard. Unique warning flag provides visual proof that lanyard has been involved in a fall and must be removed from service. Yellow. Meets all applicable OSHA, ANSI and CSA requirements.



ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
216WLS-Z7/6FTYL	NTH216WLS-Z7/6FTYL	Single leg lanyard w/ snap hooks both ends	6'	Ea	\$81.88





EZ-STOPTM II Shock-Absorbing Lanyards

Utilizes a controlled tearing action when subjected to fall arrest forces, limiting arresting forces to no more than 900 lbs. Features soft-cover shock absorber for added comfort. Web models feature 1" wide polyester web. 3,600-lb. Compliant snap hooks. i-Safe[™] RFID technology enabled. Capacity: 310 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.



ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
1246011	DBI1246011	Web lanyard, single leg w/ snap hooks both ends	6'	Ea	\$94.00
1246234	DBI1246234	Web adjustable lanyard, single leg w/ snap hooks both ends	6'	Ea	\$102.00
1246188	DBI1246188	Vinyl covered cable lanyard, single leg w/ snap hooks both ends	6'	Ea	\$118.00
1246021	DBI1246021	Web lanyard, twin leg w/ snap hook & gate aluminum rebar hooks at leg ends	6'	Ea	\$263.00





Force2TM Shock-Absorbing Lanyard

Used when there is no overhead anchorage and the only option is to tie-off at your feet. Can also be used as a standard lanyard. 1" Standard webbing equipped with 3,600-lb. rated snap hooks. A soft cover shock absorber is added for comfort. Appropriate for up to a 12' free fall and still limits arresting forces below 1,800 lbs. per OSHA standards. i-Safe™ enabled with RFID technology. Meets or exceeds all industry standards for fall arrest forces including OSHA.



ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
1246167	DBI1246167	Lanyard, single leg w/ snap hooks both ends	6'	Ea	\$114.00



WrapBaxTM2 Tie-Back Shock-Absorbing Lanyards

Specifically designed for tie-back use, eliminates need for separate anchorage connector, and reduces inventory and cost while simplifying inspections and worker training. Heavy-duty webbing provides abrasion resistance and built-in web guide directs webbing into open hook for simple and quick connection. Unique hook design is easy to differentiate from standard snap hooks, eliminating confusion. Tie-back hook capacity is 5,000 lbs. from every direction including the gate. Limits arresting forces to 900 lbs. or less. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.



ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
1246229	DBI1246229	Web tie-back lanyard, single leg w/ snap hook & WrapBax hook	6'	Ea	\$124.00
1246080	DBI1246080	Web tie-back lanyard, twin-leg w/ snap hook & WrapBax hooks	6'	Ea	\$202.00





ShockWave2TM Shock-Absorbing Lanyards

Stretchable lanyard incorporates a unique inner core that immediately begins to extend and absorb energy during a fall, limiting arresting forces to an average of 900 lbs. Features abrasion-resistant tubular webbing for durability and 3,600-lb. gated hooks. Expands to 6' and contracts to 4 1/2' in reaction to movements, reducing trip fall hazards and snagging. Impact indicator allows for visual inspection of unit. i-Safe™ RFID technology enabled. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.



ITEM#	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
Single Leg La					
1244306	DBI1244306	Web lanyard w/ self-locking steel snap hooks both ends	6'	Ea	\$93.50
1244321	1244321 DBI1244321 Web lanyard w/ self-locking snap hook & 2 1/2" gate flat steel hook		6'	Ea	\$135.00
Twin-Leg Lar	nyards				
1244412	DBI1244412	Web lanyard w/ self-locking snap hook & 2 1/2" gate flat steel hooks at leg ends	6'	Ea	\$230.00
1244456	DBI1244456	Web lanyard w/ self-locking snap hook & 2 1/2" flat steel hooks leg ends, D-ring for SRL attachment on legs	6'	Ea	\$241.00



PRO Shock-Absorbing Lanyards

Secure and durable energy-absorbing lanyard available in pack style, tubular jacket with internal shock absorber or stretch design. Stretch tubular lanyard expands to 6' and contracts to 4 1/2'. Single or double-leg configurations with standard snap hooks or flat steel rebar (2" gate) hooks. Polyester webbing. Meets or exceeds OSHA 1926 regulation.



FS-EX10065-W-RBH-BWB



ITEM #	MARTIN # DESCRIPTION	SIZES	иом	PRICE		
PRO STOP La	PRO STOP Lanyards					
1340220	DBI1340220 Tubular lanyard, single leg w/ snap hooks both ends	6'	Ea	\$38.50		
1340250	DBI1340250 Tubular lanyard, twin-leg w/ snap hook & rebar hook	6'	Ea	\$82.50		
PRO STRETC	H Lanyards					
1340101	DBI1340101 Stretch lanyard, single leg w/ snap hooks both ends		Ea	\$51.00		
1340161	DBI1340161 Stretch lanyard, twin-leg w/ snap hook & rebar hooks	6'	Ea	\$136.86		





Chain Rebar Assembly

Twist link chain rebar lanyard is ideal for restraint and positioning while tying rebar or construction of wall-forms. Easy-to-use hook configurations meet most positioning needs. Meets or exceeds all applicable industry standards including OSHA and ANSI including 3,600-lb. gate strength hooks. Made in USA.



ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
5920050	DBI5920050	Chain rebar assembly w/ snap hooks & swivel, 2 1/2" gate flat steel rebar hook	19"	Ea	\$176.00



Lightweight (1.85 lbs.), dual leg unit features 6' length, 3/4" Dyneema webbing with behind-the-web bracket, aluminum locking snap hook, rebar hooks and carabiner. Unique braking system eases shock of fall. Fall indicator incorporated into swivel top. Meets Class "A" ANSI Z359.14-2012 standard.

	ITEM #	MARTIN #	UOM	PRICE
	6' Web Retractable			
<u> </u>	FS-EX10065-W-RBH-BWB	EXCOFS-EX10065-W-RBH-BWB	Ea	\$375.00

WARNING

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the User Instructions provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. Misuse or failure to follow warnings and instructions may result in serious personal injury or death. For proper use, see supervisor, User Instructions, or call Technical Service at 1-800-560-1094.



FALLSAFE Retractable Lifelines

Designed for use as a single person fall protection device. Built of rugged components for abrasive environments. High-strength, durable housing allows for lightweight design and dependability. Unique braking system eases shock in the event of a fall. Includes mobility-enhancing swivel top, 11/16" twist-lock carabiner and a forged steel snap hook or locking rebar hook. Hook gates rated 3,600 lbs. Meets OSHA 1926-502 and ANSI Class "A" Z359.14-2012 standard.

• Cable model has 3/16" galvanized cable and a swivel fall indicator hook.

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
$\textcolor{red}{\blacktriangle}$	FS-FSP1220G	EXCOFS-FSP1220G	Cable retractable lifeline w/ steel snap hook & carabiner	20'	Ea	\$440.00



Honeywell

MILLER Miller FalconTM Self-Retracting Lifelines

High impact-resistant nylon housing with smooth, round edges increases durability. Corrosion-resistant stainless steel and aluminum internal components. Unique side payout design reduces wear on entry guide bushing and cable. Spring tension operation designed not to pull or drag on worker to improve productivity and reduce fatigue. Available in 3/16" galvanized cable or 0.69" web. Cable models have dual swivels (unit top and snap hook) included to minimize lifeline twisting during use. Improved load indicator on snap hook identifies when unit needs to be removed from service. No annual factory recertification required. Web models rated to 400 lbs. capacity, cable models rated to 310 lbs. Meets all applicable OSHA, ANSI and CSA requirements. Connectors rated at 3,600 lbs.

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
A	928LS-Z7/18INBK	NTH928LS-Z7/18INBK	SofStop shock absorber pack w/ locking snap hook & D-ring	18'	Ea	\$55.94
A	MP16P-Z7/16FT	NTHMP16P-Z7/16FT	SRL, web w/ stainless steel swivel, carabiner & aluminum snap hook	16'	Ea	\$414.49
A	MP20P-Z7/20FT	NTHMP20P-Z7/20FT	SRL, web w/ stainless steel swivel, carabiner & aluminum snap hook	20'	Ea	\$453.00
	MP20G-Z7/20FT	NTHMP20G-Z7/20FT	SRL, galvanized cable w/ tagline & carabiner	20'	Ea	\$576.17
	MP30G-Z7/30FT	NTHMP30G-Z7/30FT	SRL, galvanized cable w/ tagline & carabiner	30'	Ea	\$827.57
	MP50G-Z7/50FT	NTHMP50G-Z7/50FT	SRL, galvanized cable w/ tagline & carabiner	50'	Ea	\$1,113.94



Honeywell

Miller MightyLiteTM Self-Retracting Lifelines

Ideally suited to a variety of construction, industrial, warehouse, utility and confined space applications. Compact design with swivels on snap hook and on top of unit perfect for hard-to-mount and permanent mount locations. Constructed with corrosion-resistant aluminum and stainless steel for long life. Automatic inertia brakes engage during a fall. No annual factory recertification required. Rated to 400 lbs. when using 928LS/18INYL SofStop® shock absorber. Meets all applicable OSHA, ANSI and CSA requirements. Connectors rated at 3,600 lbs.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
RL20SS-Z7/20FT	NTHRL20SS-Z7/20FT	SRL, stainless steel cable w/ tagline & carabiner	20'	Ea	\$769.22
RLS30G-Z7/30FT	NTHRLS30G-Z7/30FT	SRL, galvanized wire rope w/ tagline & carabiner	30'	Ea	\$1,005.74

MILLER Miller ScorpionTM Personal Fall Limiters

Lightweight, compact design offers greater mobility, requires less fall clearance and reduces tripping hazards. Greater versatility through dual operation. Attaches directly to harness D-ring for use as personal fall limiter or as traditional self-retracting lifeline. Includes quick-activating, high strength stainless steel braking system to arrest free falls; visual load indicator to warn when unit must be removed from service; and carabiner. No annual factory recertification required. Capacity: 310 lbs. (400-lb. rated models available). Meets all applicable OSHA, ANSI and CSA requirements. Connectors rated at 3,600 lbs.

ITEM#	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
PFL-2-Z7/9FT	NTHPFL-2-Z7/9FT	PFL w/ steel twist-lock carabiner & locking snap hook	9'	Ea	\$171.45
PFL-4-Z7/9FT	NTHPFL-4-Z7/9FT	PFL w/ carabiner, swivel shackle & locking snap hook	9'	Ea	\$199.14



Miller Turbo T-BAKTM Personal Fall Limiters

Tie-back anywhere on lifeline. Cost-effective alternative to tie-back, shock-absorbing lanyards. All-in-one, self-retracting lifeline/anchorage connector designed for anchoring below user's harness back D-ring for greater safety, with integrated shock absorber for tie-back applications with load indicator device. Features 7 1/2' working capacity with heavy-duty web lifeline that extends/retracts smoothly without interruption. Provides more tie-off anchorage locations with greater variety of beam-size options. Miller 5K® locking snap hook at lanyard end has 5,000-lb. gate capacity from any angle. High-tech strength and abrasion-resistant webbing with white side stripe stitching indicating tie-back use. User-rated for 400-lbs. capacity. Meets all applicable OSHA, ANSI, CSA and CE requirements.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
MFLT-3/7.5FT	NTHMFLT-3/7.5FT	PFL w/ lightweight aluminum	7 1/2'	Ea	\$246.91



Twin Turbo™ G2 Connector provides 100% tie-off for the Miller TurboLite™ and Miller Turbo T-BAK™ Personal Fall Limiters (PFLs). G2 Connector provides an alternative to double-leg lanyards - reduces fall clearance requirements for use in more applications. Connects to harness webbing below the D-ring and frees harness D-ring for rescue and connection to an overhead self-retracting lifeline (SRL). PFLs swivel independently for increased worker mobility and prevent webbing from twisting and binding in the unit. Lightweight twin connector increases productivity by reducing worker fatigue. Corrosion-resistant aluminum connector with high-impact nylon result in a longer product life. Webbing Retainer Clip rotates freely to prevent unintentional opening of carabiner gate during a fall; accommodates thicker webbing designs for more versatility and allows for easy insertion of webbing. D-Pad Clip maintains harness adjustment while working by keeping the harness webbing and D-Pad in place. Twin Turbo G2 Connector meets all applicable OSHA, ANSI and CSA requirements. Connectors rated at 3,600 lbs.

ITEM #	MARTIN #	DESCRIPTION	SIZES	иом	PRICE
Twin Turbo G2 Fall Pr	rotection Systems				
MFLC-12-Z7/9FT	NTHMFLC-12-Z7/9FT	G2 connector w/ aluminum rebar hooks	9'	Ea	\$466.23
MFLC-3-Z7/6FT	NTHMFLC-3-Z7/6FT	G2 connector w/ steel snap hooks	6'	Ea	\$320.71
MFLC-4-Z7/6FT	NTHMFLC-4-Z7/6FT	G2 connector w/ steel rebar hooks	6'	Ea	\$398.23
MFLC-12-Z7/6FT	NTHMFLC-12-Z7/6FT	G2 connector w/ aluminum rebar hooks	6'	Ea	\$391.03
Twin Turbo T-BAK G2	Fall Protection System				
MFLTC-1/7.5FT	NTHMFLTC-1/7.5FT	G2 connector w/ Miller 5K® snap hooks	7 1/2'	Ea	\$487.78











Ultra-LokTM Cable Self-Retracting Lifelines

Constructed with a durable, polyurethane thermoplastic housing, stainless steel working components for corrosion resistance and aluminum side plates for maximum durability and minimum weight. Anti-ratcheting twin disc brake system with an audio indicator lets worker know it is functioning properly. Features 3/16" galvanized steel cable lifeline, reserve lifeline retention system for added safety, 3,600-lb. rated swivel snap hook and swiveling anchorage loop to prevent twisting of lifeline. i-Safe[™] enabled with RFID technology. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM#	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
3504433	DBI3504433	Cable SRL w/ swivel snap hook	20'	Ea	\$690.00
3504430	DBI3504430	Cable SRL w/ swivel snap hook	30'	Ea	\$1,055.00
3504450	DBI3504450	Cable SRL w/ swivel snap hook	50'	Ea	\$1,232.00





Mano-LokTM Edge Self-Retracting Lifeline

Specifically designed for foot level tie-off, when anchoring at the user's feet is the only option. Ergonomically designed for comfort. Limits average arresting forces to 900 lbs. or less. Requires fall clearances as low as 16'. Integrated, backpack-style energy absorber works with connector to limit forces to protect against sharp edges. Backpack design stays tight to harness and evenly disperses unit's weight. Easy-to-install, direct-to-harness connector provides 360° of rotation, seamless integration of the energy absorber, and leaves the D-ring open for rescue or other equipment. Global sharp edge icon for quick identification of sharp edge product. Tough, flexible, lifeline: 3/16" galvanized cable provides maximum range of motion, durability and cut resistance. Impact-resistant, lightweight thermoplastic housing provides maximum durability. Bright orange color for easy identification. Meets applicable standards, including ANSI Z359.14.

ITEM#	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
3500227	DBI3500227	SRL, twin-leg w/ steel rebar lock hook, 2 1/2" gate	8'	Ea	\$500.00





TalonTM Self-Retracting Lifeline

Compact, lightweight design with an all-metal braking system. Anti-ratcheting dual pawl design limits maximum arresting force to 900 lbs. Two styles of anchorage connectors for larger and smaller diameter anchorage points. Features spring-loaded locking pin, impact-resistant nylon housing with 1" nylon webbing and snap hook impact indicator to warn when unit needs to be replaced. Audible indicator ensures unit is functioning properly. No service/recertification required, reducing

cost of ownership. i-Safe™ enabled with RFID technology. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI A10.14-1991 and ANSI Z359.1-2007.

	ITEM #	MARTIN #		SIZES	UOM	PRICE
A	3102000	DBI3102000	SRL, twin-leg w/ 2 1/4" gate aluminum rebar hooks, pad & (2) lanyard keepers	6'	Ea	\$461.00





Nano-LokTM **Self-Retracting** Lifelines

Ergonomically designed for ease-of-use and is ideal for direct connection to most harnesses. Lightweight, stays out of the way and can easily be used as a lanyard replacement. Locks quickly, stopping a fall within inches and



providing more protection at low heights. Tension is always kept on the lifeline, which reduces dragging, snagging and trip falls. Features impact-resistant housing, automatic, quick-activating arrestor, impact indicator, 3,600-lb. rated gate openings on carabiners and hooks, and 6' retractable lifeline. i-Safe™ enabled. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards.

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
L	3101280	DBI3101280	SRL, twin-leg w/ connector & (2) steel rebar hooks	6'	Ea	\$415.00
	3101277	DBI3101277	SRL, twin-leg w/ connector & (2) aluminum rebar hooks	6'	Ea	\$397.00

WARNING

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the User Instructions provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. Misuse or failure to follow warnings and instructions may result in serious personal injury or death. For proper use, see supervisor, User Instructions, or call Technical Service at 1-800-560-1094.

3102000





Sealed-BlokTM Self Retracting Lifeline - Retrieval/Bracket

Features environmentally sealed dynamic components, 3-way emergency retrieval system, and integrated quick-mount bracket. Extremely durable construction with 3/16" stainless steel cable lifeline, anti-ratcheting locking system, built-in carrying handle and ergonomic cable handle equipped with i-SafeTM. Includes swiveling stainless steel snap hook with impact indicator, large pivoting anchorage loop, SaflokTM anchorage carabiner, cable tie-off adaptor x 4' with carabiner and reserve lifeline system. FAST-LineTM cable lifeline replacement system.

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
\blacktriangle	3400926	DBI3400926	Sealed-Blok SRL - Retrieval/Bracket	50'	Ea	\$3,814.00



Honeywell Miller GripTM Portable/Reusable Anchorage Connector

Designed as intermediary for securing connecting device to anchorage. Primarily used in concrete applications to attach lifeline or lanyard of single user. Portable, reusable anchorage device easily fastens by pulling spring-loaded trigger and fitting device through hole drilled in properly cured concrete. When anchor is in place, tapered wedges open inside hole and provide secure grip. Can be removed and simply reinstalled in new vertical or horizontal location. 400-lb. Capacity. 5,000-lb. Ultimate strength.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
496/	NTH496/	3/4" Anchorage connector	Ea	\$119.80



Honeywell

Miller Shadow® Beam Anchor

Connects horizontally to wide range of I and H beam flanges from 3" to 14" wide and up to 2 1/2" thick. Once attached, unit slides along beam with worker to provide increased safety, mobility and productivity. Integral positive-lock engagement system eliminates need for loose connection pins which can be installed incorrectly or inadvertently disengaged. Meets all applicable OSHA regulations and ANSI standards.

ITEM#	MARTIN #	DESCRIPTION	UOM	PRICE
8816-14	NTH8816-14	Shadow beam anchor, adjustable aluminum	Ea	\$212.58



Honeywell MILLER

Miller Cross-Arm Strap

Made of 2" polyester webbing with a 2" D-ring that passes through a 3" D-ring. 400-lb. Capacity. Meets all applicable OSHA, ANSI and CSA requirements.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
8183/6FTGN	NTH8183/6FTGN	Cross-arm strap	6'	Ea	\$38.23





SayflineTM Rope Horizontal Lifeline System

Portable horizontal lifeline system is lightweight and easy to install with no special tools or equipment. Complete with kernmantle rope lifeline assembly, tensioning device, (2) tie-off adaptors for anchoring to structures and carrying bag. Capacity: 2 workers. Available in 10' increments. Meets or exceeds all applicable OSHA regulations and ANSI standards.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
7600506	DBI7600506	Rope lifeline system	60'	Ea	\$719.00





Concrete D-Ring Anchor

Simple, versatile and safe concrete anchor solution.

Reusable D-ring assembly, just install a new bolt and use again. Rugged design for harsh environments with no moving or fragile parts. Safe "hook-up" indicator notifies user that anchor has been installed properly. Installs with standard drill bits,

11/16", 18 mm or 3/4". Rated 5,000 lbs. Connection point swivels 360° for safety and ease-of-use. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ASTM E488 Standard Test Methods for Strength of Anchors.

 ITEM #
 MARTIN #
 DESCRIPTION
 UOM
 PRICE

 2104560
 DBI2104560
 D-ring anchor assembly w/ (1) bolt
 Ea
 \$99.00





PRO Concrete Wedge Anchor

Concrete wedge anchor for 3/4" hole with swiveling D-ring. Installs into 3/4" concrete hole. Use vertically in wall or horizontally in ceiling. Portable and reusable, compact and lightweight design. High strength steel and aluminum construction with rugged, corrosion-resistant materials. Swiveling D-ring tie-off point. Easy grip trigger. Shielded load and chock release cables.

ITEM #MARTIN #DESCRIPTIONUOMPRICE2190053DBI2190053Concrete wedge anchorEa\$114.00

2190053





Fixed Beam Anchor

Specifically designed for fall arrest anchorage, but can also be used as end point for some horizontal lifeline systems. Installs quickly to beam structure, tightens using built-in adjustment handle. Attaches to beam structure in any orientation or direction for added versatility. Fits flanges 1 1/2" thick and 2 1/2" to 12" wide. Rated 5,000 lbs. minimum strength in any direction. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

	ITEM#	MARTIN #	DESCRIPTION	UOM	PRICE	
ĺ.	2108406	DBI2108406	Fixed beam anchor	Ea	\$401.00	







Glyder2TM Sliding Beam Anchorage System

Provides complete horizontal mobility and can be tied-off overhead or at feet (use with Force2™ shock-absorbing lanyard when used at feet). Anchor effortlessly slides across beam on replaceable wear pads, eliminating metal-to-metal contact. Stainless steel construction for corrosion resistance and strength (5,000-lb. min. tensile strength). Channel lock prevents beam grip ends from rotating for hassle-free connection. Positive spring-loaded engagement provides precision adjustment. Dual-beam grip adjustment prevents twisting and turning as it moves along beam. Requires no pins and weighs 3.7 lbs. Fits 3 1/2" to 14" wide flange up to 1 1/4" thick. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
2104700	DBI2104700	Glyder2 sliding beam anchorage system	Ea	\$217.00



Tie-Off Adapters

Pass-through design for quick and easy attachment to anchorage. Standard adapter has 1 3/4" polyester strap with 5,000-lb. minimum tensile strength. Features 3" wide wear pad and coated steel hardware for added abrasion resistance and durability. i-Safe™ enabled with RFID technology. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITFM#	MARTIN #	DESCRIPTION	SIZES	UOM	DDICE
IIEWI#	WARTIN #	DESCRIPTION	SIZES	UOM	PRICE
1003000	DBI1003000	Tie-off adapter	3'	Ea	\$50.50
1003006	DBI1003006	Tie-off adapter	6'	Ea	\$56.00





SecuraSpanTM Horizontal Lifeline System

Economical and safe solution to non-engineered, hand-crafted HLL systems. System comes with everything required and can be installed with no special tools or equipment. Complete with (2) stanchions with built-in fastening system, Zorbit™ energy absorber with turnbuckle and specified cable length with fastening hardware. With optional "bypass" bracket, the system can be configured to run indefinitely. SecuraSpan stanchion fits beam flange widths 6" to 12" wide and up to 2 1/4" thick. Stanchions can be purchased to fit 18", 24" and 36" wide flanges and up to 3 3/8" thick. Installation is simple, fast and efficient with a single clamp anchor on stanchion base. System can be expanded to longer lengths. Meets or exceeds all applicable OSHA regulations and ANSI standards.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
7400460	DBI7400460	SecuraSpan HHL system	60'	Ea	\$1,091.00



EZ-LineTM Retractable Horizontal Lifeline System

Innovative retractable design allows for quick and efficient set-up and disassembly of any length system. Retractable lifeline is simply pulled out for installation and retracted with built-in winch for dismantle. Entire 60' system is retracted into easy-to-carry case which eliminates large, bulky coils of cable. Weighs 25 lbs. Built-in pre-tension and impact indicators take guess work out of set-up and inspection. Provides hands-free horizontal mobility and continuous protection for (2) users per span, up to (6) users per system. Stanchions not included.

	ITEM#	MARTIN #	DESCRIPTION	UOM	PRICE
\blacksquare	7605060	DBI7605060	Retractable horizontal lifeline system	Ea	\$1,428.00



M AdvancedTM 5-Piece Hoist System

Designed for manhole and other confined space entry and retrieval applications. Constructed of lightweight materials including high-strength aluminum. Davit pivots for ease of rescue and has an adjustment feature for overhead clearance restrictions. Lower base adjusts to fit most standard entries. The 5-piece hoist system comes equipped with 11 1/2" to 27 1/2" adjustable offset upper mast, 33" lightweight lower mast, 3-piece lightweight base and winch mount brackets. Winches and SRLs sold separately. Meets or exceeds all applicable OSHA regulations and ANSI standards. Made in USA.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
\blacksquare	8518000	DBI8518000	Advanced 5-pc. hoist system	Ea	\$5,261.00





Suspension Trauma Safety Straps

Allows suspended worker to stand up in harness relieving pressure on arteries and veins around top of legs. Continuous loop design allows both sides of harness to relieve pressure. Strap provides increased comfort and improved circulation to one or both feet at a time while suspended. Safety accessories can be attached to most harness brands/styles right in the field. Installation is fast and efficient - just choke off to strap. Stows easily and stays out of worker's way. To deploy, simply unzip, hook straps together and step into. Sold as set of 2. Harness not included. 9501403

ITEM	# MARTIN #	DESCRIPTION UOM	PRICE
▲ 95014	403 DBI950140	3 Suspension trauma safety straps Set	\$33.00

WARNING

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the User Instructions provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. Misuse or failure to follow warnings and instructions may result in serious personal injury or death. For proper use, see supervisor, User Instructions, or call Technical Service at 1-800-560-1094



7400460





Honeywell MILLER

Miller Relief StepTM **Safety Device**

Short-term solution alleviates effects of suspension trauma. When a fall occurs, the worker becomes suspended in harness, remaining vertical and sedentary for a long period of time. This causes blood to pool in leg veins, restricts flow to the brain and other major organs and may cause unconsciousness. Device attaches to any brand full-body harness. By utilizing one for each leg/foot, the worker is more comfortable until rescue is completed.

ITEM #	MARTIN #	иом	PRICE
9099X/12	NTH9099X/12	12/Bx	\$240.57
9099/36BULK	NTH9099/36BULK	36/Cs	\$679.43



Suspension Trauma Support Steps

Web step system designed for suspension after a fall. Relieves body pressure in the event of a fall. Connect at D-ring. 6' Length.

	ITEM #	MARTIN #	иом	PRICE
A	FS902	EXCOFS902	Ea	\$23.33





FS902

FALLSAFE! CETTEME

Extreme Rescue Ladder

Equipped with a fast drop 18', nylon webbing ladder with a locking ANSI steel carabiner for quick attachment. Also available with 11.5 mm kernmantle rope belay. Stores in a ballistic nylon bag. Rated for 310 lbs.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
A	FS-EX243	EXCOFS-EX243	Extreme Rescue Ladder	Ea	\$316.67
A	FS-EX243-BL	EXCOFS-EX243-BL	Extreme Rescue	Ea	\$658.33



Honeywell MILLER

Miller Tripod

Anchorage connector solution for typical confined space and rescue systems. Extremely lightweight weighing only 42 lbs., features high-strength aluminum construction and withstands up to 5,000 lbs. of vertical pull. Adjustable legs with integral push pins are ideal for uneven surfaces. Independent leg locking feature will hold legs securely in place. Includes safety chain and comes with rubber skid pads and serrated edged tripod feet to prevent slippage in icy conditions. Meets all applicable OSHA regulations and ANSI standards for hoist retrieval systems.

ITEM #	MARTIN #	DESCRIPTION	иом	PRICE
▲ 51/7FT	NTH51/7FT	7' High-strength aluminum tripod	Ea	\$907.00



Squids® 3000 **Retractable Lanyard**

Self-setting pawls set desired lanyard length up to 48". Features ABS thermoplastic housing for ultimate

durability, nickel-plated swiveling top ring for 360° rotation, stainless steel carabiners for corrosion resistance, Technora cord for ultimate strength and durability, and modular quick connecting buckle for exchanging multiple tools. Maximum safe working capacity: 1 lb. Carabiner accessory pack also available for quick tool attachment.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
19325	ERGO19325	Carabiner accessory pack	3/Pk	\$23.55
19300	ERGO19300	Squids retractable lanyard	Ea	\$36.27



Squids® 3001 Retractable Single Carabiner with Loop End

Retractable tool lanyard with stainless steel carabiner attachment and choking loop end. Locks into place at desired length preventing tangles and work under tension while securing tools.

Features:

- Extendable length up to 48"
- Modular connecting buckle for exchanging tools
- Plated swiveling ring for 360° rotation
- Loop and manual locking stainless carabiner
- Technora cord for ultimate strength and durability
- · Self-setting pawls set desired lanyard length
- · ABS thermoplastic housing for ultimate durability
- · Maximum safe working capacity: 2 lbs.

	ITEM #	MARTIN #	UOM	PRICE
A	19301	ERGO19301	Ea	\$36.27



Squids® 3100 and 3110 Tool Lanyards

Tethers tools to help prevent injury, damage and lost productivity from dropped objects. Model 3100 features single carabiner and adjustable barrel lock for tool attachment. Model 3110 has dual carabiners. Maximum safe working capacity: 10 lbs.

	ITEM #	MARTIN #	COLOR	SIZES	UOM	PRICE
	3100 Single Cara	biner Tool Lanyard				
\blacksquare	19002	ERGO19002	Black	35"-42"	Ea	\$9.45
	19003	ERGO19003	Lime	35"-42"	Ea	\$9.45
	3100EXT Single	Carabiner Extended Tool	Lanyard			
\blacksquare	19012	ERGO19012	Black	42"-54"	Ea	\$9.73
\blacksquare	19013	ERGO19013	Lime	42"-54"	Ea	\$9.73
	3110 Dual Carabiner Tool Lanyard					
	19022	ERGO19022	Black	35"-42"	Ea	\$11.64
	19023	ERGO19023	Lime	35"-42"	Ea	\$11.64
	3110EXT Dual Carabiner Extended Tool Lanyard					
\blacksquare	19032	ERGO19032	Black	42"-54"	Ea	\$12.00
\blacksquare	19033	ERGO19033	Lime	42"-54"	Ea	\$12.00



Squids® 3108 Tool Lanyard

Stretch cord surrounded by tubular nylon webbing.

Lock stitching at both ends for extra security.

Heavy-duty (500kgf) self-locking carabiner self-locks to worker or anchor for added security. Shorter length (28"-35") helps prevent tools from hitting the deck.

Adjustable barrel lock for tool attachment. Maximum safe working capacity: 10 lbs. (4.6 kg). Lime.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
19008	ERGO19008	3108 Tool lanyard	Ea	\$25.55



Squids® 3109 Triple-Locking Single Carabiner

Stretch cord surrounded by tubular nylon webbing with lock stitching at both ends for extra security. Heavy-duty triple-locking carabiner features 360° swivel captive-eye and adjustable barrel lock for tool attachment. Maximum safe working capacity: 15 lbs. Standard: 35"–42". Extended: 42"–54".

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
<u>.</u>	19009	ERGO19009	Standard	Ea	\$32.55
A	19019	ERGO19019	Extended	Ea	\$33.36





19301

19003

Squids® 3115 Wrist Tool Lanyards

Prevents injuries, reduces costs and eliminates lost productivity from dropped tools. Features poly webbing cuff that secures to wrist, tether length 7 1/2" and ribbed pull cord. Includes adjustable barrel lock for tool attachment. Maximum working capacity: 2 lbs. Black.

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
A	19042	ERGO19042	Wrist lanyard, wrist size 5"-7"	S/M	Ea	\$2.55
A	19052	ERGO19052	Wrist lanyard, wrist	L/XL	Ea	\$2.55



Squids® 3130 Coiled Cable Lanyards

Coiled cable lanyard keeps the length of the lanyard close to the anchoring point, reducing snag hazards of traditional lanyards while preventing dropped objects. Swiveling design prevents tangles and headaches the coiled design can cause and reduces recoil force preventing aggressive snap back. Constructed with PU-covered aircraft cable for ultimate strength and durability. Stainless steel carabiners (#304) for corrosion resistance; captive eye carabiner with screw gate for locking connection. Choose from 6 1/2" coiled/50" extended length with 2-lb. working capacity or 7" coiled/51" extended length with 5-lb. working capacity.

	ITEM#	MARTIN #	DESCRIPTION	COLOR	UOM	PRICE
A	19130	ERGO19130	6 1/2" Coiled cable lanyard, 2-lb. capacity	Lime	Ea	\$18.64
A	19131	ERGO19131	7" Coiled cable lanyard, 5-lb. capacity	Orange	Ea	\$20.55





Squids® 3150 Buckle Hard Hat Lanyard

Easily and comfortably secures hard hat to worker to prevent it from falling. Features double-lock plastic buckle and comfortable high stretch elastic material.




	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
\blacktriangle	19150	ERGO19150	3150 Buckle hard hat lanyard	Ea	\$4.27



Squids® 3155 Elastic Hard Hat Lanyard with Clamp

High-stretch elastic material comfortably attaches to hard hats and other headwear.








Squids® 3157 and 3158 Coil Hard Hat Lanyards

Easily and comfortably secures a hard hat to a worker to prevent the item from falling.

Coil design reduces lanyard length and prevents snag and tangle hazards. Available with buckle or clamp.





Squids[®] 3386 Vinyl Arm Band ID/Badge Holder

Constructed with durable vinyl and designed to be worn around the arm to keep ID out of the way.



	ITEM#	MARTIN #	DESCRIPTION	COLOR	UOM	PRICE
1	19950	ERGO19950	ID/Badge holder w/ arm band	Black	Ea	\$3.09
	19951	ERGO19951	ID/Badge holder w/ arm band	Hi-vis orange	Ea	\$3.64




Squids® 3540 Large Locking Tie Hooks

Super-duty, reusable locking tie hooks are great for organizing and cinching hoses, cords and pipes. Features cable lock for increased load capacity, adjustable sliding

belt lock mechanism, high tensile strength and weather-resistant Nylon 66 design. Resistant to oil, salt, solvents and alkali. Hi-viz orange color. Temperature range: -40° F to 176° F. Recommended load limit: 44 lbs.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
33402	ERGO33402	Large locking tie hook w/ 11.8" belt	Ea	\$4.36
33403	ERGO33403	Large locking tie hook w/ 15.8" belt	Ea	\$4.64
33404	ERGO33404	Large locking tie hook w/ 19.7" belt	Ea	\$5.00





Squids® 3400 and 3405 Grabber

Keeps gloves and other items handy. Clips attach to clothing, belts, tool belts, gear bags and even D-rings. Breakaway design won't drag you into equipment, reducing the potential for injury. Made of durable, dielectric and non-conductive acetal copolymer.

	COLOR	ITEM #	MARTIN #	DESCRIPTION	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
		3400 Serie	es Grabber		3405 Serie	es Grabber with Be	elt Clip		
	Black	19112	ERGO19112		19122	ERGO19122		Ea	\$2.91
	Red	19113	ERGO19113		19123	ERGO19123		Ea	\$2.91
	Pink	19114	ERGO19114		19124	ERGO19124		Ea	\$2.91
	Blue	19117	ERGO19117		19127	ERGO19127		Ea	\$2.91
	Orange	19118	ERGO19118		19128	ERGO19128		Ea	\$2.91
	Lime	19119	ERGO19119		19129	ERGO19129		Ea	\$2.91
A	Deep blue	19132	ERGO19132	Metal-detectable	19142	ERGO19142	Metal-detectable w/ belt clip	Ea	\$4.45



Facility Care



The Problem:

Are you OSHA ready?

The Martin **Safety Solution:**

Martin Safety Solutions can help you with any OSHA compliance or laws/standards concerns.

OSHA requires employers to be responsible for providing a safe and healthful workplace.

https://www.osha.gov

A workplace first-aid program is part of a comprehensive safety and health management system that includes the following four essential elements; Management Leadership and Employee Involvement, Worksite Analysis, Hazard Prevention and Control, Safety and Health Training.

For our extensive list of Custom Tailored Safety Solutions, please refer to page 1 or visit our website at www.martinsafety.com.


Instruments & Monitors
First Aid 120-125
Fire Protection 126
Matting 127-130
Lockout / Tagout 131-137
Heat Stress 138-143
Signs & Labels 144-149

► Spill Containment. . 150-156

These fine manufacturers help us bring you custom tailored solutions-







































ToxiRAE Pro Single-Gas Monitors for Toxic Gases and Oxygen, Model PGM-1860

A wireless personal single-gas monitor capable of 5-way local and remote alarm notification. Rugged, intrinsically safe instruments feature three months of continuous datalogging, the largest display

Rugged, intrinsically safe instruments feature three months of continuous datalogging, the largest display in their class, user-replaceable intelligent sensor, rechargeable battery and an automatic calibration option with AutoRAE 2.

Unit includes:

- ToxiRAE Pro monitor with sensor, alligator clip, protective rubber boot, and rechargeable battery installed
- Charging and PC communication cradle
- PC communication cable
- AC adapter (100-240 VAC, 50/60 Hz AC to 12 VDC)
- Calibration adapters
- CD with documentation
- ProRAE Studio II software for PC-based instrument configuration and data management
- Quick Start Guide

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
	G02-BE14-100	RAEG02-BE14-100	ToxiRAE Pro: Oxygen, O2, 0 to 30% vol., wireless	Ea	\$620.00
	G02-BE10-100	RAEG02-BE10-100	ToxiRAE Pro: Oxygen, O2, 0 to 30% vol., non-wireless	Ea	\$420.00
	G02-B214-100	RAEG02-B214-100	ToxiRAE Pro: Carbon monoxide, CO, 0-500 ppm, wireless	Ea	\$620.00
	G02-B210-100	RAEG02-B210-100	ToxiRAE Pro: Carbon monoxide, CO, 0-500 ppm, non-wireless	Ea	\$420.00
	G02-B114-100	RAEG02-B114-100	ToxiRAE Pro: Hydrogen Sulfide, H2S, 0-100 ppm, wireless	Ea	\$620.00
A	G02-B110-100	RAEG02-B110-100	ToxiRAE Pro: Hydrogen Sulfide, H2S, 0-100 ppm, non-wireless	Ea	\$420.00
A	G02-B610-100	RAEG02-B610-100	ToxiRAE Pro: Chlorine, datalogging	Ea	\$520.00
A	G02-B710-100	RAEG02-B710-100	ToxiRAE Pro: Hydrogen cyanide, datalogging	Ea	\$520.00
	G02-B614-100	RAEG02-B614-100	ToxiRAE Pro: Chlorine, wireless	Ea	\$720.00
	G02-B714-100	RAEG02-B714-100	ToxiRAE Pro: Hydrogen cyanide, wireless	Ea	\$720.00
A	G02-BM10-100	RAEG02-BM10-100	ToxiRAE Pro: Hydrogen, H2, non-wireless	Ea	\$520.00
A	G02-BM14-100	RAEG02-BM14-100	ToxiRAE Pro: Hydrogen, H2, wireless	Ea	\$720.00
A	G02-BQ10-100	RAEG02-BQ10-100	ToxiRAE Pro: Formaldehyde, HCHO, non-wireless	Ea	\$720.00
A	G02-BQ14-100	RAEG02-BQ14-100	ToxiRAE Pro: Formaldehyde, HCHO, wireless	Ea	\$920.00



Honeywell



ToxiRAE Pro LEL Single-Gas Monitors for Combustible Gases, Model PGM-1820

Designed for the detection of combustible gases (LEL). This wireless, single-gas monitor is capable of 5-way local and remote alarm notification. Rugged, intrinsically safe and features three months of continuous datalogging, the largest display in their class, user-replaceable intelligent sensor, rechargeable battery and an automatic calibration option with AutoRAE 2.

Unit includes:

- ToxiRAE Pro LEL monitor with sensor, alligator clip, protective rubber boot, and rechargeable battery installed
- · Charging and PC communication cradle
- PC communication cable
- AC adapter (100 to 240 V, 50/60 Hz AC to 12 V DC)
- Calibration adapters
- CD with documentation
- · ProRAE Studio II software for PC-based instrument configuration and data management
- · Calibration card; quality certificate; packing list; and warranty/registration card
- Quick Start Guide

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
G02-B034-000	RAEG02-B034-000	ToxiRAE Pro LEL: 0-100% LEL, wireless	Ea	\$720.00
G02-B030-000	RAEG02-B030-000	ToxiRAE Pro LEL: 0-100% LEL, non-wireless	Ea	\$520.00

M031-4111-200






MicroRAETM Multi-Gas Monitor

Wireless multi-gas diffusion monitor simultaneously measures up to four gases, including hydrogen sulfide, carbon monoxide, oxygen and combustibles (LEL). With its multiple wireless connectivity options the MicroRAE can deliver real-time instrument readings, location, and alarm status to other wireless solutions such as ConneXt Plus, ConneXt Pro, ConneXt Loneworker and Safety Communicator.

Features

- · Honeywell ConneXt compatible with Mesh and Wi-Fi wireless configurations
- Real-time gas concentration reading, location, alarm and status enabled by state of-the-art wireless technology
- Bluetooth® low energy connection to a Smart Phone device for uplink data communication and device configuration
- · Compact and lightweight design
- IP-67 water- and dust-resistant case
- Strong, protective, concussion-proof design
- · Unmistakable 5-way local and remote wireless notification of alarm conditions







Honeywe



ToxiRAE 3 Single-Gas Monitors and Accessories

Full-featured single-gas monitor with intuitive, simple-to-operate user interface, large, easy-to-read display. The detector is maintenance-free with user-replaceable 2/3 AA high-capacity lithium batteries and warranted for two years. Unit includes calibration adapter, alligator clip and instructions.

Key features include:

- High-performance 3-electrode pinless micro sensor
- 0-100 ppm H2S
- CO available: high-range 0-1999 ppm, low-range 0-500 ppm
- Event logging up to 10 events
- Full activity records when used with AutoRAE Lite bump and calibration station
- IP67 water- and dust-resistant
- · Loud, 95 dB audible alarm, bright red flashing visible LEDs and internal vibration alarm
- · Color-coded labels for gas type
- Extended operating temperature range of -4° F to 140° F (-20° C to +60° C) with full T4 approval
- User-configurable bump/calibration reminders
- STEL, TWA, low and high alarms recorded

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
G01-0102-000	RAEG01-0102-000	ToxiRAE 3: H2S	Ea	\$200.00
G01-0102-010	RAEG01-0102-010	ToxiRAE 3: H2S, 10/Pk	Ea	\$1,800.00
G01-0101-000	RAEG01-0101-000	ToxiRAE 3: CO 0-500 ppm	Ea	\$200.00
G01-0101-010	RAEG01-0101-010	ToxiRAE 3: CO 0-500 ppm, 10/Pk	Ea	\$1,800.00

TOXIRAE 3 SINGLE-GAS MONITOR





RAE MiniRAE 3000 Portable VOC Monitors

Handheld volatile organic compound (VOC) monitor features a Photoionization Detector's (PID) extended range of 0 to 15,000 ppm, making it an ideal instrument for applications from industrial hygiene to leak and hazmat detection. The RF modem allows real-time data transmissions with a base controller located up to 500' (or two-miles with optional RAELink2 portable modem) away from the MiniRAE 3000 detector. A PC can be used as the base station for a Mini-RAE 3000 system. The standard ProRAE remote software is capable of monitoring the input of up to (64) remotely-located monitors.

- Accessory kit includes: hard transport case with pre-cut foam padding, charging/download cradle,
 (5) porous metal filters and O-rings, organic vapor zeroing kit, gas outlet port adapter and tubing.
- Calibration kit includes: 100 ppm isobutylene calibration gas, 34 L and calibration regulator and flow controller.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
$\textcolor{red}{\blacktriangle}$	059-B110-000	RAE059-B110-000	MiniRae 3000 PID monitor only, 10.6eV lamp, non-wireless	Ea	\$4,070.00
A	059-B111-100	RAE059-B111-100	MiniRae 3000 PID monitor, 10.6eV lamp, wireless Bluetooth, w/ accessory kit & calibration kit w/ gas	Ea	\$4,930.00
A	059-B110-100	RAE059-B110-100	MiniRae 3000 PID: 10.6eV lamp w/ accessory kit & calibration kit w/ gas	Ea	\$4,610.00

Honeywe

SRAE UltraRAE 3000

Photoionization Detector (PID) with extended range of 0.05 to 10000 ppm in VOC mode and 50 ppb to 200 ppm in benzene-specific mode makes it an ideal instrument for applications from entry pre-screening during refinery and plant maintenance to hazardous material response, marine spill response and refinery down-stream monitoring.

Monitor only includes:

- UltraRAE 3000 monitor, Model PGM-7360
- · Wireless communication in built, as specified
- Datalogging with ProRAE studio
- Travel download charger
- RAE UV 9. 8 eV lamp with RAE-Sep[™] tubes for Benzene
- Flex-I-Probe and short probe
- External filter
- Red rubber boot
- · Alkaline battery adapter
- · Lamp cleaning and tool kit

- Li-ion battery with universal AC/DC adapter and international plug kit, if specified
- Resources CD-ROM and maintenance manual
- Soft leather carrying case

Accessory kit includes:

- Hard case with pre-cut foam
- · Charging/download cradle
- (5) Porous metal filters and O-rings
- Organic vapor zeroing kit

Calibration kit includes:

- · Calibration gas, 34 L, as specified
- · Calibration regulator and flow controller

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
A	059-D310-000	RAE059-D310-000	UltraRAE 3000 w/ Li-ion battery & universal charger	Ea	\$5,390.00
A	059-D310-200	RAE059-D310-200	UltraRAE 3000 w/ Li-ion battery & universal charger, accessories kit & calibration kit	Ea	\$5,930.00
A	059-D311-200	RAE059-D311-200	UltraRAE 3000 w/ Li-ion battery & universal charger, accessories kit, calibration kit & wireless (Bluetooth®)	Ea	\$6,250.00

Honeywell

PRAE ppbRAE 3000 Portable VOC Monitors

Advanced handheld volatile organic compound (VOC) monitor incorporates a Photoionization Detector (PID) with extended range of 1 ppb to 10,000 ppm making it an ideal instrument for applications from hazmat and homeland security, industrial hygiene, to indoor air quality and military applications. The RF modem allows real-time data transmissions with a base controller located up to 500' (or 2 miles with optional RAELink2 portable modem) away from the ppbRAE 3000 detector. A personal computer can be used as the base station for a ppbRAE 3000 system. The standard ProRAE remote software is capable of monitoring the input of up to 64 remotely located monitors like AreaRAE, etc. Monitor with accessories kit includes hard transport case with pre-cut foam padding, charging/download cradle, 5 porous metal filters and O-rings, organic vapor zeroing kit, gas outlet port adapter and tubing. Optional calibration kit adds 10 ppm isobutylene calibration gas, 34 L, calibration regulator and flow controller.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
A	059-C110-000	RAE059-C110-000	ppbRAE 3000 PID monitor only, 10.6eV lamp, Li-ion battery & charger	Ea	\$6,720.00
A	059-C110-100	RAE059-C110-100	ppbRAE 3000 PID monitor, 10.6eV lamp w/ accessory kit & calibration kit	Ea	\$7,260.00
A	059-C111-100	RAE059-C111-100	ppbRAE 3000, monitor w/ 10.6eV lamp w/ accessory kit, calibration kit & wireless Bluetooth®	Ea	\$7,580.00

SRAE MultiRAE Lite Monitors

Optimal one-to-six-gas monitor for personal protection and multi-gas leak detection applications. Available in pumped and diffusion versions with a broad selection of sensor options. Configurable to meet the needs and compliance requirements of various countries, industries and applications.

Features

- Unmistakable 5-way local and remote wireless notification of alarm conditions, including Man-Down Alarm
- 25+ Interchangeable intelligent sensors, including PID for VOCs, NDIR and catalytic LEL for combustibles, and NDIR for CO2
- · Large graphical display with easy-to-use, icon-driven user interface and automatic "flip" feature
- Continuous datalogging (6 months for 5 sensors, 24x7)
- Easy maintenance with replaceable sensors, pump, and plug-and-play lithium-ion battery

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
A	MAB3-A2C112E-020	RAEMAB3-A2C112E-020	MultiRAE Lite: pumped, 10.6 eV PID, LEL, H2S, CO, O2, non-wireless	Ea	\$2,200.00
A	MAB3-A2C112E-420	RAEMAB3-A2C112E-420	MultiRAE Lite: pumped, 10.6 eV PID, LEL, H2S, CO, O2, wireless	Ea	\$2,500.00
A	MAB3-A2C1R3E-020	RAEMAB3-A2C1R3E-020	MultiRAE Lite: pumped, 10.6 eV PID, LEL, CO+H2S, SO2, O2, non-wireless	Ea	\$2,510.00
A	MAB3-A2C1R3E-420	RAEMAB3-A2C1R3E-420	MultiRAE Lite: pumped, 10.6 eV PID, LEL, CO+H2S, SO2, O2, wireless	Ea	\$2,810.00



MCB3-A3C1REZ-420

Honeywell

PRAE MultiRAE Pro Monitors

The industry's first wireless multi-threat detection tool that combines continuous monitoring capabilities for gamma radiation, volatile organic compounds, toxic, combustible gases, and oxygen. The MultiRAE Pro combines Man Down Alarm with real-time wireless data communication in a highly portable, MIL-STD-810G-compliant instrument.

Features:

- Unmistakable 5-way local and remote wireless alarm notification, including Man Down Alarm
- 25 Interchangeable sensor options, including parts-per-billion PID and gamma radiation
- Extensive on-board gas libraries (190 VOCs and 55 combustible gases)
- · Large graphical display with easy-to-use, icon-driven user interface and automatic "flip" feature
- Continuous datalogging (6 months for 5 sensors, 24x7)
- Easy maintenance with replaceable sensors, pump, and plug-and-play Lithium-ion battery

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
A	MCB3-A3C1REZ-020	RAEMCB3-A3C1REZ-020	MultiRAE Pro: pump, 10.6 eV ppb PID, LEL, CO+H2S, O2, Gamma, non-wireless	Ea	\$6,420.00
A	MCB3-A3C1REZ-420	RAEMCB3-A3C1REZ-420	MultiRAE Pro: pump, 10.6 eV ppb PID, LEL, CO+H2S, O2, Gamma, wireless	Ea	\$6,720.00

Honeywell

PRAE MultiRAE Benzene Gas Monitor

Wireless portable multi-gas monitor with Benzene-specific measurement. Wireless access to real-time instrument readings and alarm status from any location. Unmistakable five-way local and remote wireless notification of alarm conditions, including Man Down Alarm. Monochrome graphical LCD display (128 x 160) with backlighting. Intelligent sensors store calibration data, so they can be swapped in the field. Continuous datalogging (up to 6 months for 5 sensors) and snapshot data logging capabilities. Built-in sampling pump. Data download, instrument set-up and upgrades on PC via desktop charging and PC communications cradle, travel charger, or AutoRAE 2 Automatic Test and Calibration System. Wireless data and alarm status transmission via built-in RF modem (optional). IP-65 ingress protection rating. Fully automatic bump testing and calibration with AutoRAE 2. Hazardous Location Approvals: CSA: Class I, Division 1, Groups A, B, C and D, T4; Class II, Division 1; Groups E, F, G; T85°C. ATEX: II 1G Ex ia IIC T4 Ga; II 2G Ex ia d IIC T4 Gb with IR Sensor installed; I M1 Ex ia I Ma. IECEx: Ex ia IIC T4 Ga; Ex ia d IIC T4 Gb with IR Sensor installed; I M1 Ex ia I Ma.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
A	MZB3-A4C112E-021	RAEMZB3-A4C112E-021	MultiRAE: Benzene, pumped, 9.8 eV PID/ LEL/ H2S/CO/O2, Li-ion, non-wireless	Ea	\$4,240.00
A	MZB3-A4C112E-421	RAEMZB3-A4C112E-421	MultiRAE: Benzene, pumped, 9.8 eV PID/ LEL/ H2S/CO/O2, Li-ion, wireless	Ea	\$4,540.00







QRAE 3 MULTI-GAS MONITOR

ORAE 3 Multi-Gas Monitors

Versatile, rugged, multi-sensor gas monitor that provides continuous exposure monitoring of combustibles and toxic gases, including hydrogen sulfide (H2S), sulfur dioxide (SO2), carbon monoxide (CO), hydrogen cyanide (HCN) and oxygen (O2). Unit is certified for use in hazardous environments where exposure to toxic gas is a constant safety threat. Wireless communication capability enables access to real-time, remote instrument readings and alarm status, including an innovative Man Down Alarm. Large graphical display, icon-driven user interface through intuitive, 2-button operation.

- Extensive onboard gas library (dedicated 55 LEL correction factors)
- Easy maintenance with user-replaceable sensors, pump, and battery
- Fully-automated bump testing and calibration with AutoRAE 2
- IP Rating: pumped: IP-65, diffusion: IP-67
- Datalogging: Up to three months (4 sensors at 1-minute interval, 24/7), user-configurable
- LOW, HIGH, STEL (toxic) and TWA (toxic) alarms, user-configurable
- Alarms: bright visual alarm, 95dB audible alarm, vibration alarm
- · Certifications: CSA Class I, Division 1, Groups A, B, C and D

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
M020-21111-111	RAEM020-21111-111	QRAE 3 Diffusion, non-wireless	Ea	\$825.00
M020-11111-111	RAEM020-11111-111	QRAE 3 Pump, non-wireless	Ea	\$925.00
M020-11211-111	RAEM020-11211-111	QRAE 3 Pump, wireless	Ea	\$1,125.00
M020-21211-111	RAEM020-21211-111	QRAE 3 Diffusion, wireless	Ea	\$1,025.00



Honeywell

SRAE AutoRAE Lite Automated Bump and Calibration System

High-speed station bump test in 12 seconds and full calibration in 2 minutes. Operates on a low-pressure system with a built-in pump and demand-flow regulator that eliminates accidental leaks. Tamper-proof data files store data on a standard SD card, in a text file that can be opened by any spreadsheet software or text editor. Features "No gas flow" alarm. System comes complete with AutoRAE Lite as specified, USB cable for PC set up, universal power supply, demand-flow regulator (installed), SD memory card 512 MB, quick-start guide, inlet filter, diffusion adapter and CD that includes operation manual, drivers and utility software.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
T01-0001-000	RAET01-0001-000	AutoRAE Lite bump test & calibration (QRAE 2 version)	Ea	\$1,390.00
T01-0100-000	RAET01-0100-000	AutoRAE Lite bump test & calibration (ToxiRAE 3 version)	Ea	\$1,260.00



Honeywell AutoRAE 2 Automatic Bump Test and Calibration System

Advanced networked automatic test and calibration system for ToxiRAE Pro and MultiRAE instruments.

Features:

- Automatic bump testing, calibration, charging and records management
- Up to (5) dedicated gas inlet ports
- A controller with a large graphical color LCD display
- The controller supports up to (10) cradles at the same time
- Single cradle can be deployed in a standalone mode (without the controller)
- Versatile printing capability

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
	T02-0203-000	RAET02-0203-000	AutoRAE 2 cradle for QRAE 3	Ea	\$1,100.00
	T02-0107-000	RAET02-0107-000	AutoRAE 2 controller w/ terminal adapter	Ea	\$1,850.00
	T02-0103-000	RAET02-0103-000	AutoRAE 2 cradle for MultiRAE pumped models	Ea	\$1,550.00
A	T02-0003-000	RAET02-0003-000	AutoRAE 2 cradle for ToxiRAE Pro models w/ adapters for all ToxiRAE Pro models	Ea	\$840.00

PRAE ProRAE Guardian Mobile Command Center

Represents an advanced generation of real-time wireless gas detection software and serves as a mobile command center for threat-detection needs. Allows incident commanders and safety managers to get constantly updated, real-time data anywhere and anytime. Software connects, integrates and relays data from RAE Systems' and select partners' wireless products to remote monitors. Accepts real-time detector data and instantly displays device status, alarm and sensor reading information, integrating all information on a single, dynamic map display. Monitors installation from anywhere in the world. Geographically dispersed teams can coordinate threat responses while simultaneously viewing the same situational data, all in real-time.

Features:

- Lower deployment costs
- · Increased situational awareness
- 24/7 documentation of exposure conditions
- Early warning and tracking of hazardous threats
- Ideal for rapid deployment situations
- Real-time display of device status, sensor readings, and alarms
- Redesigned user interface with simultaneous on-screen instrument readings
- Integrated Google[™] Maps show precise instrument locations with alarm status
- · Remote alarming via email and text messages
- · Datalogging in text and graphical formats, including boolean filters
- Open platform for third-party devices and systems
- Image overlay option

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
▲ S01-1000-000	RAES01-1000-000	Tier 1, qty 1-49	Ea	\$250.00
▲ S01-1000-001	RAES01-1000-001	Tier 1, qty 50-99	Ea	\$188.00
▲ S01-2000-000	RAES01-2000-000	Tier 2	Ea	\$500.00
▲ S01-3000-000	RAES01-3000-000	Tier 3	Ea	\$1,000.00





RAE RAELink 3 Wireless Modem

License-free, ISM band RF transmission with communication range up to 500' with optional RAELink 3 modem. RAELink 3 modem provides GPS capability to track and display readings from remote detectors and provide long-distance transmission. The unit is also a compatible wireless upgrade package for MiniRAE 2000, ppbRAE Plus and MultiRAE Plus detectors. It allows real-time monitoring information from these detector to be integrated into an existing AreaRAE system. This modem transmits readings and other information on a real-time basis to a remotely located AreaRAE base controller. Call for further ordering details.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
\blacktriangle	029-0505-000	RAE029-0505-000	RAELink 3 kit multi-function modem w/ GPS	Ea	\$2,550.00
	029-0695-000	RAE029-0695-000	RAELink 3 Mesh modem kit multi-function modem w/ GPS	Ea	\$2,550.00



Honeywell

SPAE ConneXt Pack Confined Space Entry Kits

ConneXt Packs are a rapidly deployable confined space entry gas detection solution. Kits include 1-3 pumped or diffused gas monitors with sensing capabilities of CO, H2S, O2, LEL, a wireless host, and various accessories. The operation is simple, remove the devices from the case, press the on button, and the worker is ready to enter a confined space while the attendant is able to view toxic gas levels in real time from the wireless host, ensuring the confined space entrants are safe.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
A	F04R-B1111-000	RAEF04R-B1111-000	ConneXt Pack, 1 Unit QRAE 3 LEL, O2, CO, H2S pumped, EchoView host & accessories	Ea	\$2,385.00
A	F04R-B2111-000	RAEF04R-B2111-000	ConneXt Pack, 2 Units QRAE 3 LEL, O2, CO, H2S pumped, EchoView host & accessories	Ea	\$3,180.00
A	F04R-B3111-000	RAEF04R-B3111-000	ConneXt Pack, 3 Units QRAE 3 LEL, O2, CO, H2S pumped, EchoView host & accessories	Ea	\$4,175.00



F04R-B1111-000





SensorRAE 4R+ Portable Sensor Conditioning Station

Compact, waterproof SensorRAE 4R+ sensor conditioning station keeps up to (6) extra sensors warmed up and ready for quick deployment in MultiRAE or ToxiRAE Pro monitors. SensorRAE 4R+ keeps spare sensors on bias and readily available for use without the extra warm-up time after installation required by sensors such as ethylene oxide or nitric oxide. Intelligently applies bias to those sensors that need it and communicates sensor readiness status and battery levels with LED lights. Also provides a convenient way to protect, carry, and store spare sensors.

Features:

- Holds up to (6) 4R+ sensors at a time
- Delivers 6 months of uninterrupted runtime on (4) standard AAA batteries
- Simple to use- just plug in the sensors
- Clearly communicates sensor readiness status and battery levels with LED lights
- Supports MultiRAE, MultiRAE Lite, MultiRAE Pro, ToxiRAE Pro

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
T03-0001-000	RAET03-0001-000	SensorRAE 4R+ Portable Sensor	Ea	\$450.00







Demand-Flow Regulator CGA-600

Demand-Flow Regulator for pumped instruments. Female threaded for use with 34 L steel cylinders. (Not for use with HCN or CL2 gases).

ITEM#	MARTIN #	DESCRIPTION	MON	PRICE
▲ 002-3051-000	RAE002-3051-000	Demand-Flow Regulator	Ea	\$420.00



GAS CYLINDERS

Honeywell RAE



Gas Cylinders

Various mixtures and cylinder sizes available.

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Isobutylene 100 Pl	PM, Balance Air			
	610-1082-000	RAE610-1082-000	34 L	Ea	\$75.00
	610-0001-000	RAE610-0001-000	116 L	Ea	\$225.00
	4-Gas Calibration	Mix			
	610-0050-007	RAE610-0050-007	34 L	Ea	\$180.00
\blacktriangle	610-0050-070	RAE610-0050-070	54 L	Ea	\$250.00
	610-0004-000	RAE610-0004-000	116 L	Ea	\$420.00



Dräger X-dock® 5300 Test and Calibration Stations

Provides automatic bump tests, calibration, reduced test gas consumption, short testing times and comprehensive documentation. Comes in multiple configurations to allow for flexibility depending on the type of detection instrumentation being used. Includes a master controller with a module for a single gas detection instrument in the X-am 1/2/5000 or Pac^1 family of products.

Features:

- Touchscreen operation at the master controller station
- Up to 3 configurable test routines
- Automatic permeability tests
- Automatic tests of all alarm elements (acoustic, visual and vibration alarms)
- Optional charging function for X-am 1/2/5x00
- Easy to replace seal cartridge
- 12 V operation (e.g., in vehicles) available

X-DOCK® 5300 TEST

AND CALIBRATION STATION

Sensor performance testing

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
A	8321880	DRSA8321880	Draeger X-dock 5300 X-am 125 set: incl. (1) master (3 gases) w/ power supply & (1) instrument module for Draeger X-am 125 (limit to 1 module; *order needed regulator(s) separately)	Ea	\$2,687.07
	8321881	DRSA8321881	Draeger X-dock 5300 PAC set: incl. (1) master (3 gases) w/ power supply & (1) instrument module for Draeger PAC 3500/5500 & Draeger PAC 7000 (limit to 1 module; *order needed regulator(s) separately)	Ea	\$2,687.07

Dräger Pac® 3500 Personal Monitors

Lightweight, compact monitor with stable, rotating crocodile clip provides secure attachment to clothing or belts. Features shock-proof, chemical-resistant rubber coating, large display that continuously shows the gas concentration and XXS sensor that allows gas intake from the top and front providing continuous measurement. Alarms include clear, multi-toned signal, visual



4543958

alarm of bright, flashing 360° LED on the top and bottom and vibration.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
A	4543957	DRSA4543957	Pac 3500: CO 0-500 ppm w/ 1 ppm resolution	Ea	\$130.77
A	4543958	DRSA4543958	Pac 3500: H2S 0-100 ppm w/ 0.1 ppm resolution	Ea	\$130.77
A	4543959	DRSA4543959	Pac 3500: O2 0-25% vol. w/ 0.1% vol. resolution	Ea	\$130.77

Dräger X-am[®] 2500 Multi-Gas Detector

Personal protection detector that features reliable and fully mature measuring technology, durable sensors and easy handling that guarantees a high degree of safety with extremely low operating costs. Two-button control panel and easy menu navigation allows this instrument to be used intuitively, despite its comprehensive functionality. Water and dust resistant in accordance with protection class IP67. Can operate with either alkaline or rechargeable NIMH batteries.



4	54	2	261	١

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
L.	4542261	DRSA4542261	X-am 2500: Ex, O2, CO, H2S-LC w/ NiMH battery & charger	Ea	\$832.53

Dräger Rental Robot

Facilitates compliance by providing fully compliant, around-the-clock supply and return of safety equipment. The Rental Robot is a system of secure lockers from which authorized users can check out fully charged and calibrated equipment. This innovative system automates material logistics for safety equipment and can help achieve compliance. Available in different sizes with variable module and compartment configurations to suit your specific requirements. Small gas detectors are stored as efficiently as large breathing apparatus, and the Rental Robot can be fully stocked with Dräger products or left empty to be filled on-site.

System ensures that only authorized employees can access the safety equipment. Access to each compartment is defined individually based on the user's job responsibilities, level of training, fit testing results or other pre-determined qualifications. If a device needs to be serviced or if it has been marked as defective, it can no longer be accessed.

An intuitive check out/check in interface records and documents all releases and returns, and it can tell which employee used which instrument and for how long. If a device has been damaged during operation, the user reports it as defective at the terminal. This helps ensure that it is always known which devices are in use and the condition they are in. Rental Robot also helps to reduce the amount of safety equipment and material damaged or lost during operation.



ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE		ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
SRM03210	DRSASRM03210	Rental Robot 3-module locker	Ea	\$279.00	A	SRM06207	DRSASRM06207	Rental Robot 16-module locker	Ea	\$642.00
SRM06208	DRSASRM06208	Rental Robot 8-module locker	Ea	\$450.00	<u> </u>	SRM05171	DRSASRM05171	Rental Robot terminal	Ea	\$800.00

FAK25PL-CLSA

Honeywell

Class A First Aid Kits

Available in 25-, 50- and 75-person sizes with a plastic or steel case. Compact size and carrying handle make it easy to transport. Ideal for small and low risk business environments. Steel cases are water-resistant and plastic cases are waterproof. Meets requirements for 2015 ANSI Class A specifications.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
FAK25PL-CLSA	NTHFAK25PL-CLSA	25-Person first aid kit, plastic case	Ea	\$44.98
FAK25STL-CLSA	NTHFAK25STL-CLSA	25-Person first aid kit, steel case	Ea	\$65.63
FAK50PL-CLSA	NTHFAK50PL-CLSA	50-Person first aid kit, plastic case	Ea	\$82.05
FAK50STL-CLSA	NTHFAK50STL-CLSA	50-Person first aid kit, steel case	Ea	\$109.35
FAK75PL-CLSA	NTHFAK75PL-CLSA	75-Person first aid kit, plastic case	Ea	\$115.08
FAK75STL-CLSA	NTHFAK75STL-CLSA	75-Person first aid kit, steel case	Ea	\$140.93

Class A Kits (25, 50, 75-person)	FAK25	FAK50	FAK75
Adhesive Bandage, 4" x 2"	1	2	3
Adhesive Bandage, 1" x 3"	32	100	100
Fingertip Bandage	3	4	8
Knuckle Bandage	2	3	6
Triangular Bandage, 40" x 40" x 56"	1	1	1
Roller Bandage, 2"	2	3	4
Roller Bandage, 3"	1	2	2
Elastic Bandage 2" x 4.5 yds.	-	1	1

Class A Kits (25, 50, 75-person)	FAK25	FAK50	FAK75
Neomycin Antibiotic	10	10	10
Gauze Pad, 3" x 3"	4	10	10
Trauma Pad, 5" x 9"	2	2	2
Adhesive Tape 1/2" x 5 yds.	2	2	3
Burn Cream 1.0 g	10	10	10
Burn Dressing 4" x 4"	1	1	1
Eye Pads w/Adhesive Strips	4	4	4
Eye Wash, 1 oz.	1	1	2
Antiseptic Towelette	10	10	10
Hand Sanitizer .9 g	10	10	15

Class A Kits (25, 50, 75-person)	FAK25	FAK50	FAK75
Sting Relief Wipe	6	6	6
Cold Pack 5" x 6"	1	1	2
Scissors	1	1	1
Tweezers	1	1	1
Exam Gloves, Pr.	2	4	6
Non-Aspirin Pain Reliever, 2/pouch	3	3	3
CPR Filtershield	1	1	1
First Aid Guide	1	1	1





Soft Pak First Responder Kit

Easily transportable kit is ideal for office employee first responders and work vehicles. Meets requirements for 2015 ANSI Class B specifications.

ITEM #		MARTIN #		DESCRIPTION			UOM	PRICE
FRKSOFTPAK-CLSB		NTHFRKSOFTPAK-CLSB	NTHFRKSOFTPAK-CLSB		onder kit,	class B	Ea	\$187.50
FRKSOFTPAK-CLSB FRKSOFTPAK-CLSB			FRKSOFTPAK-CLSB	FRKSOFTPAK-CLSB	FRKSOFTPAK-CLSB			
Adhesive Bandage, 4" x 2"	10	Elastic Bandage 3" x 4.5 yds.	1	Eye Pads w/Adhesive Strips	8	Exam Gloves, Pr.		4
Adhesive Bandage, 1" x 3"	100	Neomycin Antibiotic	30	Eyewash, 4 oz.	1	Tourniquet		1
Fingertip Bandage	4	Blood Stopper Trauma Pad	4	Pump Antiseptic, 2 oz.	1	Wire Splint		1
Knuckle Bandage	6	Gauze Pad, 3" x 3"	10	Alcohol Prep Pads	10	CPR Filtershield		1
Triangular Bandage, 40" x 40" x 56"	2	Gauze Compress 18" x 36"	1	Hand Sanitizer, .9 g	10	Rescue Blanket		1
Roller Bandage, 2"	2	Adhesive Tape 1" x 5 yds	1	Cold Pack 5" x 6"	2	Hydrocortisone, 1.0%		10
Roller Bandage, 4"	1	Pump Burn Relief, 2 oz	1	Scissors	1	First Aid Guide		1
Bandage Compress 2"	4	Burn Dressing 4" x 4"	2	Tweezers	1			



Class B Kits

(100-, 150-, 200-person)

Adhesive Bandage, 4" x 2"

Adhesive Bandage, 1" x 3"

Fingertip Bandage

Knuckle Bandage

Triangular Bandage, 40" x 40" x 56"

Roller Bandage, 2"

Roller Bandage, 4"

Neomycin Antibiotic

Elastic Bandage 3" x 4.5 yds.

Blood Stopper Trauma Pad

Class B First Aid Kits

FAK100 FAK150

6

100

40

40

2

6

6

3

4

6

100

40

40

2

4

4

1

30

4

Available in 100-, 150- and 200-person sizes with a steel case. Features carrying handle for transportation. Ideal for medium to large offices and manufacturing facilities. For indoor use only. Meets requirements for 2015 ANSI Class B specifications.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
▲ FAK100CAB-CLSB	NTHFAK100CAB-CLSB	100-Person first aid kit	Ea	\$270.98
▲ FAK150CAB-CLSB	NTHFAK150CAB-CLSB	150-Person first aid kit	Ea	\$379.58
▲ FAK200CAB-CLSB	NTHFAK200CAB-CLSB	200-Person first aid kit	Ea	\$558.55

FAK200

6

100

40

40

3

8


8

4

30

4

Class B Kits (100-, 150-, 200-person)	FAK100	FAK150	FAK200
Gauze Pad, 2" x 2"	10	10	20
Gauze Pad, 3" x 3"	25	25	50
Adhesive Tape 1" x 5 yds.	2	2	2
Adhesive Tape 1/2" x 5 yds.	-	1	2
Non Adherent Pads 2" x 3"	10	20	20
Pump Burn Relief, 2 oz.	1	2	2
Burn Dressing 4" x 4"	2	2	3
Eye Pads w/Adhesive Strips	8	8	10
Eyewash, 4 oz.	1	1	2
Pump Antiseptic, 2 oz.	1	2	2
Alcohol Prep Pads	10	10	20







Honeywell


Class B Industrial First Aid Stations

Steel first aid stations for industrial environments. Wall mountable with carrying handle. Ideal for use in warehouses, large retail outlets, construction sites and manufacturing facilities. Meets requirements for 2015 ANSI Class B specifications.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
\blacktriangle	FAK3SHLF-CLSB	NTHFAK3SHLF-CLSB	Industrial first aid station, 3-shelf	Ea	\$279.45
	FAK4SHLF-CLSB	NTHFAK4SHLF-CLSB	Industrial first aid station, 4-shelf	Ea	\$358.93

Class B Stations (3- & 4-shelf)	FAK3SHLF	FAK4SHLF
Adhesive Bandage, 4" x 2"	6	6
Adhesive Bandage, Plastic, 1" x 3"	100	100
Adhesive Bandage, Woven, 1" x 3"	100	100
Fingertip Bandage	40	40
Knuckle Bandage	40	40
Triangular Bandage, 40" x 40" x 56"	2	2
Roller Bandage, 2"	4	4
Roller Bandage, 4"	4	4
Elastic Bandage 3" x 4.5 yds.	1	1
Neomycin Antibiotic	30	30
Blood Stopper Trauma Pad	4	4
Gauze Pad, 2" x 2"	10	10

Class B Stations (3- & 4-shelf)	FAK3SHLF	FAK4SHLF
Gauze Pad, 3" x 3"	25	25
Adhesive Tape 1" x 5 yds.	2	2
Non Adherent pads 2" x 3"	10	10
Pump burn relief, 2 oz.	1	1
Burn Dressing 4" x 4"	2	2
Pump Antiseptic, 2 oz.	1	1
Alcohol prep pads	10	10
Hand Sanitizer, .9 g	10	10
Cold Pack 5" x 6"	2	2
Scissors	1	1
Tweezers	1	1
Exam Gloves, Pr.	4	4
Tourniquet	1	1







FIRST AID ONLY SmartComplianceTM Large First Aid Cabinet

Solid steel case comes with a carrying handle and is wall mountable. Contents exceed the 2015 ANSI Class A requirements and are sufficient to treat 50 or more people. Measures: $13\ 1/2$ " x $14\ 1/2$ " x 3".

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
746004	FAO746004	SmartCompliance large first aid cabinet	Ea	\$202.38
746000	FAO746000	SmartCompliance large first aid cabinet w/ meds	Ea	\$202.38

Large SmartCompliance	746004	746000
1 1/2" x 1 1/2" Patch Plastic Bandage	10	10
1" x 3" Adhesive Fabric Bandage	25	25
3/4" x 3" Adhesive Plastice Bandage	25	25
Fingertip Fabric Bandage	10	10
2" x 5 yd. Elastic Bandage Wrap	1	-
Alcohol Wipe	20	20
BZK Anitseptic Wipes	20	20
Castile Soap Wipe	10	-
Hand Sanitizer	10	10

Large SmartCompliance	746004	746000
2" x 2" Gauze Pad	10	10
3" x 3" Gauze Pad	10	10
5" x 9" Trauma Pad	2	2
1/2" x 5 yd First Aid Tape	2	2
2" Gauze Roll	2	2
Triangular Bandage, 40" x 40" x 56"	1	1
Cold Pack, 4" x 5"	1	1
2" x 2" Moleskin Blister Prevention	10	-
CPR Mask	1	1
Nitrile Gloves	4	4

Large SmartCompliance	746004	746000
Eye Pad	2	2
1 oz. Eyewash	1	1
Aspirin Tablets	-	20
Non-Aspirin Tablets	-	20
Burn Cream	10	10
4" x 4" Burn Dressing	1	1
Ibuprofen Tablets	-	20
Triple Antibiotic Ointment	10	10
Forceps	1	1
Scissors	1	1
First Aid Guide	1	1



FIRST AID ONLY ANSI First Aid Stations with Medications

Solid steel case comes with a carrying handle and is wall mountable. Contents exceed the 2015 ANSI Class A requirements and are sufficient to treat 75 (2-shelf) or 100 or more people (3-shelf).

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
90574	FAO90574	3-Shelf first aid station w/ meds	15 1/2" x 17" x 5 3/4"	Ea	\$213.63
90572	FAO90572	2-Shelf first aid station w/ meds	15 1/4" x 11" x 4 1/2"	Ea	\$136.25

90572	
1" x 3" Adhesive Fabric Bandage	50
Antibiotic Ointment Packet	10
4 oz. Antiseptic Spray	1
CPR Mask w/ One Way Valve	1
4" x 4" Burn Dressing	1
4 oz. Burn Spray	1
4" x 5" Cold Compress	1
Sterile Eye Pad & Strip	4
1 oz. Eyewash	1
2" Conforming Gauze Roll	2
Scissors	1
Triangular Bandage, 40" x 40" x 56"	1
Tweezers	1

90572, continued	
3/4" x 3" Adhesive Plastice Bandage	100
Hand Sanitizer Packet	10
3" x 3" Gauze Dressing Pad	2
1/2" x 5 yd First Aid Tape	1
Knuckle Fabric Bandage	8
Fingertip Fabric Bandage	10
Alcohol Wipe	20
Aspirin Tablets	50
Non-Aspirin Tablets	50
5" x 9" Hema-Flex Trauma Pad in Gauze	1
5" x 9" Trauma Pad	1
Nitrile Gloves	4
First Aid Guide	1

90754	
1" x 3" Fabric Bandages	100
1/2" x 5 yd. First Aid Tape	1
Nitrile Gloves	12
Triple Antibiotic Ointment	25
Antiseptic Spray, 4 oz.	1
CPR Mask w/ One Way Valve	1
4" x 4" Burn Dressing	1
Burn Spray, 4 oz.	1
6" x 9" Cold Compress	1
Sterile Eye Pads and Strips	2
Eyewash, 4 oz.	1
Hand Sanitizer	10
2" Conforming Gauze Roll	1
Scissors	1
3" x 3" Gauze Pad	10
Triangular Bandage	2
Tweezers	1
2" x 3" Fabric Bandages	10
Fabric Knuckle and Fingertip Bandage	50
2" x 2" Gauze Dressing Pads	10
4" x 4" Gauze Dressing Pads	10
Alcohol Pads	100
Non-Aspirin	100
3" Cotton Tipped Applicators	100
4" x yds. Elastic Bandage	1
5" x 9" Hema-Flex in 4" x 4" Trauma Pad	1
5" x 9" Trauma Pad	1
Antacid tablets	100
First Aid Guide	1




FIRST AID ONLY 150-Person Class B Kit

Solid steel case comes with a carrying handle and is wall-mountable. Contents exceed the 2015 ANSI Class B requirements.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
\blacksquare	90576	FAO90576	150-Person, 4-shelf, Class B kit	Ea	\$324.88



90576	
2" Conforming Gauze Roll	10
Scissors	1
2" x 2" Gauze Pad	12
3" x 3" Gauze Pad	12
5" x 9" Trauma Pad	3
Triangular Bandage, 40" x 40" x 56"	2
4" x 4" Gauze Bandage	1
4" x 24" Padded Splint	1
Tourniquet	1
Antiseptic Spray, 4 oz.	1
Aspirin Tablet	250
Ibuprofen Tablet	250
Tweezers	1



90576



FIRST AID ONLY 50-Person Class A Kits

Case comes with a carrying handle and is wall-mountable. Contents meet the 2015 ANSI Class A requirements and are sufficient to treat 50 or more people.

ITEM #	MARTIN #	DESCRIPTION	иом	PRICE
90597	FAO90597	50-Person, Class A, Type I & II kit w/ dividers, plastic	Ea	\$49.93
90564	FAO90564	50-Person, Class A+, Type III kit, weatherproof metal	Ea	\$71.88

50-Person Class A Kits	90597	90564
1" x 3" Plastic Bandage	45	60
1/2" x 5 yd. First Aid Tape	1	1
Triple Antibiotic Ointment	10	12
BZK Anitseptic Wipes	15	15
CPR Mask w/ One Way Valve	1	1
4" x 4" Burn Dressing	1	1
Burn Cream	10	12
4" x 5" Cold Compress	1	1
Sterile Eye Pads	2	2

50-Person Class A Kits	90597	90564
Eyewash, 1 oz.	1	1
Hand Sanitizer Packet	8	10
Nitrile Gloves	4	4
2" Conforming Gauze Roll	2	2
Scissors	1	1
3" x 3" Gauze Pad	6	6
5" x 9" Trauma Pad	2	2
Triangular Bandage, 40" x 40" x 56"	1	1
4" Conforming Gauze Roll	1	1

50-Person Class A Kits	90597	90564
Fabric Knuckle Bandage	4	10
Fabric Fingertip Bandage	4	10
Insect Sting Relief Wipe	-	3
Tweezers	1	1
Alcohol Wipes	15	20
Infection Control Wipes	-	4
2" x 5 yd. Elastic Bandage	-	1
First Aid Guide	1	1



90564



FIRST AID ONLY 25-Person Class A Kits

Case comes with a carrying handle and is wall-mountable. Contents meet the 2015 ANSI Class A requirements and are sufficient to treat 25 or more people.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
90588	FAO90588	25-Person, Type I & II kit, plastic	Ea	\$33.13
90560	FAO90560	25-Person, Type III kit, metal	Ea	\$49.88

25-Person Class A Kits	90588	90560
BZK Antiseptic Towelettes	10	10
Burn Cream	10	10
Triple Antibiotic Ointment	10	10
1" x 3" Adhesive Plastic Bandages	32	8
Hand Sanitizer	6	6
3" x 3" Gauze Pad	4	2

25-Person Class A Kits	90588	90560
Nitrile Gloves	2	2
Sterile Eye Pad	2	2
5" x 9" Trauma Pad	2	2
4" x 4" Burn Dressing	1	1
4" x 5" Cold Compress	1	1
2" Conforming Gauze Roll	1	1

25-Person Class A Kits	90588	90560
CPR Mask w/ One Way Valve	1	1
1 oz. Eye Wash	1	1
1/2" x 5 yd First Aid Tape	1	1
Scissors	1	1
Triangular Bandage, 40" x 40" x 56"	1	1
First Aid Guide	1	1



FIRST AID ONLY 10-Person ANSI First Aid Kits

71-Piece kits come with a carrying handle and are wall mountable. Contents exceed 2015 ANSI Class A requirements and are sufficient to treat 10 or more people. Measures: 8" x 5" x 2 3/4".

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
90754	FAO90754	10-Person first aid kit, plastic case	Ea	\$28.13
90755	FAO90755	10-Person first aid kit, metal case	Ea	\$44.88

90754 (Plastic) & 90755 (Metal)	
1" x 3" Adhesive Plastic Bandage	16
1/2" x 5 yd First Aid Tape	1
Triple Antibiotic Ointment	10
BZK Anitseptic Towelette	10
CPR Mask w/ One Way Valve	1
4" x 4" Burn Dressing	1

90754 (Plastic) & 90755 (Metal)		
Burn Cream Packet	10	
4" x 5" Cold Compress	1	
Sterile Eye Pad	2	
1 oz. Eyewash	1	
Hand Sanitizer Packet	6	
Nitrile Gloves	4	

90754 (Plastic) & 90755 (Metal)				
2" Conforming Gauze Roll	1			
Scissors	1			
3" x 3" Gauze Dressing Pad	2			
5" x 9" Trauma Pad	2			
Triangular Bandage, 40" x 40" x 56"	1			
First Aid Guide	1			



25-Person ANSI 2015 Compliant First Aid Kits

Complete first aid kit contains everything needed to maintain safety. Supplies feature bilingual labels in English and Spanish, for easy reading in an emergency. Class A ANSI-compliant.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
90568	FAO90568	25-Person/16-Unit unitized kit w/ Class A basic fill, metal	Ea	\$68.75
90569	FAO90569	25-Person/16-Unit unitized kit w/ Class A basic fill, plastic	Ea	\$47.38

90568 Metal / 90569 Plastic	
1" x 3" Adhesive Bandages	16
Adhesive Strips	2
2" Gauze Roll	2
3" x 3" Gauze Pad	4
5" x 9" Trauma Pad	2
Triangular Bandage	1
4" x 4" Burn Dressing	1
1/2" x 5 yd First Aid Tape	1
Triple Antibiotic Ointment	12
BZK Anitseptic Wipes	10

90568 Metal / 90569 Plastic	
Burn Cream	12
CPR Mask	1
Cold Pack	1
Eye Pad	2
Eye Wash	1 (1 oz.)
Hand Sanitizer	10
Nitrile Gloves	4
Scissors	1
First Aid Guide	1











FIRST AID ONLY 25-Person Contractor's First Aid Kit

Plastic first aid kit is perfect for work vehicles and to have while on a jobsite. 179-Piece kit can treat 25 people.

EM #	MARTIN #	DESCRIPTI	ON		UOM	PRIC
	FAO9301-25P	Contractor's			Ea	\$23.63
9301-25P		9301-25P		9301-25P		
Adhesive plastic bandages, 1" x 3'	100	Trauma pad, 5" x 9"	1	Scissors		1
Knuckle fabric bandages	2	BZK antiseptic towelettes	42	Tweezers		1
Fingertip fabric bandages	2	Antibiotic ointment packs	6	Exam qualit	y vinyl gloves, 2 pairs	4
Conforming gauze roll, 3"	1	First aid/burn cream packs	6	Emergency	First Aid Guide	1
Triangular sling bandage	1	Cold compress 4" x 5"	1	i		
Gauze dressing pads, 3" x 3"	8	First aid tape roll, 1/2" x 10yd	l. 1	1		

Kidde

466142K KFH Specialty **Disposable Multi-Purpose Dry Chemical (ABC)** Fire Extinguisher

Effective on all common classes of fire. For general home use. Economical and extremely versatile. Designed to meet the occupancy requirements of most commercial, industrial, and domestic environments. All units are manufactured with the highest percentage of active ingredient for maximum performance. Compact design. 1-A:10-B:C UL® Rating.

466142	NET TO LET THE PARTY OF THE PAR	
	HOM	PRIC

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
<u>.</u>	466142	LOG466142	Multi-purpose dry chemical (ABC) fire extinguisher	Ea	\$33.33



Wall Bracket for Fire Extinguishers

Durable, reliable wall hanger ensures extinguisher is securely attached to wall until it is needed. Fits Kidde extinguishers: 466289, 466164, 466057 and 46616401.



	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
1	293263	LOG293263	Fire extinguisher wall bracket	Ea	\$2.60





Service Lite Fire Extinguisher FX340SC

Suitable for use on Class A (trash, wood and paper), Class B (liquids and gases) and Class C fires (energized electrical equipment). Fitted with a pressure gauge providing at-a-glance status. Features lightweight aluminum cylinder and nylon valve assembly. For protecting both low and moderate hazards. UL® rating of 3-A:40-B:C.



21006204

	ITEM #	MARTIN #	DESCRIPTION	иом	PRICE
A	21006204	LOG21006204	Service Lite fire extinguisher FX340SC	Ea	\$53.08



Heavy-Duty Vehicle Brackets

Brackets designed to be used in areas of rough vibration or heavy traffic. Required for Coast Guard approval.



ITEM #	# MARTIN # DESCRIPTION	SIZES	ООМ	PRICE
466400	LOG466400 Heavy-duty bracket	5 lb.	Ea	\$7.47



Forklift Bracket for Fire Extinguisher

Designed to work with a Universal Strap Bracket (sold separately) to help secure an extinguisher to a rectangular forklift support.



	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
A	21009952	LOG21009952	Fire extinguisher forklift bracket	Ea	\$25.58



Multi-Purpose Pro LineTM Extinguishers

Designed to meet most commercial and industrial applications. Seamless aluminum and steel cylinders feature chip-resistant paint. Handles and levers are made of pressed, heavy-gauge metal for added strength. Checking the pressure is fast and easy with a reliable pressure gauge. ABC type dry chemical extinguisher uses a non-toxic monoammonium phosphate (MP) agent.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
	Size 7.8" x 16"				
\blacktriangle	46611201K	LOG46611201K	5 MP fire extinguisher w/ metal vehicle bracket	Ea	\$69.80
\blacktriangle	466112K	LOG466112K	5 MP fire extinguisher w/ wall bracket	Ea	\$60.17
	Size 8.22" x 21.				
\blacktriangle	466204K	LOG466204K	10 MP fire extinguisher w/ wall bracket	Ea	\$80.68
\blacktriangle	466206K	LOG466206K	20 MP fire extinguisher w/ wall bracket	Ea	\$147.82
	Size 5.3" x 15"				
\blacktriangle	46622701K	LOG46622701K	2 1/2 MP fire extinguisher w/ metal vehicle bracket	Ea	\$51.50
\blacktriangle	466227K	LOG466227K	2 1/2 MP fire extinguisher w/ wall bracket	Ea	\$46.80





Hog HeavenTM Anti-Fatigue Matting

Constructed of solid nitrile rubber surface with closed-cell nitrile/PVC cushion backing. Offers chemical resistance along with textured surface for superior slip resistance. Available in two thicknesses 5/8" and 7/8". Borders are available in black or OSHA approved striped borders. Welding safe and electrically conductive. Flexible rubber borders will not crack or tear. Contains 16.5% recycled rubber content. Ideal for work stations, assembly lines, shipping lines and other areas where workers stand for extended periods. Certified slip-resistant by the National Floor Safety Institute.



ITEM #	MARTIN #	COLOR	SIZES	UOM	PRICE	ITEM #	MARTIN #	COLOR	SIZES	UOM	PRICE
Hog Heaven Ma	atting, 5/8" Thick					Hog Heaven Ma	atting, 7/8" Thick				
421000023	ANCO421000023	Black	2' x 3'	Ea	\$44.04	422000023	ANCO422000023	Black	2' x 3'	Ea	\$49.93
421000035	ANCO421000035	Black	3' x 5'	Ea	\$106.47	422000035	ANCO422000035	Black	3' x 5'	Ea	\$120.49
421000046	ANCO421000046	Black	4' x 6'	Ea	\$260.73	422000046	ANCO422000046	Black	4' x 6'	Ea	\$295.35
421000312	ANCO421000312	Black	3' x 12'	Ea	\$177.02	422000312	ANCO422000312	Black	3' x 12'	Ea	\$200.53
421000488	ANCO421000488	Black	4.8' x 8'	Ea	\$318.25	422000488	ANCO422000488	Black	4.8' x 8'	Ea	\$361.11
423020023	ANCO423020023	Black/yellow	2' x 3'	Ea	\$53.84	424020023	ANCO424020023	Black/yellow	2' x 3'	Ea	\$59.73
423020035	ANCO423020035	Black/yellow	3' x 5'	Ea	\$123.51	424020035	ANCO424020035	Black/yellow	3' x 5'	Ea	\$137.53
423020046	ANCO423020046	Black/yellow	4' x 6'	Ea	\$302.47	424020046	ANCO424020046	Black/yellow	4' x 6'	Ea	\$337.09
423020312	ANCO423020312	Black/yellow	3' x 12'	Ea	\$197.47	424020312	ANCO424020312	Black/yellow	3' x 12'	Ea	\$220.98
423020488	ANCO423020488	Black/yellow	4.8' x 8'	Ea	\$356.20	424020488	ANCO424020488	Black/yellow	4.8' x 8'	Ea	\$404.67





► Hog Heaven[™] II Modular Tiles

Provides outstanding anti-fatigue qualities with 3/4" thickness for dry areas. Solid 20% recycled nitrile rubber top surface for excellent chemical and oil resistance. Closed cell nitrile cushion provides long-lasting comfort. Molded cushion backing (not glued) so surface will not delaminate. Remains flexible; will not curl or crack. Linkable beveled border system available in black or yellow. Ideal for distribution, manufacturing, work stations and check-out stations. Welding safe, electrically conductive and certified slip-resistant by the National Floor Safety Institute.



ITEM #	MARTIN #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
522000001	ANCO522000001	Modular tile, middle	Black	18" x 18"	Ea	\$30.04
522000002	ANCO522000002	Modular tile, side	Black	18" x 21.875"	Ea	\$38.40
522000003	ANCO522000003	Modular tile, corner	Black	21.875" x 21.875"	Ea	\$46.00
522000004	ANCO522000004	Modular tile, side	Black/yellow	18" x 21.875"	Ea	\$39.65
522000005	ANCO522000005	Modular tile, corner	Black/yellow	21.875" x 21.875"	Ea	\$49.27
524000001	ANCO524000001	Modular tile w/ grit, middle	Black	18" x 18"	Ea	\$34.53
524000002	ANCO524000002	Modular tile w/ grit, side	Black	18" x 21.875"	Ea	\$44.15
524000003	ANCO524000003	Modular tile w/ grit, corner	Black	21.875" x 21.875"	Ea	\$52.91
524000004	ANCO524000004	Modular tile w/ grit, side	Black/yellow	18" x 21.875"	Ea	\$45.58
524000005	ANCO524000005	Modular tile w/ grit, corner	Black/yellow	21.875" x 21.875"	Ea	\$56.65





► Hog Heaven[™] II Linkable Mats

Provides outstanding anti-fatigue qualities with 3/4" thickness for dry areas. Solid 20% recycled nitrile rubber top surface for excellent chemical and oil resistance. Closed cell nitrile cushion provides long-lasting comfort. Molded cushion backing (not glued) so surface will not delaminate. Remains flexible; will not curl or crack. Linkable beveled border system connects linearly. Ideal for distribution, manufacturing, work stations and check-out stations. Welding safe, electrically conductive and certified slip resistant by the National Floor Safety Institute.

ITEM #	MARTIN #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
4210000002	ANCO4210000002	Linkable mat, middle	Black	36" x 43.75"	Ea	\$152.80
4210000001	ANCO4210000001	Linkable mat, end	Black	39.875" x 43.75"	Ea	\$152.80
4211000002	ANCO4211000002	Linkable mat, middle	Black/yellow	36" x 43.75"	Ea	\$158.58
4211000001	ANCO4211000001	Linkable mat, end	Black/yellow	39.875" x 43.75"	Ea	\$158.58
4212000002	ANCO4212000002	Linkable mat w/ grit, middle	Black	36" x 43.75"	Ea	\$175.73
4212000001	ANCO4212000001	Linkable mat w/ grit, end	Black	39.875" x 43.75"	Ea	\$175.73
4213000002	ANCO4213000002	Linkable mat w/ grit, middle	Black/yellow	36" x 43.75"	Ea	\$182.36
4213000001	ANCO4213000001	Linkable mat w/ grit, end	Black/yellow	39.875" x 43.75"	Ea	\$182.36









W WEARWELL

SMART Diamond-Plate #497

Anti-fatigue mats are designed to provide comfort and increase productivity of standing workers. Reduces the level of overall fatigue, decrease isolated lower body aches and pains, and absorbs the shock of walking on hard surfaces. An economical and "green" solution. Abrasion-resistant Diamond-Plate surface is bonded to 100% recycled urethane composite sponge base. Comfortable and functional in dry industrial applications. Available in UltraSoft 1" thickness. Lasts five times longer than traditional sponge mats. Made from 80% recycled content.

	ITEM #	MARTIN #	SIZES	UOM	PRICE	
	SMART Diamond-Plate					
	497.1x2x3BK	WEAR497.1x2x3BK	2' x 3'	Ea	\$45.64	
\blacktriangle	497.1x2x75BK	WEAR497.1x2x75BK	2' x 75'	RI	\$1,160.11	
	497.1x3x5BK	WEAR497.1x3x5BK	3' x 5'	Ea	\$115.71	
$\textcolor{red}{\blacktriangle}$	497.1x3x75BK	WEAR497.1x3x75BK	3' x 75'	RI	\$1,656.49	
\blacktriangle	497.1x4x75BK	WEAR497.1x4x75BK	4' x 75'	RI	\$2,209.82	

ITE	:M #	MARTIN #	SIZES	UOM	PRICE
MAF	RT Diamond-Plate No	. 497, Black with Yellow Border			
497	'.1x2x3BYL	WEAR497.1x2x3BYL	2' x 3'	Ea	\$50.56
497	.1x2x75BYL	WEAR497.1x2x75BYL	2' x 75'	RI	\$1,264.82
497	'.1x3x5BYL	WEAR497.1x3x5BYL	3' x 5'	Ea	\$125.58
497	'.1x3x75BYL	WEAR497.1x3x75BYL	3' x 75'	RI	\$1,806.33
497	'.1x4x75BYL	WEAR497.1x4x75BYL	4' x 75'	RI	\$2,409.69





WWEARWELL

UltraSoft Diamond-Plate #414

Encourage employee productivity with the UltraSoft Diamond-Plate. Double-thick Nitricell® sponge base is a nitrile rubber composite that provides resilience and exceptional feel. Ideal for heavy-use areas, the diamond-plate surface resists abrasion and most chemical spills. Available with yellow borders. All edges are safety beveled. Overall thickness is 15/16".

WEAR414.1516x2x3BK

WEAR414.1516x3x3BK

WEAR414.1516x3x5BK

WEAR414.1516x4x5BK

WEAR414.1516x5x5BK


WEAR414.1516x2x75BK

WEAR414.1516x3x75BK

WEAR414.1516x4x75BK

WEAR414.1516x5x75BK

WEAR414.1516x6x75BK



2' x 3'

3' x 3'

3' x 5'

4' x 5'

5' x 5'

2' x 75'

3' x 75'

4' x 75'

5' x 75'

6' x 75'

Ea

Fa

Ea

RΙ

Fa

RI

Ea

				40	SALES OF THE PARTY
PRICE	ITEM #	MARTIN #	SIZES	UOM	PRICE
	UltraSoft Diamond-Plate,	Black/Yellow			
\$86.56	414.1516x2x3BYL	WEAR414.1516x2x3BYL	2' x 3'	Ea	\$72.95
\$238.16	414.1516x3x3BYL	WEAR414.1516x3x3BYL	3' x 3'	Ea	\$201.24
\$216.33	414.1516x3x5BYL	WEAR414.1516x3x5BYL	3' x 5'	Ea	\$182.24
\$317.55	414.1516x4x5BYL	WEAR414.1516x4x5BYL	4' x 5'	Ea	\$268.33
\$2,172.85	414.1516x5x5BYL	WEAR414.1516x5x5BYL	5' x 5'	Ea	\$432.82
\$2,172.85	414.1516x2x75BYL	WEAR414.1516x2x75BYL	2' x 75'	RI	\$1,824.20
\$3,103.36	414.1516x3x75BYL	WEAR414.1516x3x75BYL	3' x 75'	Ea	\$2,605.75
\$4,137.56	414.1516x4x75BYL	WEAR414.1516x4x75BYL	4' x 75'	RI	\$3,473.96
	414.1516x5x75BYL	WEAR414.1516x5x75BYL	5' x 75'	Ea	\$6,037.98
\$66.82	414.1516x6x75BYL	WEAR414.1516x6x75BYL	6' x 75'	Ea	\$6,712.80
\$183.29	UltraSoft Diamond-Plate,	Gray			
\$166.95	414.1516x2x3GY	WEAR414.1516x2x3GY	2' x 3'	Ea	\$81.69
\$244.40	414.1516x3x3GY	WEAR414.1516x3x3GY	3' x 3'	Ea	\$214.13
\$401.25	414.1516x3x5GY	WEAR414.1516x3x5GY	3' x 5'	Ea	\$204.13
\$1,673.05	414.1516x4x5GY	WEAR414.1516x4x5GY	4' x 5'	Ea	\$285.51
\$2,389.40	414.1516x2x75GY	WEAR414.1516x2x75GY	2' x 75'	Ea	\$1,956.45
\$3,184.98	414.1516x3x75GY	WEAR414.1516x3x75GY	3' x 75'	Ea	\$2,793.98
\$5,597.38	414.1516x4x75GY	WEAR414.1516x4x75GY	4' x 75'	Ea	\$3,726.00
\$6,224.11					





UltraSoft Diamond-Plate, Black

▲ 414.1516x2x3BK

▲ 414.1516x3x3BK

▲ 414.1516x3x5BK

▲ 414.1516x4x5BK

▲ 414.1516x5x5BK

▲ 414.1516x2x75BK

▲ 414.1516x3x75BK

▲ 414.1516x4x75BK

▲ 414.1516x5x75BK

▲ 414.1516x6x75BK

W WEARWELL

Diamond-Plate Select #495

High-tech industrial surface withstands heavy use while its specially formulated blown-vinyl Flex-Link sponge base lessens standing worker fatigue. 15/16" Thickness.

ITEM #	MARTIN #	COLOR	SIZES	UOM	PRICE
Diamond-Plate Select					
495.1516x2x3BK	WEAR495.1516x2x3BK	Black	2' x 3'	Ea	\$59.40
495.1516x2x3BYL	WEAR495.1516x2x3BYL	Black/yellow	2' x 3'	Ea	\$65.67
495.1516x3x5BK	WEAR495.1516x3x5BK	Black	3' x 5'	Ea	\$150.24
495.1516x3x5BYL	WEAR495.1516x3x5BYL	Black/yellow	3' x 5'	Ea	\$164.09
495.1516x2x75BK	WEAR495.1516x2x75BK	Black	2' x 75'	Ea	\$1,505.31
495.1516x2x75BYL	WEAR495.1516x2x75BYL	Black/yellow	2' x 75'	Ea	\$1,640.67
495.1516x3x75BK	WEAR495.1516x3x75BK	Black	3' x 75'	Ea	\$2,151.04
495.1516x3x75BYL	WEAR495.1516x3x75BYL	Black/yellow	3' x 75'	Ea	\$2,345.22
495.1516x4x75BK	WEAR495.1516x4x75BK	Black	4' x 75'	Ea	\$2,866.02
495.1516x4x75BYL	WEAR495.1516x4x75BYL	Black/yellow	4' x 75'	Ea	\$3,126.02










WWEARWELL

Diamond-Plate SpongeCote® #415

This favorite features 3/8" thick, super resilient, Nitricell® sponge base that enhances employee productivity and relieves fatigue. Nitricell is a special nitrile rubber/PVC compound designed for extreme comfort, immediate recovery and long life. The diamond-embossed, 100% vinyl surface provides extra traction, is self-extinguishing and resists chemicals and abrasion. Available with optional yellow borders. All sides are beveled for safety. Overall thickness is 9/16". Made from 50% recycled content.



ITEM #	MARTIN #	SIZES	UOM	PRICE	ITEM #	MARTIN #	SIZES	UOM	PRICE
Diamond-Plate SpongeCo	te with Chevron Borders				Diamond-Plate SpongeCo	te, Black/Yellow			
415.916x2x3CHV	WEAR415.916x2x3CHV	2' x 3'	Ea	\$68.00	415.916x2x3BYL	WEAR415.916x2x3BYL	2' x 3'	Ea	\$57.29
415.916x3x3CHV	WEAR415.916x3x3CHV	3' x 3'	Ea	\$186.33	415.916x3x3BYL	WEAR415.916x3x3BYL	3' x 3'	Ea	\$151.69
415.916x3x5CHV	WEAR415.916x3x5CHV	3' x 5'	Ea	\$170.20	415.916x3x5BYL	WEAR415.916x3x5BYL	3' x 5'	Ea	\$131.89
415.916x4x5CHV	WEAR415.916x4x5CHV	4' x 5'	Ea	\$248.44	415.916x4x5BYL	WEAR415.916x4x5BYL	4' x 5'	Ea	\$202.25
415.916x2x75CHV	WEAR415.916x2x75CHV	2' x 75'	Ea	\$1,701.20	415.916x5x5BYL	WEAR415.916x5x5BYL	5' x 5'	Ea	\$326.42
415.916x3x75CHV	WEAR415.916x3x75CHV	3' x 75'	Ea	\$2,429.62	415.916x2x75BYL	WEAR415.916x2x75BYL	2' x 75'	Ea	\$1,383.65
415.916x4x75CHV	WEAR415.916x4x75CHV	4' x 75'	Ea	\$3,240.38	415.916x3x75BYL	WEAR415.916x3x75BYL	3' x 75'	Ea	\$1,976.11
Diamond-Plate SpongeCo	te, Black				415.916x4x75BYL	WEAR415.916x4x75BYL	4' x 75'	Ea	\$2,634.49
415.916x2x3BK	WEAR415.916x2x3BK	2' x 3'	Ea	\$50.27	415.916x5x75BYL	WEAR415.916x5x75BYL	5' x 75'	Ea	\$4,554.67
415.916x2x75BK	WEAR415.916x2x75BK	2' x 75'	Ea	\$1,212.47	415.916x6x75BYL	WEAR415.916x6x75BYL	6' x 75'	Ea	\$5,064.73
415.916x3x3BK	WEAR415.916x3x3BK	3' x 3'	Ea	\$134.25	Diamond-Plate SpongeCo	te, Gray			
415.916x3x5BK	WEAR415.916x3x5BK	3' x 5'	Ea	\$122.24	415.916x2x3GY	WEAR415.916x2x3GY	2' x 3'	Ea	\$58.75
415.916x4x5BK	WEAR415.916x4x5BK	4' x 5'	Ea	\$179.00	415.916x3x3GY	WEAR415.916x3x3GY	3' x 3'	Ea	\$155.49
415.916x5x5BK	WEAR415.916x5x5BK	5' x 5'	Ea	\$288.55	415.916x3x5GY	WEAR415.916x3x5GY	3' x 5'	Ea	\$146.65
415.916x3x75BK	WEAR415.916x3x75BK	3' x 75'	Ea	\$1,732.00	415.916x4x5GY	WEAR415.916x4x5GY	4' x 5'	Ea	\$207.31
415.916x4x75BK	WEAR415.916x4x75BK	4' x 75'	Ea	\$2,309.64	415.916x2x75GY	WEAR415.916x2x75GY	2' x 75'	Ea	\$1,417.56
415.916x5x75BK	WEAR415.916x5x75BK	5' x 75'	Ea	\$4,020.38	415.916x3x75GY	WEAR415.916x3x75GY	3' x 75'	Ea	\$1,877.20
415.916x6x75BK	WEAR415.916x6x75BK	6' x 75'	Ea	\$4,469.24	415.916x4x75GY	WEAR415.916x4x75GY	4' x 75'	Ea	\$2,701.07





WWEARWELL

ErgoDeck® Open Grid #560 and SOFT Open Grid #564

For use in wet and non-greasy areas or in dry environments where small debris can drop through matting system. System of 7/8" thick, super-sized ergonomic tiles, ramps and corners. Quickly and easily covers large areas and requires less time and labor to install. Features LockSafe®, a patented and totally effective, interlocking system that quickly "locks" tiles together, and keeps them together despite constant use. Heavy-duty #560 provides flexibility underfoot and reduces fatigue, yet also withstands cart traffic and heavy usage. Tiles can endure up to 64 psi, the equivalent of a 300 lb. cart with 4" diameter wheels. #564 is a softer compound underfoot and is ideal for light cart traffic.

ITEM#	MARTIN #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
560.78x18x18BK-CS10	WEAR560.78x18x18BK-CS10	ErgoDeck Open Grid, heavy-duty	Black	18" x 18"	Cs	\$295.09
560.78x6x15x15YL-CS4	WEAR560.78x6x15x15YL-CS4	ErgoDeck outside corner	Yellow	6" x 15" x 15"	Cs	\$169.13
560.78x6x18YL-CS10	WEAR560.78x6x18YL-CS10	ErgoDeck ramp	Yellow	6" x 18"	Cs	\$115.96
564.78x18x18CH-CS10	WEAR564.78x18x18CH-CS10	ErgoDeck Soft Open Grid	Charcoal	18" x 18"	Cs	\$295.45



WWEARWELL

24/Seven® Open #572

Modular, anti-fatigue mats are designed to work 24/7 to keep employees comfortable. Hidden interlocking system works as a single workstation mat or to cover large areas. Drainage surface allows fluids and debris to freely flow through, preventing pooling of liquids. Available in (3) compounds: grease-resistant for all-purpose use, nitrile compound for exposure to petroleum based/industrial fluids, and CFR formulation for areas with mineral oil base cutting fluids and solvents. Available with optional safety borders. Overall thickness is 5/8".

ITEM #	MARTIN #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
24/Seven Mats						
572.58x3x3GRBK	WEAR572.58x3x3GRBK	All-purpose mat	Black	3' x 3'	Ea	\$62.60
572.58x3x3CRFBK	WEAR572.58x3x3CRFBK	CFR mat	Black	3' x 3'	Ea	\$108.76
572.58x3x3NBRBK	WEAR572.58x3x3NBRBK	Nitrile mat	Black	3' x 3'	Ea	\$123.47
572.EdgingFGRYL	WEAR572.EdgingFGRYL	All-purpose female edging	Yellow	3" x 39"	Ea	\$16.64
572.EdgingMGRYL	WEAR572.EdgingMGRYL	All-purpose male edging	Yellow	3" x 39"	Ea	\$16.64
572.EdgingFCFRYL	WEAR572.EdgingFCFRYL	CFR female edging	Yellow	3" x 39"	Ea	\$27.00
572.EdgingMCFRYL	WEAR572.EdgingMCFRYL	CFR male edging	Yellow	3" x 39"	Ea	\$27.00
572.EdgingFNBRYL	WEAR572.EdgingFNBRYL	Nitrile female edging	Yellow	3" x 39"	Ea	\$29.55
572.EdgingMNBRYL	WEAR572.EdgingMNBRYL	Nitrile male edging	Yellow	3" x 39"	Ea	\$29.55

Master

ZenexTM Thermoplastic Safety Padlocks

Designed exclusively for lockout/tagout applications. Features 1/4" dia. metal shackle. The Zenex thermoplastic lock body provides durability while still being lightweight. Padlock features a reserved-for-safety, key retaining cylinder to ensure padlock is not accidently left uplocke



A1106RED

ensure padlock is not accidently left unlocked. Each padlock has a keyed-alike or keyed-different, 6-pin cylinder to reduce risk of key duplication within key system. Cylinder features over 40,000 key changes. Includes (1) key to comply with the "one employee, one lock, one key" industry guideline. Available in red, yellow, green, blue, orange, black, teal and purple.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
410RED	ML410RED	Keyed-different, 1 3/4" tall body, 1 1/2" shackle clearance	Ea	\$10.98
410KARED	ML410KARED	Keyed-alike, 1 3/4" tall body, 1 1/2" shackle clearance	Ea	\$10.98

A1106GRN

/IMERICAN LOCK

Aluminum Safety Padlocks

Color-coded solid aluminum padlocks are perfect for lockout/ tagout. Helps comply with OSHA

regulations. Padlocks have an anodized finish.

Lightweight, corrosion-resistant padlock bodies have case-hardened, boron alloy steel shackles, and 5-pin solid brass cylinders. Over 10,000 key changes available, making the possibility of duplicating keys very low. Cylinders can be re-keyed.

ITEM #	MARTIN #	COLOR	UOM	PRICE
Keyed-Different, 1 1/2	2" Shackle			
A1106RED	MLA1106RED	Red	Ea	\$12.02
A1106BLU	MLA1106BLU	Blue	Ea	\$12.02
A1106BRN	MLA1106BRN	Brown	Ea	\$12.02
A1106GRN	MLA1106GRN	Green	Ea	\$12.02
A1106YLW	MLA1106YLW	Yellow	Ea	\$15.02
A1106BLK	MLA1106BLK	Black	Ea	\$12.02
A1106ORJ	MLA1106ORJ	Orange	Ea	\$12.02
A1106CLR	MLA1106CLR	Plain	Ea	\$12.02
A1106PRP	MLA1106PRP	Purple	Ea	\$12.02
Keyed-Alike, 1 1/2" S	Shackle			
A1106KARED	MLA1106KARED	Red	Ea	\$12.02
A1106KABLU	MLA1106KABLU	Blue	Ea	\$12.02
A1106KABRN	MLA1106KABRN	Brown	Ea	\$12.02
A1106KAGRN	MLA1106KAGRN	Green	Ea	\$12.02
A1106KABLK	MLA1106KABLK	Black	Ea	\$12.02
A1106KAYLW	MLA1106KAYLW	Yellow	Ea	\$12.02
A1106KAORJ	MLA1106KAORJ	Orange	Ea	\$12.02
A1106KACLR	MLA1106KACLR	Clear	Ea	\$12.02
A1106KAPRP	MLA1106KAPRP	Purple	Ea	\$12.02

Master

Non-Sparking Padlocks

Nylon shackle helps prevent electrocution, arc flashing and electrical current from shackle to key. All components are non-sparking and non-magnetic; plastic, copper and brass. Designed exclusively for lockout/tagout applications. Durable, lightweight, non-conductive ZenexTM lock body. Key retaining ensures that padlock is not left unlocked.



1 1/2" W x 1 3/4" H Body, plastic shackle with 1 1/2" clearance.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
406RED	ML406RED	Non-sparking padlock, keyed-different	Ea	\$11.40
406KARED	ML406KARED	Non-sparking padlock, keyed-alike	Ea	\$11.40

BRADY.

Compact Safety Padlocks

Compact keyed-different safety padlocks have 1" shackle and comply with all OSHA requirements, in addition to being a safer alternative to metal locks for lockout applications. The body is nonconductive and



the unique key cylinder prevents electricity from traveling from the shackle to the key, protecting workers when the key is inserted.

	ITEM #	MARTIN #	DESCRIPTION	COLOR	UOM	PRICE
\blacktriangle	143150	BRA143150	Compact safety lock	Red	Ea	\$11.61
	143158	BRA143158	Compact safety lock	Yellow	Ea	\$11.61



OBRADY.

Safety Padlocks

Special 6-pin cylinder resists tampering and results in more unique key cuts, reducing the likelihood that one worker's key will open another's lock. Non-conductive red body resists sparking. Compact and lightweight, with 1 1/2" shackle. Constructed of reinforced nylon for chemical, corrosion and temperature resistance. Complies with all applicable OSHA lockout requirements.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
•	99552	BRA99552	Reinforced nylon padlock w/ 1 1/2" shackle	Ea	\$14.39



BRADY.

Steel Group Lockout Hasps

Constructed of vinyl-coated high tensile steel with rust-resistant plating. Holds up to (6) locks at once. Lock holes measure 3/8" dia.

ITEM#	MARTIN #	DESCRIPTION	UOM	PRICE
65375	BRA65375	1" dia. jaws	12/Pk	\$103.61
133162	BR A133162	1 1/2" dia. jaws	Ea	\$7.49
65376	BRA65376	1 1/2" dia. jaws	12/Pk	\$123.25



Economy Aluminum Hasp

Non-sparking, aluminum small hasp weighs only 1 1/2 oz. Features 5/8" holes for up to (6) padlocks with a maximum of 3/8" shackle diameter.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
$\textcolor{red}{\blacktriangle}$	105720	BRA105720	1" dia. hasp	Ea	\$8.63
$\textcolor{red}{\blacktriangle}$	105721	BRA105721	1 1/2" dia. hasp	Ea	\$9.88



BRADY.

Steel Group

Lockout Hasps with Tabs

Case-hardened steel with rustproof plating and bright red vinyl insulation. Tamperproof interlocking tabs prevent unauthorized opening. Holds up to (6) locks at once. Lock holes measure 3/8" dia.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
105718	BRA105718	1" dia. jaws	Ea	\$9.00
105719	BRA105719	1 1/2" dia. jaws	Ea	\$10.36



LABELED LOCKOUT HASPS



BRADY.

Labeled Lockout H

Constructed from tough 5052 anodized aluminum alloy. Allows a single employee to lock out a piece of equipment and begin servicing it. Label surface accepts pens, pencils and permanent markers. Printing from pens and pencils may be erased from lockout hasps. Tamper-proof locking tab. Hasp size: 7 1/14" x 3" x 3/16".

ITEM #	MARTIN #	DESCRIPTION	COLOR	UOM	PRICE
▲ 65960	BRA65960	Danger Do Not Operate hasps, reverse side #1	Red	5/Pk	\$83.96
▲ 65961	BRA65961	Danger Do Not Operate hasps, reverse side #1	Silver	5/Pk	\$83.96
▲ 65962	BRA65962	Danger Do Not Operate hasps, reverse side #1	Blue	5/Pk	\$83.96
▲ 65963	BRA65963	Danger Do Not Operate hasps, reverse side #1	Green	5/Pk	\$83.96
▲ 65964	BRA65964	Danger Do Not Operate hasps, reverse side #1	Gold	5/Pk	\$83.96





S3923



The innovative Grip Tight technology works with simple thumb turn and clamping handle to effectively lock out circuit breakers. Combines great strength and universal fit. The profile permits side-by-side breakers.

strength and universal fit. The narrow profile permits side-by-side breaker lockout.

Durable construction with powder-coated steel

and reinforced polymer performs effectively in harsh environments.

ITEM # MARTIN # DESCRIPTION UOM PRICE

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
491B	ML491B	Lockout device for tall & wide toggles	Ea	\$7.53
493B	ML493B	Lockout device for standard single & double toggles	Ea	\$5.63

Master Blind Flange Lockouts Fully conceals flange

Fully conceals flange bolts preventing access to blind until all work has been completed.

Adjustable device provides tight fit, adapting to multiple flanged pipe applications. Durable

aluminum and hardened steel construction withstands conditions indoors and out. Features (4) lockout holes to allow multiple workers to lockout device at one time.

l		ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
		S3922	MLS3922	For nut dia. 3/4" to 1 1/8"	S	Ea	\$59.37
	\blacktriangle	S3923	MLS3923	For nut dia. 1" to 1 7/8"	M	Ea	\$67.62
_	\blacktriangle	S3924	MLS3924	For nut dia. 2" to 2 3/4"	L	Ea	\$75.92

Master Adjustable Ball Valve Lockout

Easy-to-use device prevents accidental activation of a closed ball valve. Adjustable design fits 1/2" to 2" valves. Durable,

lightweight thermoplastic material is

chemical-resistant and performs effectively in extreme environments. Removable insert accommodates a wide range of handle designs and dimensions. Works with cable lockout device (S806) for the most secure fit. Four locking holes accept all Master Lock® and American Lock® safety padlocks.

S3081

S806

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE	
S3081	MLS3081	Ball valve lockout	Ea	\$20.97	



Pneumatic Quick-Disconnect Lockout

Lockout is applied to the male fitting, isolating equipment from all compressed air sources.

Accommodates majority of 1/4",
3/8" and 1/2" male fittings. Hole in center of device allows for permanent storage on an air hose and loop on the side can be used to hang hose and lockout device. Lockout accepts padlocks with 1/4" or 9/32" shackles.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
\blacksquare	64221	BRA64221	Pneumatic quick-disconnect lockout	Ea	\$24.54



Master Lock
Adjustable Cable Lockout

Integrated safety hasp and cable is easy to use and ideal for both circuit breaker panel and side-by-side gate valve lockouts. Simply feed 6" cable end through points to be locked out, and then back through lockout body.

Cinch it tight to remove any slack with patented locking feature.

Tough, multi-stranded 1/4" dia. steel cable is extremely flexible and insulated with a clear vinyl coating to pass through virtually all lockout points. Lightweight, dielectric Zenex™ thermoplastic body withstands chemicals and performs effectively in extreme conditions. Red color identifies the safety lockout application. Complete with high-visibility safety labels (English, French and Spanish).

ITI	EM#	MARTIN #	DESCRIPTION	UOM	PRICE	4
S8	06	MLS806	Cable lockout w/ 6' cable	Ea	\$18.72	4

BRADY.

Gate Valve Lockouts

Makes locking out valves safe and easy. Made of durable, non-adherent red plastic to resist chemicals

and hot and cold temperatures. Stainless steel hinge design for added strength and security.

Unique knockout feature accommodates Outside Screw & Yoke (OS&Y) or "rising stem" gate valves. Designed to accept all locks with up to 3/4" shackle dia. and 3/4" or greater vertical shackle clearance. Available in (4) sizes to fit valve handles from 2 1/2" to 13" in diameter.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
65561	BRA65561	Fits 2 1/2"-5" dia. valves	Ea	\$29.92
65562	BRA65562	Fits 5"-6 1/2" dia. valves	Ea	\$35.83
65563	BRA65563	Fits 6 1/2"-10" dia. valves	Ea	\$44.86
65564	BRA65564	Fits 10"-13" dia. valves	Ea	\$87.04






BRADY.

Prinzing Ball Valve Lockouts

Designed to lock a wide range of valves. Unique, large ball valve lockout is both versatile and easy to use. Made from ultra-tough polypropylene. Small ball valve



up to 2 1/2" dia. pipes in the "off" position. The large ball valve lockout is designed for valves on pipes from 2" to 8" dia.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
\blacksquare	BS07A	BRABS07A	Small ball valve lockout	Ea	\$28.02
▲	BS08A	BRABS08A	Large ball valve lockout	Ea	\$28.02





BS074



Adjustable Gate Valve Lockout

Adjusts to fit valve handles from 1" to 6 1/2" wide. Made from durable plastic. Can stand up to extreme temperatures from -50° F to 360° F. Includes "Danger" labels in English, Spanish and French.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
\blacktriangle	64057	BRA64057	Adjustable gate valve lockout	Ea	\$36.30



All-Purpose Cable Lockout Device

Makes lock out of hazardous energy sources faster, more efficient, effective and easy-to-use. Unique design helps ensure switches and valves are locked down tight.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
A	50941	BRA50941	All-purpose cable lockout w/ 8' nylon cable	Ea	\$52.48
	65318	BR A65318	Red cable lockout device w/ 6' cable	Ea	\$46.64



- wall, or simply grab and go
- · Slots in lid to insert and store locked out keys
- Unique twist-to-turn lid for secure close
- Inner pry-guard prevents tamper access
- Lid has two see through windows and carry handle
- Octagon shaped box in red conveys the STOP message
- 7 3/4" x 7 3/4" x 4" box is durable, impact-resistant plastic

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
KCC620	ACUFKCC620	STOPOUT® Look 'n Stop Compact Group Lock Box	Ea	\$22.57





STOPOUT® Versatile Pneumatic Lockout

Provides a lockout to your pneumatic equipment/source to maintain worker safety. Secure and lockout several pneumatic devices at the same time, preventing connection to a compressed air line source. There are seven openings ranging from 9/32" - 1/2" diameter to fit most male and female pneumatic end fittings.

- Red octagon design reinforces lockout STOP status
- · Clear top to see what is locked out
- Rugged polycarbonate halves with metal hinge close down on the end fittings
- Overall dimensions are 3 7/8" x 3 1/4" x 1 7/8"

	ITEM#	MARTIN #	DESCRIPTION	UOM	PRICE
A	KDD480	ACUFKDD480	STOPOUT® Versatile Pneumatic End-Fittings Lockout	Ea	\$20.27

BRADY.

Double Looped Lockout Cable

Plastic-coated steel cable is ideal for 131063 situations that require a flexible lockout device and a visual deterrent. Perfect for locking out large valves. Lightweight. 2' Length. Red.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
Ā	131063	BRA131063	Double looped lockout cable	Ea	\$5.88



Oversized Breaker Lockout

Ideal device for 480/600 V switches up to 2 1/4" wide and 7/8" thick. Made of durable polypropylene and glass-filled impact-modified nylon. Applies in seconds with thumbscrew mechanism: no screwdriver needed.



ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
65329	BRA65329	Oversized breaker lockout	Ea	\$16.61
65321	BRA65321	Oversized breaker lockouts	6/Pk	\$78.57

BRADY.

Mini Cable Lockout

Offers the versatility of traditional cable lockouts, but is small enough to fit in the palm of hand. Perfect lockout for electricians, contractors, mobile repair crews and other workers

on the move. Designed for tough industrial applications.

The 4" diameter body is constructed of durable nylon that resists impacts, chemicals and corrosion. Features a retractable 8' cable and includes (6) holes for padlocks, facilitating group lockouts without the need for hasps.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
\blacktriangle	50940	BRA50940	Mini cable lockout w/ steel cable	Ea	\$44.68
\blacktriangle	51442	BRA51442	Mini cable lockout w/ nylon cable	Ea	\$44.68



51442

Wall Switch Lockouts

May be used with most wall-mounted switches. Simple to install using existing plate screws. Available in hard-to-miss hi-viz red with a patented non-hinge design Padlock sold separately.





IIEWI#	MARIIN#	DESCRIPTION	UOM	PRICE	design.	Padiock Sc	ЛU
50940	BRA50940	Mini cable lockout w/ steel cable	Ea	\$44.68			
51442	BRA51442	Mini cable lockout w/ nylon cable	Ea	\$44.68	ITEM #	MARTIN #	0
					4 05000	DD 405000	٠,

DESCRIPTION UOM PRICE BRA65392 Wall switch lockout Ea \$12.16 65392 65696 BRA65696 Wall switch lockouts 6/Pk \$66.28

BRADY.

Electrical Lockouts


- Snap-On is designed for 120 V circuit breakers that have holes in switch tongue and accepts lock shackles up to 9/32" in diameter.
- · Clamp-On uses a patented thumbscrew design and is made of rugged polypropylene and impact-modified nylon. Accepts lock shackles up to 9/32" in diameter.
- Universal Multi Pole is made of durable impact-modified nylon and is compatible with most 2 or 3 pole breakers.
- Plug Lockout is designed for heavy-duty applications. Made of durable polypropylene, the lockouts are available in 110 V and 220/500 V sizes.
- 3-in-1 Plug Lockout accommodates high and low-voltage plugs up to 3" in diameter and 5 1/2" in length. Made of bright yellow thermoplastic material.
- Stopower[™] Plug Lockout stops electrical cords from being plugged into outlet.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
$\textcolor{red}{\blacktriangle}$	65387	BRA65387	120 V Snap-on circuit breaker lockout	Ea	\$5.34
$\textcolor{red}{\blacktriangle}$	65688	BRA65688	Single pole lockout	6/Pk	\$28.88
$\textcolor{red}{\blacktriangle}$	65396	BRA65396	120/277 V Clamp-on breaker lockout	Ea	\$10.74
$\textcolor{red}{\blacktriangle}$	65965	BRA65965	120/277 V Clamp-on breaker lockout	6/Pk	\$59.01
$\textcolor{red}{\blacktriangle}$	65397	BRA65397	480/600 V Clamp-on breaker lockout	Ea	\$12.06
$\textcolor{red}{\blacktriangle}$	65966	BRA65966	480/600 V Clamp-on breaker lockout	6/Pk	\$65.14
$\textcolor{red}{\blacktriangle}$	66321	BRA66321	Universal multi-pole breaker lockout	Ea	\$10.74
$\textcolor{red}{\blacktriangle}$	66320	BRA66320	Universal multi-pole breaker lockout	6/Pk	\$59.01
\blacktriangle	65673	BRA65673	Stopower plug lockout	Ea	\$21.27

BRADY.

Hubbell Plugouts®

Fits the majority of heavier industrial plug applications, Large version accepts plugs with maximum 4 1/2" diameter




	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
$\textcolor{red}{\blacktriangle}$	65695	BRA65695	Plugout, small	Ea	\$31.91
$\textcolor{red}{\blacktriangle}$	65968	BRA65968	Plugout, large	Ea	\$38.95

BRADY.

3-In-1 Plug Lockout

Accommodates high and low voltage plugs up to 3" in diameter and 5 1/2" in length. The (2) sliding top lids can be used individually or together to fit small, medium and large diameter cords up to 1 1/4". Made of bright yellow thermoplastic material.







PI 023





Portable Metal Lock Box

Tamper-proof design is made of heavy-duty steel, powder-coated for extra rust resistance. Accommodates up to (13) padlocks and can store up to (40) padlocks. Measures: 6" H x 9" W x 3 1/2" D. Locks not included.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
65699	BRA65699	Portable metal lock box	Ea	\$93.78





Prinzing Group Lockout Box

Place item(s) for lockout in box and have each affected employee place padlock (up to 12) on box so that it cannot be opened until all padlocks have been removed.

	ITEM # MARTIN #	DESCRIPTION	UOM	PRICE
$\textcolor{red}{\blacktriangle}$	LG096E BRALG096E	Prinzing group lockout box	Ea	\$51.72





BRADY.

Metal Wall Lock Box

Made of durable, powder-coated steel with key slot on top and clear window that slides out when locks are removed. Pre-drilled holes and hardware included for quick mounting. Seven key pegs hold (5) keys each; (7) lock holes along bottom. Measures: 7" H x 8" W x 2 1/4" D.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
105714	BRA105714	Small wall lock box	Ea	\$129.14



Breaker

Lockout Sampler Toolbox Kits

Designed for 120/277 V and 480/600 V breakers in single- and multi-pole configurations.

Kits include:

- (1) 120 V/277 V Clamp-on breaker lockout with cleat
- (1) 480 V/600 V Clamp-on breaker lockout with cleat
- (1) Universal multi-pole breaker lockout
- (2) 1" Group lockout hasps
- (2) Heavy-duty lockout tags with nylon cable ties
- (1) Lockout belt pouch

• (2) Ke	yed-alike safe	Breaker lockout pouch kit			
ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE	4
105967	BRA105967	Breaker lockout pouch kit w/ safety padlocks	Ea	\$112.94	4
105968	BRA105968	Breaker lockout pouch kit w/ steel padlocks	Ea	\$116.86	4



BRADY.

Personal Padlock Pouch

Easily transportable lockout/tagout

Kits include:

- (2) 1" Group lockout hasps
- (2) Heavy-duty lockout tags with ties
- (2) Keyed-alike safety padlocks
- Soft lockout belt pouch

	ITEM#	MARTIN #	DESCRIPTION	UOM	PRICE
A	105969	BRA105969	Personal padlock pouch w/ safety padlocks	Ea	\$83.47
	105970	BRA105970	Personal padlock pouch w/ steel padlocks	Ea	\$85.43



Lockout Tool Box Kit

Everything needed to lock and mark equipment and prevent its use until repairs have been completed.

Kit includes:

- (1) Plastic lockout tool box with tray
- (1) 1"-2 1/2" Gate valve lockout
- (1) Small ball valve lockout
- (2) Blue padlocks, (1) 3/4" and (1) 2"
- (1) Labeled lockout hasp
- (5) Lockout tags

- (1) Universal multi-pole lockout
- (1) 277 V "No Hole" lockout
- (1) 480/600 V "No Hole" lockout
- (1) Wall switch lockout
- (1) Small Brady plug lockout



ITEM #	MARTIN #	DESCRIPTION		UOM	PRICE
65289	BRA65289	Lockout tool box		Ea	\$162.04









BRADY.

Padlock Tags

Made of calendared vinyl material that accepts pencil, pen or marker. Features 3/8" metal grommet that fits over most padlock shackles. Measures: 3" x 2", plus 1" for grommeted tab.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
105722	BRA105722	Danger Equipment Locked Out	Ea	\$2.51
105723	BRA105723	Danger Do Not Operate	Ea	\$2.51

Master Lock

Boxed Roll of Tags

Durable polypropylene material withstands extreme environments. Attaches directly to padlock (up to 9/32" shackle width) and complies with OSHA's padlock identification standard. Box provides convenient storage and transportation between jobs and holds (100) tags. Tags measure: 6" x 3".

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
À	S4810	MLS4810	Do Not Operate	RI	\$61.87

BRADY.

Standard Lockout Tags

Lockout tags comply with OSHA lockout standard. Feature a reinforcing brass grommet with 3/8" dia. to accept most padlocks. All tag material surfaces allow for easy personalization of tags with name, department and estimated completion information as required by regulations.

Choose from two durable materials:

Heavy-Duty Polyester (B-837):

Durable polyester laminate protects graphics and holds up against water, grease and extreme temperatures. Heavy-duty construction prevents accidental removal. Withstands up to 80 lbs. pullout force. 7/16" Diameter brass grommet. 5 1/2" x 3".

Economy Polyester (B-851):

Rigid polyester surface is easy to write on and stays legible longer. Exceeds OSHA 50 lb. pullout requirement. 3/8" Diameter brass grommet. 5 3/4" x 3".

Side B:This energy source has been LOCKED OUT! Unauthorized removal of this lock/tag may result in immediate discharge.

Side F: This energy source has been LOCKED OUT! Only the individual who signed the reverse side may remove this lock/tag.



	ITEM #	MARTIN #	DESCRIPTION	STYLE	UOM	PRICE
	Heavy-Du	ty Polyester				
$\textcolor{red}{\blacktriangle}$	65502	BRA65502	Do Not Operate	Side B	25/Pk	\$69.23
$\textcolor{red}{\blacktriangle}$	65535	BRA65535	Do Not Operate	Side F	25/Pk	\$69.23
$\textcolor{red}{\blacktriangle}$	65520	BRA65520	Do Not Operate, striped	Side B	25/Pk	\$69.23
$\textcolor{red}{\blacktriangle}$	65525	BRA65525	Do Not Operate, striped	Side F	25/Pk	\$69.23
$\textcolor{red}{\blacktriangle}$	65503	BRA65503	Do Not Operate/Maint Dept.	Side B	25/Pk	\$69.23
	Economy	Polyester				
$\textcolor{red}{\blacktriangle}$	66050	BRA66050	Do Not Operate	Side B	25/Pk	\$41.49
$\textcolor{red}{\blacktriangle}$	66051	BRA66051	Do Not Operate	Side F	25/Pk	\$41.49
$\textcolor{red}{\blacktriangle}$	66063	BRA66063	Do Not Operate, striped	Side B	25/Pk	\$41.49
$\textcolor{red}{\blacktriangle}$	66064	BRA66064	Do Not Operate, striped	Side F	25/Pk	\$41.49
$\textcolor{red}{\blacktriangle}$	66066	BRA66066	Danger Locked Out	Side B	25/Pk	\$41.49
A	65501	BRA65501	Self-laminating tags, Danger Do Not Operate		10/Pk	\$24.31



Has all the electrolytes of original Gatorade with only 20 calories. Enhances athletic performance by stimulating fluid absorption, helping body maintain fluid balance and providing fuel to working muscles. Hydrates more





effectively than water alone. Simply add

(1) single-serving stick to 20 oz. of water and shake bottle to mix.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
13168	GAT13168	Fruit Punch	Bx	\$42.73
13167	GAT13167	Grape	Bx	\$42.73
13160	GAT13160	Glacier Freeze	Bx	\$42.73











Thirst Quencher Instant Drink Mix

Helps replenish lost electrolytes and stimulates thirst, promoting proper hydration. The 6% carbohydrate solution delivers energy without carbonation or caffeine. Powder mixes quickly and easily with water. Assorted flavors and package sizes.

with water. Assorted havers and package sizes.					
ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE	
2.12 oz. lr	nstant Powder I	Mix Makes 1 Qt.			
03928	GAT03928	Lemon-Lime	144/Cs	\$121.40	
33808	GAT33808	Fruit Punch	144/Cs	\$121.40	
33675	GAT33675	Riptide Rush	144/Cs	\$121.40	
8.5 oz. Ins	8.5 oz. Instant Powder Mix Makes 1 Gal.				
03956	GAT03956	Lemon-Lime	40/Cs	\$86.51	
03966	GAT03966	Orange	40/Cs	\$86.51	
03808	GAT03808	Fruit Punch	40/Cs	\$86.51	
33665	GAT33665	Riptide Rush	40/Cs	\$86.51	
21 oz. Ins	tant Powder Mi	x Makes 2 1/2 Gal.			
13478	GAT13478	G2 Variety pack (Grape, Fruit Punch)	32/Cs	\$163.84	
03969	GAT03969	Lemon-Lime	32/Cs	\$163.84	
03970	GAT03970	Orange	32/Cs	\$163.84	
33691	GAT33691	Fruit Punch	32/Cs	\$163.84	
33677	GAT33677	Glacier Freeze	32/Cs	\$163.84	
33673	GAT33673	Riptide Rush	32/Cs	\$163.84	
03944	GAT03944	Variety Pack (Lemon-Lime, Fruit Punch, Orange, Riptide Rush)	32/Cs	\$163.84	
51 oz. Ins	tant Powder Mi	x Makes 6 Gal.			
03967	GAT03967	Lemon-Lime	14/Cs	\$152.33	
03968	GAT03968	Orange	14/Cs	\$152.33	
33690	GAT33690	Fruit Punch	14/Cs	\$152.33	
33676	GAT33676	Glacier Freeze	14/Cs	\$152.33	
33672	GAT33672	Riptide Rush	14/Cs	\$152.33	



Thirst Quencher Instant Powder Packets

Electrolyte and carbohydrate blend provides optimal rehydration. Single-serve packets are a portable and convenient solution for meeting on-the-go beverage needs. 1 oz. powder makes 20 oz. 8/Bx.



1	3	1	6	5

ITEM#	MARTIN #	DESCRIPTION	UOM	PRICE
13163	GAT13163	Lemon-Lime	12 Bx/Cs	\$42.73
13165	GAT13165	Orange	12 Bx/Cs	\$42.73
13166	GAT13166	Fruit Punch	12 Bx/Cs	\$42.73



Thirst Quencher Liquid Concentrate

Helps replenish lost electrolytes and stimulates thirst, promoting proper hydration. The 6% carbohydrate solution delivers energy without carbonation or caffeine. Liquid concentrate mixes instantly with water. Yield: 1 gal. liquid makes 6 gal. drink.



ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
03984	GAT03984	Lemon-Lime	4/Cs	\$52.71
03955	GAT03955	Orange	4/Cs	\$52.71
33977	GAT33977	Fruit Punch	4/Cs	\$52.71
33305	GAT33305	Fierce® Grape	4/Cs	\$52.71
49044	GAT49044	Pump for liquid concentrate	Ea	\$3.64



Thirst Quencher Coolers and Accessories



Drink coolers, cups and accessories provide workers with re-hydrating drinks when and where needed.

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
	49200	GAT49200	Cooler w/ fast flow spigot	3 gal.	Ea	\$58.42
	49134	GAT49134	Cooler w/ fast flow spigot, cup dispenser	7 gal.	Ea	\$97.22
	49602	GAT49602	Cooler w/ fast flow spigot, cup dispenser	10 gal.	Ea	\$111.80
A	49037	GAT49037	Ice chest	48 qt.	Ea	\$60.96
A	49136	GAT49136	Cooler truck bracket for 3, 5, 7 & 10 gal. cooler		Ea	\$72.29
<u>.</u>	49191	GAT49191	Fast flow spigot		Ea	\$12.09



Liquid Concentrate

Great tasting, scientifically formulated electrolyte replacement drink restores important mineral salts and fluids lost through dehydration,



physical exertion and heat stress. More satisfying than water or soft drinks because it is readily absorbed by the body. Mixes quickly and easily with water. Yield: 64 oz. Liquid concentrate makes 5 gal.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
030319-SL	SQW030319-SL	Strawberry Lemonade	6/Cs	\$60.00
030320-MB	SQW030320-MB	Mixed Berry	6/Cs	\$60.00
030321-CH	SQW030321-CH	Cherry	6/Cs	\$60.00
030322-GR	SQW030322-GR	Grape	6/Cs	\$60.00
030323-LA	SQW030323-LA	Lemonade	6/Cs	\$60.00
030324-OR	SQW030324-OR	Orange	6/Cs	\$60.00
030325-FP	SQW030325-FP	Fruit Punch	6/Cs	\$60.00
030328-LL	SQW030328-LL	Lemon-Lime	6/Cs	\$60.00
030329-TC	SQW030329-TC	Tropical Cooler	6/Cs	\$60.00
030330-CC	SQW030330-CC	Cool Citrus	6/Cs	\$60.00

400104



Powder Mix

Replace lost fluids and electrolytes and avoid dangerous dehydration in high-heat

environments. Quickly mixes with water and is convenient enough to take anywhere. Yield: 23.83 oz. powder mix makes 2 1/2 gals.



016044-AS

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
016040-LA	SQW016040-LA	Lemonade	32/Cs	\$124.75
016041-OR	SQW016041-OR	Orange	32/Cs	\$124.75
016042-FP	SQW016042-FP	Fruit Punch	32/Cs	\$124.75
016043-LL	SQW016043-LL	Lemon-Lime	32/Cs	\$124.75
016044-AS	SQW016044-AS	Assorted	32/Cs	\$124.75
016045-TE	SQW016045-TE	Tea	32/Cs	\$124.75
016046-GR	SQW016046-GR	Grape	32/Cs	\$124.75
016047-CH	SQW016047-CH	Cherry	32/Cs	\$124.75
016048-MB	SQW016048-MB	Mixed Berry	32/Cs	\$124.75
016049-TC	SQW016049-TC	Tropical Cooler	32/Cs	\$124.75
016050-CC	SQW016050-CC	Cool Citrus	32/Cs	\$124.75

SQ-400107





5-Gal. Cooler

Durable insulated beverage cooler with rotating handles, screw-off lid and push-button spigot for easy product dispensing.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
400104	SQW400104	5-Gal. cooler	Ea	\$52.50



7-Gal. Double Cooler

2-Gal. center chamber holds ice but keeps it separate from beverage to be dispensed. 5-Gal. outer chamber provides beverage at the tap with no dilution from melted ice. Lid features open and close drain dial which allows for draining of ice water while retaining existing ice and beverage.

ITEM#	MARTIN #	DESCRIPTION	UOM	PRICE
400107	SQW400107	7-Gal. double cooler	Ea	\$123.64





Liquid Concentrate Zero

Contains no calories or sugars, providing an ideal solution for diabetics or consumers monitoring their daily intake. Includes the same electrolyte content as regular Sqwincher® (high in potassium and low in sodium to aid the body in replenishing essential elements lost to heat stress and fatigue). Mixes quickly and easily with water. Yield: 64 oz. concentrate makes 5 gals.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
050102-FP	SQW050102-FP	Fruit Punch	6/Cs	\$58.33
050103-GR	SQW050103-GR	Grape	6/Cs	\$58.33
050104-LL	SQW050104-LL	Lemon-Lime	6/Cs	\$58.33
050106-MB	SQW050106-MB	Mixed Berry	6/Cs	\$58.33
050107-OR	SQW050107-OR	Orange	6/Cs	\$58.33



050102-FP





Powder Mix LiteTM

Replace lost fluids, lost electrolytes and avoid dangerous dehydration in high-heat environments. Naturally sweetened, naturally flavored, lower calories and lower sugar than regular Sqwincher®, and contains no added



016850-GR

color. Quickly mixes with water and is convenient enough to take anywhere. Yield: 19.1 oz. package makes 3 gals. Made in USA.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
016850-GR	SQW016850-GR	Grape	20/Cs	\$93.67
016851-OR	SQW016851-OR	Orange	20/Cs	\$93.67
016852-FP	SQW016852-FP	Fruit Punch	20/Cs	\$93.67
016853-LL	SQW016853-LL	Lemon-Lime	20/Cs	\$93.67





Powder Mix Zero

Replace lost fluids, lost electrolytes and avoid dangerous dehydration in high-heat environments. Contains no sugar or calories, providing an ideal solution for diabetics or any consumers monitoring their intake. Quickly mixes with water and is convenient enough to take anywhere. Package yields 2.5 gals.



016801-OR 016800-LL

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
016800-LL	SQW016800-LL	Lemon-Lime	32/Cs	\$113.33
016801-OR	SQW016801-OR	Orange	32/Cs	\$113.33
016803-FP	SQW016803-FP	Fruit Punch	32/Cs	\$113.33
016804-GR	SQW016804-GR	Grape	32/Cs	\$113.33
016805-SL	SQW016805-SL	Strawberry Lemonade	32/Cs	\$113.33
016802-AS	SQW016802-AS	Assorted	32/Cs	\$113.33





Single Serve Qwik StikTM Zero

Offers the same great taste and electrolyte content as regular Sqwincher® (high in potassium and low in sodium) with no calories or sugar. Simply tear open the convenient, single-serve pouch, add to bottled water, shake and enjoy. Individual packets yield 20 oz. drinks.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
060100-OR	SQW060100-OR	Orange	50/Pk	\$113.33
060101-MB	SQW060101-MB	Mixed Berry	50/Pk	\$113.33
060102-FP	SQW060102-FP	Fruit Punch	50/Pk	\$113.33
060103-LA	SQW060103-LA	Lemonade	50/Pk	\$113.33
060104-PT	SQW060104-PT	Peach Tea	50/Pk	\$113.33
060105-RB	SQW060105-RB	Raspberry	50/Pk	\$113.33
060106-LL	SQW060106-LL	Lemon-Lime	50/Pk	\$113.33
060107-GR	SQW060107-GR	Grape	50/Pk	\$113.33
060109-CC	SQW060109-CC	Cool Citrus	50/Pk	\$113.33
060099-SL	SQW060099-SL	Strawberry Lemonade	50/Pk	\$113.33



Sqweeze Pops

Reduce core body temperature
and protect from heat stress and fatigue.
Scientifically developed formulation is absorbed
at a significantly faster rate than water, allowing the
body to replenish electrolytes and minerals needed for proper
rehydration. Mixed case of Orange, Grape, Lemon-Lime, Cherry
and Mixed Berry.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
159200201	SQW159200201	Assorted flavors	150/Cs	\$43.33



Single Serve Fast Pack®



SQWEEZE POPS

Offers workers fluid and electrolyte replenishment anywhere, anytime. Mixes easily with water and packet becomes drinking cup. Handy size is more convenient than carrying a cooler. Yield: 0.6 oz. packet makes 6 oz. drink.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
015300-MB	SQW015300-MB	Mixed Berry	200/Cs	\$64.33
015301-CH	SQW015301-CH	Cherry	200/Cs	\$64.33
015302-GR	SQW015302-GR	Grape	200/Cs	\$64.33
015303-LA	SQW015303-LA	Lemonade	200/Cs	\$64.33
015304-OR	SQW015304-OR	Orange	200/Cs	\$64.33
015305-FP	SQW015305-FP	Fruit Punch	200/Cs	\$64.33
015306-TE	SQW015306-TE	Tea	200/Cs	\$64.33
015308-LL	SQW015308-LL	Lemon-Lime	200/Cs	\$64.33
015309-TC	SQW015309-TC	Tropical Cooler	200/Cs	\$64.33
015310-CC	SQW015310-CC	Cool Citrus	200/Cs	\$64.33





Single Serve LiteTM Stiks

Perfect for those looking for less calories, no color and no artificial flavor or additives. Contains the perfect electrolyte blend, naturally flavored and naturally sweetened and contains no added color.

1 oz. Package yields 16.9-20 oz. drink.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
060280-GR	SQW060280-GR	Grape	96/Cs	\$56.67
060281-OR	SQW060281-OR	Orange	96/Cs	\$56.67
060282-FP	SQW060282-FP	Fruit Punch	96/Cs	\$56.67
060283-LL	SQW060283-LL	Lemon-Lime	96/Cs	\$56.67



Chill-Its® 5155 Low-Profile Hydration Packs

Durable 600-denier water-resistant ripstop polyester shell construction with insulated 2 L bladder to keep water cool for hours. Features adjustable breakaway straps for added safety and an antimicrobial bite valve with cover to keep contaminants at bay.

ITEM #	MARTIN #	DESCRIPTION	COLOR	UOM	PRICE
13155	ERGO13155	5155 Low-profile hydration pack	Black	Ea	\$57.09
13156	ERGO13156	5155 Low-profile hydration pack	Hi-vis lime	Ea	\$63.55
13157	ERGO13157	5155 Low-profile hydration pack	Hi-vis orange	Ea	\$63.55





12569

ERGO12569



Chill-Its® 6605 Headbands

High-performance headbands feature Hi Cool® moisture management fabric to wick away moisture for fast evaporation, keeping wearer cool and comfortable. Absorbent terrycloth band has elasticized back for secure fit.

	ITEM #	MARTIN #	DESCRIPTION	COLOR	UOM	PRICE
$\color{red}\blacktriangle$	12421	ERGO12421	6605 Headband	Stars & Stripes	Ea	\$6.00
\blacktriangle	12422	ERGO12422	6605 Headband	Camo	Ea	\$6.00
$\color{red}\blacktriangle$	12423	ERGO12423	6605 Headband	Red western	Ea	\$6.00
$\color{red}\blacktriangle$	12424	ERGO12424	6605 Headband	Navy western	Ea	\$6.00
\blacktriangle	12425	ERGO12425	6605 Headband	Blue	Ea	\$6.00
\blacktriangle	12429	ERGO12429	6605 Headband	Flames	Ea	\$6.00
\blacktriangle	12431	ERGO12431	6605 Headband	Hi-vis lime	Ea	\$6.00
\blacktriangle	12489	ERGO12489	6605 Headband	Skulls	Ea	\$6.00



12601 Chill-Its® 6700FR **Evaporative FR Cooling Bandana-Tie**

Evaporative cooling process helps workers stay cool when needed most. Lightweight, modacrylic cotton blend with super-absorbent acrylic polymers that provide cool comfort for hours after soaking in water 2-5 minutes. Reuse by re-soaking. Features tie closure. Universal. Fabric meets ASTM F1506 performance requirements (ATPV rating of 7.1 cal/cm²); classified CAT1 per NFPA 70E. Meets ASTM F2302 for flame resistance.

ITEM #	MARTIN #	COLOR	UOM	PRICE
12601	ERGO12601	Hi-vis lime	Ea	\$5.55
12607	ERGO12607	Blue	Ea	\$5.55



Chill-Its® 6700CT Evaporative Cooling **Bandana with Cooling Towel**

Advanced PVA material for keeping workers cool without the bulk. Lightweight and low-profile; perfect for under hard hats/helmets. Reusable, just re-wet. Features tie closure for personal fit. Universal, patented design.

ITEM #	MARTIN #	COLOR	UOM	PRICE		ITEM #	MAR
12561	ERGO12561	Stars & Stripes	Ea	\$4.36	$\textcolor{red}{\blacktriangle}$	12571	ERGO
12562	ERGO12562	Camouflage	Ea	\$4.36	$\textcolor{red}{\blacktriangle}$	12572	ERGO
12563	ERGO12563	Red western	Ea	\$4.36	$\textcolor{red}{\blacktriangle}$	12573	ERGO
12564	ERGO12564	Navy western	Ea	\$4.36	$\textcolor{red}{\blacktriangle}$	12574	ERGO
12566	ERGO12566	Hi-vis lime	Ea	\$4.36	$\textcolor{red}{\blacktriangle}$	12576	ERGO
12567	ERGO12567	Solid blue	Ea	\$4.36	$\textcolor{red}{\blacktriangle}$	12577	ERGO
12568	ERGO12568	Flames	Ea	\$4.36	$\textcolor{red}{\blacktriangle}$	12578	ERGO

Skulls



Chill-Its® 6705CT Evaporative Cooling **Bandana with Cooling Towel**

Advanced PVA material activates easily and quickly when run under water for one minute. Re-usable, just re-wet to reactivate. Super-evaporative cooling process helps keep user cool. Breakaway hook-and-loop closure.

PRICE		ITEM #	MARTIN #	COLOR	UOM	PRICE
\$4.36	$\textcolor{red}{\blacktriangle}$	12571	ERGO12571	Stars & Stripes	Ea	\$4.82
\$4.36	$\textcolor{red}{\blacktriangle}$	12572	ERGO12572	Camouflage	Ea	\$4.82
\$4.36	$\textcolor{red}{\blacktriangle}$	12573	ERGO12573	Red western	Ea	\$4.82
\$4.36	$\textcolor{red}{\blacktriangle}$	12574	ERGO12574	Navy western	Ea	\$4.82
\$4.36	$\textcolor{red}{\blacktriangle}$	12576	ERGO12576	Hi-vis lime	Ea	\$4.82
\$4.36	$\textcolor{red}{\blacktriangle}$	12577	ERGO12577	Solid blue	Ea	\$4.82
\$4.36	$\textcolor{red}{\blacktriangle}$	12578	ERGO12578	Flames	Ea	\$4.82
\$4.36	\blacktriangle	12579	ERGO12579	Skulls	Ea	\$4.82







Chill-Its® 6615 High Performance Dew Rags

Comfortable to wear under hats, helmets or stylish to wear alone. Hi Cool® performance fabric wicks away moisture for cooling comfort, and elastic band provides secure fit. Absorbent terry headband. Machine washable. Universal.



	ITEM #	MARTIN #	COLOR	UOM	PRICE
▲	12476	ERGO12476	Hi-vis lime	Ea	\$6.91
▲	12477	ERGO12477	Stars & Stripes	Ea	\$6.91
▲	12478	ERGO12478	Camouflage	Ea	\$6.91
▲	12479	ERGO12479	Red western	Ea	\$6.91
▲	12480	ERGO12480	Navy western	Ea	\$6.91
▲	12481	ERGO12481	Solid blue	Ea	\$6.91
▲	12485	ERGO12485	Flames	Ea	\$6.91



Chill-Its® 6710FR Evaporative FR Cooling Triangle Hats

Activated polymers bring cooling relief along with FR protection. Modacrylic cotton blend fabric. Soak in water 2-5 minutes to activate; remains hydrated for up to 4 hours and is re-usable. Fabric meets ASTM F1506 performance requirements (ATPV rating of 7.1 cal/cm²); classified CAT1 per NFPA 70E. Meets ASTM F2302 for flame resistance.

	ITEM #	MARTIN #	COLOR	UOM	PRICE
\blacktriangle	12627	ERGO12627	Blue	Ea	\$12.73
\blacktriangle	12621	ERGO12621	Hi-vis lime	Ea	\$12.73





Chill-Its® 6630 High-Performance Caps

helmet. Elastic band for snug fit.

ERGO12529

High-Performance Caps

Design features Hi Cool® moisture management fabric with wide, absorbent terry headband. Caps are comfortable to use alone or under







Chill-Its® 6710CT Evaporative Cooling Triangle Hats with Cooling Towel

Advanced PVA material for cooling without the bulk. Reusable; to activate, simply run under water. Features tie closure. Universal.

	ITEM #	MARTIN #	COLOR	UOM	PRICE
	12581	ERGO12581	Stars & Stripes	Ea	\$8.91
	12582	ERGO12582	Camouflage	Ea	\$8.91
\blacktriangle	12583	ERGO12583	Red western	Ea	\$8.91
	12584	ERGO12584	Navy western	Ea	\$8.91
	12586	ERGO12586	Hi-vis lime	Ea	\$8.91
\blacktriangle	12587	ERGO12587	Solid blue	Ea	\$8.91
\blacktriangle	12588	ERGO12588	Flames	Ea	\$8.91
	12589	ERGO12589	Skulls	Ea	\$8.91



12529

Chill-Its® 6710

Evaporative Cooling Triangle Hats

Skulls

Evaporative cooling process helps workers stay cool when needed most. Lightweight cotton construction features super-absorbent acrylic polymer that activates easily and quickly when soaked in water for 2-5 minutes. Provides cool comfort for up to 4 hours. Re-soak to re-use. Tie closure for personal fit.

ITEM #	MARTIN #	COLOR	UOM	PRICE
12323	ERGO12323	Stars & Stripes	Ea	\$4.45
12324	ERGO12324	Camouflage	Ea	\$4.45
12325	ERGO12325	Red western	Ea	\$4.45
12326	ERGO12326	Navy western	Ea	\$4.45
12327	ERGO12327	Solid blue	Ea	\$4.45
12328	ERGO12328	Flames	Ea	\$4.45
12331	ERGO12331	Hi-vis lime	Ea	\$4.45
12359	ERGO12359	Skulls	Ea	\$4.45



\$7.09



Chill-Its® 6602 Cooling Towel

Dampen synthetic space age towel to create a super-evaporative cooling aid significantly colder than ambient air. Simply wet to activate. Advanced PVA material holds water without feeling heavy. Wear around neck for hours of cooling relief. Machine washable. Measures: 13 1/2" x 29 1/2".

	ITEM #	MARTIN #	COLOR	UOM	PRICE
A	12420	ERGO12420	Blue	Ea	\$8.09
A	12438	ERGO12438	Gray	Ea	\$8.09
A	12439	ERGO12439	Hi-vis lime	Ea	\$8.09
	12441	ERG012441	Orange	Ea	\$8.09
	12442	ERGO12442	Pink	Ea	\$8.09



Chill-Its® 6685 Dry Evaporative Cooling Vest

Patented vest provides immediate and long-lasting cooling with up to 3 days of cooling ability. Easy-to-use watertight filling cap. Fill vest with 13-20 oz. water to activate. Lightweight, durable and washable. V-neck style with zip closure. Mesh side panels provide additional ventilation and stretch. Lime.

	ITEM#	MARTIN #	SIZES	UOM	PRICE
	12673	ERGO12673	М	Ea	\$190.82
	12674	ERGO12674	L	Ea	\$190.82
	12675	ERGO12675	XL	Ea	\$190.82
A	12676	ERGO12676	2XL	Ea	\$190.82
<u>.</u>	12677	ERGO12677	3XL	Ea	\$190.82









Chill-Its® 6665 Evaporative Cooling Vests

Soak evaporative cooling vests in cold water, and enjoy cooling relief and comfort. Mesh side panels offer improved ventilation and stretch. Features a V-neck with zipper closure, quilted nylon outer layer with an activated, polymer-embedded fabric inside. Water-repellent liner and black cotton-poly elastic trim. Reusable, just re-wet. Remains hydrated for up to 4 hours. Lightweight, durable and washable. 100% Nylon.

	ITEM#	MARTIN #	COLOR	SIZES	UOM	PRICE		ITEM#	MARTIN #	COLOR	SIZES	UOM	PRICE
\blacktriangle	12533	ERGO12533	Hi-vis lime	М	Ea	\$42.27	$\textcolor{red}{\blacktriangle}$	12543	ERGO12543	Gray	M	Ea	\$42.27
	12534	ERGO12534	Hi-vis lime	L	Ea	\$42.27	$\textcolor{red}{\blacktriangle}$	12544	ERGO12544	Gray	L	Ea	\$42.27
	12535	ERGO12535	Hi-vis lime	XL	Ea	\$42.27	$\textcolor{red}{\blacktriangle}$	12545	ERGO12545	Gray	XL	Ea	\$42.27
	12536	ERGO12536	Hi-vis lime	2XL	Ea	\$42.27	$\textcolor{red}{\blacktriangle}$	12546	ERGO12546	Gray	2XL	Ea	\$42.27
	12537	ERGO12537	Hi-vis lime	3XL	Ea	\$42.27	$\textcolor{red}{\blacktriangle}$	12547	ERGO12547	Gray	3XL	Ea	\$42.27



Chill-Its® 6603 Evaporative Cooling Band

Advanced PVA cooling technology; super-evaporative, feels significantly cooler than ambient air. Activates fast and easy: run under water for one minute and simply re-wet to reactivate. Only 1/3 the size of the Chill-Its® 6602 with the same cooling power. Use as a neck wrap by pulling end of wrap through slit. Wear for hours or for quick relief. Machine washable. Measures: 4" x 29 1/2". Blue.

ITEM #	MARTIN #	DESCRIPTION	иом	PRICE
12418	ERGO12418	6603 Evaporative cooling band	Ea	\$3.82







Accident Prevention Safety Signs

Safety signs for the workplace are specified by OSHA 29 CFR 1910.145 and ANSI Z535 for design and application. Safety signs are to indicate potential, type and degree of the hazard that may lead to accidental injury or property damage.

MATERIALS

Adhesive Vinyl (VS): For light-duty applications. The ideal choice for indoor and sheltered outdoor marking needs. Mounts to all curved areas such as pipes, poles and secondary containers.

- 4-mil thick printed matte surface
- Permanent acrylic adhesive
- Moisture-resistant
- Service temperature range: -40° F to 176° F
- Durability: 2 years outdoors
- · Square corners and scored backing for quick peel-off and application

Plastic (VP): Semi-flexible, economical and appropriate for medium-duty use - ideal for indoor and sheltered outdoor environments.

- Ideal for flat surfaces with enough flex to mount on slightly curved areas
- .055" thick with good impact resistance and surface image with non-glare finish
- Contains UV inhibitors
- Service temperature range: -90° F to 168° F
- · Durability: 2 years outdoors
- Rounded corners and 3/16" mounting holes

Aluminum (VA): Get the strength of metal without the rust. Superior abrasion and chemical resistance for indoor and outdoor environments.

- Printed image on rigid .040" aluminum backing
- · Protected by 2-mil high-gloss UV polyester overlaminate film
- Service temperature range: -40° F to 250° F
- Withstands splashes and washdowns
- Endures outdoor environmental conditions
- Rounded corners and 3/16" mounting holes

	MATERIAL	SIZES	UOM	PRICE
A	Adhesive vinyl	10" x 14"	Ea	\$11.42
A	Plastic	10" x 14"	Ea	\$12.40
A	Aluminum	10" x 14"	Ea	\$19.72

Admittance & Exit



ITEM #	MARTIN #	MATERIAL
Size 10" x 14"		
MADM006VS	ACUFMADM006VS	Adhesive vinyl
MADM006VP	ACUFMADM006VP	Plastic
MADM006VA	ACUFMADM006VA	Aluminum



ITEM #	MARTIN #	MATERIAL
Size 10" x 14"		
MADM006VS	ACUFMADM006VS	Adhesive vinyl
MADM006VP	ACUFMADM006VP	Plastic
MADM006VA	ACUFMADM006VA	Aluminum



ITEM #	MARTIN #	MATERIAL
Size 10" x 14"		
MADM064VS	ACUFMADM064VS	Adhesive vinyl
MADM064VP	ACUFMADM064VP	Plastic
MADM064VA	ACUFMADM064VA	Aluminum



ITEM #	MARTIN #	MATERIAL
Size 10" x 14"		
MADM076VS	ACUFMADM076VS	Adhesive vinyl
MADM076VP	ACUFMADM076VP	Plastic
MADM076VA	ACUFMADM076VA	Aluminum

Chemical & Hazardous Materials



ITEM #	MARTIN #	MATERIAL
Size 10" x 14"	•	
MCHL174VS	ACUFMCHL174VS	Adhesive vinyl
MCHL174VP	ACUFMCHL174VP	Plastic
MCHL174VA	ACUFMCHL174VA	Aluminum



ITEM #	MARTIN #	MATERIAL
Size 10" x 14"		
MCHL231VS	ACUFMCHL231VS	Adhesive vinyl
MCHL231VP	ACUFMCHL231VP	Plastic
MCHL231VA	ACUFMCHL231VA	Aluminum




ITEM #	MARTIN #	MATERIAL
Size 10" x 14"		
MCHL245VS	ACUFMCHL245VS	Adhesive vinyl
MCHL245VP	ACUFMCHL245VP	Plastic
MCHL245VA	ACUFMCHL245VA	Aluminum

Confined Space



ITEM #	MARTIN #	MATERIAL
Size 10" x 14	,	
MCSP141VS	ACUFMCSP141VS	Adhesive vinyl
MCSP141VP	ACUFMCSP141VP	Plastic
MCSP141VA	ACUFMCSP141VA	Aluminum

Electrical



MARTIN #	MATERIAL
1	
ACUFMELC114VS	Adhesive vinyl
ACUFMELC114VP	Plastic
ACUFMELC114VA	Aluminum
	ACUFMELC114VS ACUFMELC114VP

Personal Protective Equipment



MARTIN #	MATERIAL
,	
ACUFMPPA005VS	Adhesive vinyl
ACUFMPPA005VP	Plastic
ACUFMPPA005VA	Aluminum
	ACUFMPPA005VS ACUFMPPA005VP ACUFMPPA005VA

Smoking Control



MARTIN #	MATERIAL
ACUFMSMK133VS	Adhesive vinyl
ACUFMSMK133VP	Plastic
ACUFMSMK133VA	Aluminum
	ACUFMSMK133VS ACUFMSMK133VP ACUFMSMK133VA



Accident Prevention Tags

Header style tags meet the American National Standards Institute (ANSI Z535.5) and Occupational Safety and Health Administration (OSHA 29 CFR 1910.145(f)) requirements. Choose from a variety of common styles and legends that apply to a variety of situations. Tags are available in three materials: PF-Cardstock, RP-Plastic an HS-Laminate. Measure: 5 3/4" x 3 1/4" with 3/8" hole. Sold in packs of 25.

MATERIALS

PF-Cardstock

- · Pliable, 10-mil plastic
- Pulp-free, no wood-paper content
- Waterproof and tear-resistant for light-duty use

RP-Plastic

- Hole reinforced with metal grommet
- 15-mil tear-resistant plastic
- Weather- and chemical-resistant

HS-Laminate

- 10-mil PF-Cardstock with 7-mil matte laminate on both sides
- · Scratch-resistant; easy to write on
- Tear-proof, weatherproof, chemical-resistant
- Hole reinforced with metal grommet

MATERIAL	SIZES	UOM	PRICE
PF-Cardstock	10" x 14"	25/Pk	\$13.68
RP-Plastic	10" x 14"	Ea	\$37.15
HS-Laminate	10" x 14"	Ea	\$53.05

Standard Lockout Back O

DANGER!

THIS ENERGY SOURCE

HAS BEEN LOCKED DUT

Standard Back





DANGER





ITEM #	MARTIN #	MATERIAL
MDT185CTP	ACUFMDT185CTP	PF-Cardstock
MDT185PTP	ACUFMDT185PTP	RP-Plastic
MDT185LTP	ACUFMDT185LTP	HS-Laminate



ITEM #	MARTIN #	MATERIAL
MDT187CTP	ACUFMDT187CTP	PF-Cardstock
MDT187PTP	ACUFMDT187PTP	RP-Plastic
MDT187LTP	ACUFMDT187LTP	HS-Laminate



ITEM #	MARTIN #	MATERIAL
MDT189CTP	ACUFMDT189CTP	PF-Cardstock
MDT189PTP	ACUFMDT189PTP	RP-Plastic
MDT189LTP	ACUFMDT189LTP	HS-Laminate



ITEM #	MARTIN #	MATERIAL
MDT246CTP	ACUFMDT246CTP	PF-Cardstock
MDT246PTP	ACUFMDT246PTP	RP-Plastic
MDT246LTP	ACUFMDT246LTP	HS-Laminate

Lockout Tags



ITEM #	MARTIN #	MATERIAL
MLT403CTP	ACUFMLT403CTP	PF-Cardstock
MLT403PTP	ACUFMLT403PTP	RP-Plastic
MLT403LTP	ACUFMLT403LTP	HS-Laminate



ITEM #	MARTIN #	MATERIAL
MLT405CTP	ACUFMLT405CTP	PF-Cardstock
MLT405PTP	ACUFMLT405PTP	RP-Plastic
MLT405LTP	ACUFMLT405LTP	HS-Laminate



ITEM #	MARTIN #	MATERIAL
MLT406CTP	ACUFMLT406CTP	PF-Cardstock
MLT406PTP	ACUFMLT406PTP	RP-Plastic
MLT406LTP	ACUFMLT406LTP	HS-Laminate



ITEM #	MARTIN #	MATERIAL
MLT418CTP	ACUFMLT418CTP	PF-Cardstock
MLT418PTP	ACUFMLT418PTP	RP-Plastic
MLT418LTP	ACUFMLT418LTP	HS-Laminate



ACCUFORM.

Tags By-The-Roll

Portable and disposable dispenser roll for your on-the-go needs.

- 6 5/8" x 6 5/8" x 3 5/8" octagonal cardboard dispenser
- Rolled tags connect end-to-end, easily separate at perforations
- Tear- and water-resistant, 10-mil PF-Cardstock tags
- Full-size tags measure 6 1/4" x 3", with 3/8" hole
- Writable matte surface, printed on both sides with space to sign, date and add notes
- Available in rolls of 250.



TAR125

7.174.114.01.0 11.101.0 01.200		
ITEM #	UOM	PRICE
Tags By-The-Roll	250/RI	\$100.93





TAR423 ACUFTAR423

DANGER

LOCKED

OUT

DO NOT OPERATE



TAR121 ACUFTAR121





TAR125 ACUFTAR125



ITEM # MARTIN # TAR426 ACUFTAR426



ITEM # MARTIN # TAR158 ACUFTAR158



ITEM # MARTIN # TAR480 ACUFTAR480



ITEM # MARTIN # TAR156 ACUFTAR156



ACCUFORM.

Traffic and Work Zone Signs

Post traffic signs to safely direct and regulate the flow of vehicles and pedestrians in and around parking areas, dock areas, and roadways.

- Heavy-duty, .080" aluminum signs will not rust
- Reflective sign face for added visibility in low-light conditions
- · UV-resistant inks prevent fading during long-term outdoor use
- Top and bottom center holes for post- or fence-mounting



MATERIALS

- Engineer-Grade Prismatic (RA) Good choice for added visibility in low-light conditions. Type I.
- High-Intensity Prismatic (HP) Better choice for greater visibility. 3X brighter than Engineer-Grade. Type III, IV, X.

•				
ITEM #	MARTIN #	SIZES	UOM	PRICE
Stop Engineer Grade Prismatic	- RA			
FRR012	ACUFFRR012	18" x 18"	Ea	\$52.18
MR1124	ACUFMR1124	24" x 24"	Ea	\$83.28
Stop High-Intensity Prismatic -	HP			
FRR036	ACUFFRR036	18" x 18"	Ea	\$63.43
FRR048	ACUFFRR048	24" x 24"	Ea	\$101.30
Traffic Control Signs				
Engineer Grade Prismatic - RA				
As shown below	As shown	18" x 12"	Ea	\$34.77
High-Intensity Prismatic - HP				
As shown below	As shown	18" x 12"	Ea	\$42.30



Traffic Control Signs • Size 18" x 12"

ITEM #	MARTIN #	MATERIAL
FRR2185RA	ACUFFRR2185RA	RA
FRR2185HP	ACUFFRR2185HP	HP

LIMIT

SPEED

SPEED
LIMIT
15

MATERIAL FRR21810RA ACUFFRR21810RA RA FRR21810HP ACUFFRR 2185HP ΗР

ITEM #	MARTIN #	MATERIAL
FRR21815RA	ACUFFRR21815RA	RA
FRR21815HP	ACUFFRR21815HP	HP



SPEED
LIMIT
25

ITEM #	MARTIN #	MATERIA	
FRR21820RA	ACUFFRR21820RA	RA	
FRR21820HP	ACUFFRR21820HP	HP	

ITEM #	MARTIN #	MATERIAL
FRR21825RA	ACUFFRR21825RA	RA
FRR21825HP	ACUFFRR21825HP	HP



143633





Steel U-Channel Posts

- Posts can be set in ground, concrete or portable base
- Posts are available in 2 colors and 2 sizes
- Available in green or galvanized finishes
- Heavyweight posts- 2.00 lb./ft.
- U-channel posts have 3/8" holes on 1" centers along the length

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
	Green					
\blacktriangle	HSP105	ACUFHSP105	Steel u-channel post	6'	Ea	\$45.53
\blacktriangle	HSP108	ACUFHSP108	Steel u-channel post	8'	Ea	\$59.98
	Galvanized					
$\textcolor{red}{\blacktriangle}$	HSP102	ACUFHSP102	Steel u-channel post	6'	Ea	\$59.33
\blacktriangle	HSP109	ACUFHSP109	Steel u-channel post	8'	Ea	\$74.38



BBP®37

Color and Cut Sign and Label Printer

Creates bright and colorful multicolor labels and signs quickly (5" per second print speed). Features touchscreen interface, automatic label setup, 20-second material change out and XY cutter that creates die-cut shapes and text. Can use as stand-alone mobile unit or connected to PC. Includes power cord, network card, cleaning kit, cutter cleaning tool and quick-start guide.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
A	143638	BRA143638	BBP37 color & cut sign & label printer	Ea	\$3,207.24





BBP®31

Sign and Label Printer

Easy to use and packed with functionalities. Can use as a stand alone mobile unit or connected to PC. Available with many material options to handle all labeling needs. Customize labels, tapes and signs from 1/2" to 4" on materials with up to 10-year outdoor grade durability. Includes power cord, USB cable, drivers CD, stylus, cleaning kit, cutter cleaning tool, quick start guide and documentation holder.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
\blacktriangle	142052	BRA142052	BBP31 sign & label maker	Ea	\$1,771.38



Multicolor Sign and Label Printer

Creates colorful workplace visuals in seconds. Features touchscreen interface, automatic label setup and 20-second material change by simply setting or clicking into place without calibration or threading. Can use as stand-alone mobile unit or connected to PC. Includes power cord, network card, cleaning kit and quick-start guide.

	ITEM #	MARTIN #	DESCRIPTION	иом	PRICE
A	143633	BRA143633	BBP35 multicolor sign & label printer	Ea	\$2,713.82



BRADY.

BMP®21-PLUS Label Printer and Cartridges

Drop tested printer, super rugged with molded rubber bumpers provides protection from falls. All-in-one label printer for voice/data comm, electrical and general industrial crews. With label materials designed specifically for harsh environments, the portable printer can quickly and easily create clear, legible labels that stay stuck for years despite extreme temperatures and curved or highly textured surfaces. Printer includes a 2-year warranty.

	ITEM #	MARTIN #	DESCRIPTION	COLOR	SIZE	UOM	PRICE
	BMP21-PLUS	BRABMP21-PLUS	BMP21-PLUS label printer w/ M21-750-499 label cartridge, lanyard	& Quick Sta	art Guide	Ea	\$97.70
	M21-500-595-WT	BRAM21-500-595-WT	BMP21-PLUS label cartridge w/ black ribbon	White	0.5" W x 21' L	Ea	\$21.67
	M21-500-595-YL	BRAM21-500-595-YL	BMP21-PLUS label cartridge w/ black ribbon	Yellow	0.5" W x 21' L	Ea	\$21.67
	M21-500-595-OR	BRAM21-500-595-OR	BMP21-PLUS label cartridge w/ black ribbon	Orange	0.5" W x 21' L	Ea	\$21.67
	M21-750-595-WT	BRAM21-750-595-WT	BMP21-PLUS label cartridge w/ black ribbon	White	0.75" W x 21' L	Ea	\$24.62
	M21-750-595-YL	BRAM21-750-595-YL	BMP21-PLUS label cartridge w/ black ribbon	Yellow	0.75" W x 21' L	Ea	\$24.62
	M21-750-595-OR	BRAM21-750-595-OR	BMP21-PLUS label cartridge w/ black ribbon	Orange	0.75" W x 21' L	Ea	\$24.62







BRADY.

BBP®30 Series Accessories

Various ribbons and labels that are compatible with BBP31, BBP35 and BBP37 printers.

	ITEM #	MARTIN #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
	B30-R10000	BRAB30-R10000	Printer ribbon	Black	4.33" x 200'	RI	\$104.10
	B30-R10000-WT	BRAB30-R10000-WT	Printer ribbon	White	4.33" x 200'	RI	\$104.10
	B30C-4000-595-WT	BRAB30C-4000-595-WT	Continuous indoor/outdoor vinyl tape	White	4" x 100'	RI	\$233.38
	B30C-4000-595-YL	BRAB30C-4000-595-YL	Continuous indoor/outdoor vinyl tape	Yellow	4" x 100'	RI	\$233.38
	B30C-2250-595-YL	BRAB30C-2250-595-YL	Continuous indoor/outdoor vinyl tape	Yellow	2.25" x 100'	RI	\$155.42
	B30C-2250-595-BL	BRAB30C-2250-595-BL	Continuous indoor/outdoor vinyl tape	Blue	2.25" x 100'	RI	\$155.42
	B30C-2250-595-GN	BRAB30C-2250-595-GN	Continuous indoor/outdoor vinyl tape	Green	2.25" x 100'	RI	\$155.42
	B30-261-7569-CLP1	BRAB30-261-7569-CLP1	Pre-printed GHS labels, 1 diamond		3" x 4"	270/RI	\$135.19
	B30-261-7569-CLP2	BRAB30-261-7569-CLP2	Pre-printed GHS labels, 2 diamond		3" x 4"	270/RI	\$135.19
	B30-261-7569-CLP3A	BRAB30-261-7569-CLP3A	Pre-printed GHS labels, 3 diamond		3" x 4"	270/RI	\$135.19
	B30-261-7569-CLP4B	BRAB30-261-7569-CLP4B	Pre-printed GHS labels, 4 diamond		2.95" x 4.33"	270/RI	\$135.19
•	B30-25-595-OSHADA	BRAB30-25-595-OSHADA	Pre-printed die-cut labels, danger		4" x 6"	175/RI	\$233.38
	B30-25-595-OSHACA	BRAB30-25-595-OSHACA	Pre-printed die-cut labels, caution		4" x 6"	175/RI	\$233.38
	B30-25-595-ANSIWA	BRAB30-25-595-ANSIWA	Pre-printed die-cut labels, warning		4" x 6"	175/RI	\$233.38
	B30-25-595-ANSINO	BRAB30-25-595-ANSINO	Pre-printed die-cut labels, notice		4" x 6"	175/RI	\$233.38





SPEED LIMIT

94210









94143





SHIPPING

75156

RECEIVING

75155

95494

BRADY.

Traffic Signs

Various signs to direct traffic throughout work facilities and work zones.

ITEM #	MARTIN #	DESCRIPTION	MATERIAL	SIZES	UOM	PRICE
94143	BRA94143	Stop sign	Reflective aluminum	24" x 24"	Ea	\$111.46
94210	BRA94210	Speed Limit 5	Reflective aluminum	24" x 18"	Ea	\$75.12
80078	BRA80078	Visitor Parking	Reflective aluminum	18" x 12"	Ea	\$37.56
91362	BRA91362	Handicapped Parking w/ pictogram	Reflective aluminum	18" x 12"	Ea	\$37.56
97206	BRA97206	U-channel sign post (Stop signs)	Steel	12'	Ea	\$59.10
95047	BRA95047	U-channel sign post (Visitor, Handicap Parking signs)	Steel	6'	Ea	\$30.54
95494	BRA95494	Security Notice This Property Protected By Electronic Surveilance	Plastic	14" x 20"	Ea	\$23.07
69562	BRA69562	Safety First Wheels Must Be Chocked Before Loading Or Unloading	Fiberglass	7" x 17"	Ea	\$23.86
75156	BR A75156	Shipping	Fiberglass	14" x 20"	Ea	\$46.11
75155	BR A75155	Receiving	Fiberglass	14" x 20"	Ea	\$46.11



High-Visibility V-Style Signs

Acrylic 45° signs are used to clearly mark safety equipment for quick and easy access in an emergency situation. Designed to be seen from all access points in your facility.

ITEN	# MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
▲ V1FE	15A BRAV1FE15A	Fire Extinguisher	6" x 8"	Ea	\$15.52
▲ V1FL	15A BRAV1FL15A	Fire Alarm	6" x 9"	Ea	\$15.52
▲ 9690	7 BRA96907	Fire Alarm	12" x 18"	Ea	\$23.07





V1FL15A

BRADY Signs

A variety of signs and sign blanks are available. Choose from BradyTuff® plastic, aluminum, high performance polyester, premium fiberglass and high-performance vinyl.

- Plastic signs are made of polystyrene, have round corners with holes and have an Average Outdoor Durability of 3-5 years
- Aluminum signs have round corners with holes and have an Average Outdoor Durability of 5-8 years
- · Polyester signs are pressure sensitive with a polyester overlaminate and have an Average Outdoor Durability of 5-8 years
- Fiberglass signs are reinforced polyester with protected graphics and have an Average Outdoor Durability of up to 25 years







ITEM # MARTIN # MATERIAL

Size 14" x 10"

84562 BRA84562 Polyester




ITEM # MARTIN # MATERIAL

Size 10" x 14"

26582 BRA26582 Plastic







Size 14" x 20" 95468 BR A95468 Plastic



ITEM # MARTIN # MATERIAL

Size 10" x 14"

26583 BRA26583 Plastic



ITEM # MARTIN # MATERIAL								
Size 10	"x 14"							
43474	BRA43474	Aluminum						



ITEM # MARTIN # MATERIAL
Size 10" x 14"
40706 BRA40706 Aluminum



Size 3 1/2" x 5"

Size 7" x 10"

ITEM # MARTIN # MATERIAL

Size 10" x 14"

22635 BRA22635 Plastic

DANGER

HIGH

VOLTAGE

ITEM # MARTIN # MATERIAL

84875 BRA84875 Polyester



ITEM # MARTIN # MATERIAL
Size 10" x 14"
43489 BRA43489 Polyester



ITEM # MARTIN # MATERIAL

Size 10" x 14"

84907 BRA84907 Aluminum

⊕ BI	FIRE LANKET
------	----------------

ITEM # MARTIN # MATERIAL

Size 3 1/2" x 10"

85356 BRA85356 Polyester



ITEM # MARTIN # MATERIAL

Size 14" x 5"

90366 BRA90366 Polyester



ITEM # MARTIN # MATERIAL

Size 14" x 3 1/2"

85261 BRA85261 Polyester



	SIZES	UOM	PRICE
ı	Polyester		
	3 1/2" H x 5" W	Ea	\$2.36
	14" H x 3 1/2" W	Ea	\$6.75
	7" H x 10" W	Ea	\$8.65
A	10" H x 14" W	Ea	\$12.13
A	3 1/2" H x 10" W	Ea	\$9.01
A	14" H x 5" W	Ea	\$8.51
- 1	Fiberglass		
A	10" H x 14" W	Ea	\$27.45
-	Aluminum		
A	10" H x 14" W	Ea	\$21.11
I	Plastic		
A	14" H x 10" W	Ea	\$12.13
A	10" H x 14" W	Ea	\$13.01
\blacktriangle	14" H x 20" W	Ea	\$13.01

| ITEM # MARTIN # MATERIAL | Size 14" x 5" | 85270 | BRA85270 | Polyester





Spill Tech Oil-Only Commander $^{\mathrm{TM}}$ Pads and Rolls

Naturally water-resistant (hydrophobic) pads are constructed with large-diameter meltblown poly fibers to create a lofty inner layer that absorbs high volumes of oil while repelling water. Designed for oil leaks, spills or overspray. Top and bottom layers of FineFiber are built of densely-woven, small-diameter strands to increase surface area, enabling the mat to grip surfaces securely. Sonic-bonded "dimples" add fast-wicking power and strength. Three-ply construction resists heavy foot traffic for longer wear and fewer change outs. Pads are perfed every 7 1/2" vertically. Rolls are perfed every 7 1/2" vertically and every 17" horizontally. Helps compliance with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(q)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e).



ITEM #	MARTIN #	DESCRIPTION	CAPACITY	SIZES	UOM	PRICE
WPF100H	FIRFWPF100H	Oil-only Commander heavyweight pads	26.3 gal./Cs	15" x 19"	100/Cs	\$67.00
WRF150H	FIRFWRF150H	Oil-only Commander heavyweight roll	49.8 gal./Cs	30" x 150'	1/Cs	\$128.00



SpillTech

WSO430

Oil-Only Sorbent Socks

Poly blend-filled socks absorb petroleum-based liquids while repelling water. Constructed with 100% post-industrial, recycled filler. Effective for surrounding land-spilled fluids or wrapping around leaky machines. Oil-only white. 3" x 4'. Helps to comply with 29 CFR 1910.120(j)(1), 40 CFR 112.7(c)(1), 40 CFR 263.30(a), 40 CFR 263.31.

ITEM #	MARTIN #	CAPACITY	UOM	PRICE
Oil-Only So				
WSO410	FIRFWSO410	8.33 gal./Cs	10/Cs	\$33.00
WSO430	FIRFWSO430	25 gal./Cs	30/Cs	\$86.00



SpillTech

Oil-Only DefenderTM **Sorbent Rolls**

Layer of meltblown polypropylene creates high surface area that enables SonicBonded materials to quickly soak up oils and other petroleum products. Ultrasonic bond points fuse layers of fibers together

keeping its shape. Soaks up oil while repelling water. Rolls are perfed every 7 1/2" vertically and 17" horizontally. 30" x 150'. Helps compliance with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e).

ITEM #	MARTIN #	DESCRIPTION	CAPACITY	UOM	PRICE
WRB150H	FIRFWRB150H	Heavyweight roll	55.2 gal./RI	RI	\$104.00
WRB150M	FIRFWRB150M	Medium weight roll	46.1 gal./RI	RI	\$84.00



SpillTech Oil-Only ResponderTM Pads and Rolls

Quickly absorbs oil for effective cleanup of petroleum-based spills on land or water. Loose stacked-weave design increases surface area on spill and starts wicking on contact to save time in critical situations. Large-diameter meltblown polypropylene fibers are left in a natural hydrophobic state that repels water and absorbs only oils and other hydrocarbons. Floats even when fully saturated. Helps to comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 29 CFR 1910.22(a)(2), 40 CFR 263.30(a), 40 CFR 263.31.

ITEM#	MARTIN #	DESCRIPTION	CAPACITY	SIZES	UOM	PRICE
WP100H	FIRFWP100H	Oil-Only Responder heavyweight pads	33.4 gal./Cs	15" x 19"	100/Cs	\$54.00
WP100M	FIRFWP100M	Oil-Only Responder medium weight pads	26.7 gal./Cs	15" x 19"	100/Cs	\$44.00
WP200S	FIRFWP200S	Oil-Only Responder single-weight pads	35.7 gal./Cs	15" x 19"	200/Cs	\$58.00
WR150H	FIRFWR150H	Oil-Only Responder heavyweight roll	63.4 gal./Cs	30" x 150'	1/Cs	\$105.00



WP100M



SpillTech Oil-Only DefenderTM Sorbent Pads

Large-diameter meltblown polypropylene fibers are randomly assembled to create a lofty mat that quickly absorbs high volumes of liquid. Ultrasonic bond points fuse layers of fiber together so pads keep their shape even when saturated. Oil-only polypropylene fibers are left in a natural hydrophobic state that repels water and float while only absorbing oils and other hydrocarbons. Perforated every 7 1/2". 15" x 19". Helps compliance with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e).

ITEM #	MARTIN #	DESCRIPTION	CAPACITY	UOM	PRICE
WPB100H	FIRFWPB100H	Oil-Only Defender heavyweight pads	29.1 gal./Cs	100/Cs	\$56.00
WPB100M	FIRFWPB100M	Oil-Only Defender medium weight pads	24.7 gal./Cs	100/Cs	\$45.00
WPB200S	FIRFWPB200S	Oil-Only Defender single weight pads	31.1 gal./Cs	200/Cs	\$60.00





Oil-Only SockNet Sorbent Booms



Strong mesh outer sleeve encases a poly sock skin filled with highly-sorbent poly blend. Filler repels water and floats while absorbing oils and other hydrocarbons. Nylon rope and sturdy hardware ensure long-lasting durability and easy retrieval. Booms clip together with metal connector hardware to create a containment system big enough to handle most spills on water. Made with 100% post-industrial recycled filler. Absorbs 30 gallons per case. Bright white color for oil-only applications. 5" x 10'. Helps compliance with 33 CFR 154.1047(c)(2), 40 CFR 112.7(c)(1), 40 CFR 122.26 and 40 CFR 263.31.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
WB510SN	FIRFWB510SN	Oil-only SockNet booms	4/Pk	\$78.00



Used for oil and petroleum-based fluids. Equally effective on land and water. Repels water and floats indefinitely, even when saturated. Pads and rolls are MAXX Enhanced for greater performance without extra weight. Booms interconnect and have lint-free blue sleeve in 5" or 8" dia. models. Made in USA.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
	Size 15" x 1	9"			
	ENV200	BRAENV200	ENV Pads, lightweight	200/BI	\$79.30
	ENV300	BRAENV300	ENV Pads, medium weight	100/BI	\$62.20
	ENV100	BRAENV100	ENV Pads, heavyweight	100/BI	\$75.40
	Size 5" x 10	•			
l.	ENV510	BRAENV510	ENV Economy booms w/ blue sleeve	4/BI	\$119.87
	Size 8" x 10	•			
A	ENV810	BRAENV810	ENV Economy booms w/ blue sleeve	4/BI	\$153.85




Convenient and cost-effective, oil sorbents will not absorb water: will float indefinitely, are wringable, dustless, unaffected by temperature, flame-resistant and impervious to both rot and mildew. Pads are dimpled and perforated. Rolls are impact bonded. Pillows and booms are lint-free. Product is also incinerable and leaves only .02% ash. Made in USA.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
Size 15" x 1	9"			
SPC100	BRASPC100	Heavyweight pads	100/BI	\$93.97
SPC200	BRASPC200	Lightweight pads	200/BI	\$105.69
SPC300	BRASPC300	Medium weight pads	100/BI	\$79.19
Size 38" x 1	44'			
SPC150	BRASPC150	Heavyweight Roll	RI	\$201.62







ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
BPO200	BRABPO200	Oil-only lightweight pads	200/BI	\$57.42
BPO100	BRABPO100	Oil-only heavyweight pads	100/BI	\$41.24



Fine Fiber Dimpled Oil-Only Sorbents

Soft, super-sorbent fiber that resembles tissue paper. Thermally bonded thin layer on each side of MBT standard, coarse-fiber, meltblown polypropylene. Absorbs quickly, removes sheen, and grips cement floors. White.

ocinioni nooro.	winte.				
ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
WFMF100	MLTBWFMF100	Heavyweight pads	15" x 18"	100/Cs	\$64.90
WFMFL100	MLTBWFMFL100	Medium weight pads	15" x 18"	100/Cs	\$62.50
WFMF150	MLTBWFMF150	Heavyweight roll	30" x 150'	RI	\$124.60
WFMF150S	MLTBWFMF150S	Heavyweight rolls	15" x 150'	2 RI/Cs	\$124.60
WFMF150S-1	MLTBWFMF150S-1	Heavyweight roll	15" x 150'	RI	\$76.22
WFMFL150	MLTBWFMFL150	Medium weight roll	30" x 150'	RI	\$105.80
WFMFL150S	MLTBWFMFL150S	Medium weight rolls	15" x 150'	2 RI/Cs	\$123.60
WFMFL150S-1	MLTBWFMFL150S-1	Medium weight roll	15" x 150'	RI	\$65.92



BPO100



MBT ~

Meltblown Dimpled Oil-Only Sorbents

Similar to MBT standard meltblown products. Media is passed through a thermal bonder, which ties down loose fibers. Dimpled sorbents are also perforated, which minimizes waste. Selectively absorbs oil, repels water. Highly absorbent white products also show where liquids are absorbed. White.



ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE			
White Oil-only Pads								
WDM100	MLTBWDM100	Heavyweight	15" x 18"	100/Cs	\$53.10			
WDM200	MLTBWDM200	Lightweight	15" x 18"	200/Cs	\$55.00			
WDM50	MLTBWDM50	Heavyweight	30" x 36"	50/Cs	\$98.66			
WDM200-HQ	MLTBWDM200-HQ	Lightweight	15" x 18"	100/Cs	\$36.57			
WDML100	MLTBWDML100	Medium weight	15" x 18"	100/Cs	\$47.70			
White Oil-only R	olls							
WDM150	MLTBWDM150	Heavyweight	30" x 150'	RI	\$119.48			
WDM150S	MLTBWDM150S	Heavyweight	15" x 150'	2 RI/Cs	\$101.98			
WDM144	MLTBWDM144	Heavyweight	38" x 144'	RI	\$136.00			
WDM143	MLTBWDM143	Medium weight	38" x 144'	RI	\$116.00			

MBT

Drum Toppers

Keep drum tops clean. Pads mount on 55-gallon drums to eliminate messy drips and overflow when mixing or pumping liquids. Ideal for oil



spill control and spill clean-up for messes around drums. Pads soak up oil, coolants, solvents and water. Two pre-cut bunghole cutouts to fit evenly on 55-gallon drums. Available in gray (universal) or white (oil-only) for indoor use. 22" dia.

ITEM #	MARTIN #	COLOR	UOM	PRICE			
Universal Drum Toppers							
GDT22NL	MLTBGDT22NL	Gray	25/Cs	\$64.50			
Oil-only Drum							
WDT22NL	MLTBWDT22NL	White	25/Cs	\$64.00			
	Universal Drun GDT22NL Oil-only Drum	Universal Drum Toppers GDT22NL MLTBGDT22NL Oil-only Drum Toppers	Universal Drum Toppers GDT22NL MLTBGDT22NL Gray Oil-only Drum Toppers	Universal Drum Toppers GDT22NL MLTBGDT22NL Gray 25/Cs Oil-only Drum Toppers			



Thermally bonded thin layer on each side of the standard, coarse-fiber,meltblown polypropylene. Composites absorb quickly, remove the sheen, and grip cement floors. Highest quality, fast wicking and great durability. Perforated.

MBT ~

Gray Dimpled Pads

Gray dimpled meltblown polypropylene sorbents are single-layer, economical sorbents. Sorbents are passed through a thermal bonder, which ties down loose fibers. Dimpled sorbents are also perforated, which promotes waste minimization. Dimpled for fast wicking. Highly absorbent. 15" x 18".



GPS3144-10

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
GDM100	MLTBGDM100	Heavyweight pads	100/Cs	\$58.00
GDML100	MLTBGDML100	Medium weight pads	100/Cs	\$51.50
GDM200	MLTBGDM200	Lightweight pads	200/Cs	\$74.16

MBT

Industrial Absorbent Socks

Ideal for absorbing leaks and spills around machines, as well as helping to keep a facility in compliance. Absorbent socks provide great flexibility to bend or wrap the sock around equipment to catch leaks in tight spaces.



- White oil-only socks absorb hydrocarbon-based fluids and repel water. Great for outdoor applications. Also used near entrance ways to keep rain out.
- Gray universal socks absorb general fluids, such as oil, water, cutting fluids, glycols, etc. Used to line and protect walkways, drains, and entrances.
- Yellow hazmat socks are used in laboratory-type environments, or in spill kits, for emergency spill situations involving hazardous/ aggressive chemicals such as acids.

ITEM #	MARTIN #	COLOR	SIZES	UOM	PRICE
Universal Absorb	oent Socks				
GPS3144-10	MLTBGPS3144-10	Gray	3" x 12'	10/Cs	\$85.00
GPS348-30	MLTBGPS348-30	Gray	3" x 4'	30/Cs	\$85.00
GPS396-15	MLTBGPS396-15	Gray	3" x 8'	15/Cs	\$85.00
CS348-30	MLTBCS348-30	Camouflage	3" x 4'	30/Cs	\$85.00
CS348-15	MLTBCS348-15	Camouflage	3" x 4'	15/Cs	\$132.66
Oil-only Absorbe	nt Socks				
OS3144-10	MLTBOS3144-10	White	3" x 12'	10/Cs	\$119.00
OS348-30	MLTBOS348-30	White	3" x 4'	30/Cs	\$119.00
OS396-15	MLTBOS396-15	White	3" x 8'	15/Cs	\$119.00
Hazmat Absorbe	nt Socks				
HZS348-30	MLTBHZS348-30	Yellow	3" x 4'	30/Cs	\$93.00
HZS3144-10	MLTBHZS3144-10	Yellow	3" x 12'	10/Cs	\$93.00

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
A	GFMF100	MLTBGFMF100	Heavyweight pads	15" x 18"	100/Cs	\$74.70
\blacktriangle	GFMFL100	MLTBGFMFL100	Medium weight pads	15" x 18"	100/Cs	\$63.30
\blacktriangle	GFMF150	MLTBGFMF150	Heavyweight roll	30" x 150'	RI	\$128.70
	GFMF150S	MLTBGFMF150S	Heavyweight rolls	15" x 150'	2 RI/Cs	\$128.70
	GFMF150S-1	MLTBGFMF150S-1	Heavyweight roll	15" x 150'	RI	\$79.10
\blacktriangle	GFMFL150	MLTBGFMFL150	Medium weight roll	30" x 150'	RI	\$105.80
\blacktriangle	GFMFL150S	MLTBGFMFL150S	Medium weight rolls	15" x 150'	2 RI/Cs	\$105.80
	GFMFL150S-1	MLTBGFMFL150S-1	Medium weight roll	15" x 150'	RI	\$68.19

MBT ~

SpunBond FineFiber and Camo Sorbents

Industrial camouflage mats are great for hiding fluid stains and foot prints. Hi-viz orange infused into the camo pattern allows better visibility even in low light conditions, further preventing slips, trips, and falls. Stiff, durable, camouflage side faces up, and soft, tacky, fine fiber side goes down. Perforated for ease of use.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
GSMF100	MLTBGSMF100	Gray heavyweight pads	15" x 18"	100/Cs	\$74.70
GSMFL100	MLTBGSMFL100	Gray medium weight pads	15" x 18"	100/Cs	\$63.30
GSMF150	MLTBGSMF150	Gray heavyweight roll	30" x 150'	RI	\$166.18
GSMF150S	MLTBGSMF150S	Gray heavweight rolls	15" x 150'	2 RI/Cs	\$173.04
GSMF150S-1	MLTBGSMF150S-1	Gray heavyweight roll	15" x 150'	RI	\$88.80
GSMFL150	MLTBGSMFL150	Gray medium weight roll	30" x 150'	RI	\$135.75
GSMF200	MLTBGSMF200	Gray light weight pads	15" x 18"	200/Cs	\$90.64
GSMF300	MLTBGSMF300	Gray lightweight roll	30" x 300'	RI	\$173.04
GSMF300S	MLTBGSMF300S	Gray lightweight rolls	15" x 300'	2 RI/Cs	\$190.90
GSMF300S-1	MLTBGSMF300S-1	Gray lightweight roll	15" x 300'	RI	\$97.50
CSMF150	MLTBCSMF150	Camo heavyweight roll	30" x 150'	RI	\$203.94
CSMF150S-1	MLTBCSMF150S-1	Camo heavyweight roll	15" x 150'	RI	\$97.76





MBT ~

Tri-Fold Rolls

Can be used as a sock or unfolded and used as a pad. Available in universal gray that absorbs oils, coolants, solvents and water-based fluid; or oil-only white that selectively absorbs oils, while repelling water. Unfolds to 15" wide. Perfed every 17".



ITEM #	MARTIN #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
G750	MLTBG750	Universal roll	Gray	5" x 50'	Ea	\$21.80
W750	MLTBW750	Oil-only roll	White	5" x 50'	Ea	\$30.90



ALLWIK® Pillows

All-purpose polypropylene pillows are suitable for most industrial applications

and are ideal for use under valves and other dripping applications. Gray color masks spills and stains. 18" x 18". Made in USA.

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE	
<u> </u>	AW1818	BRAAW1818	ALLWIK pillows	16/Cs	\$102.52	,



Universal Sorbent Pads and Rolls

Constructed of multi-layered, sonicbonded materials for maximum absorption. Assembly of large-diameter meltblown poly fibers creates a lofty layer for quick absorption of all types of liquids. Universal gray and available in pads and rolls. Pads are perforated every 7 1/2". Rolls are perfed every 7 1/2" vertically and 17" horizontally. Helps to comply with 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 29 CFR 1910.22(a)(2), 49 CFR 173.3(c)(2).

	ITEM #	MARTIN #	DESCRIPTION	CAPACITY	UOM	PRICE
	Size 15" x 19	?"				
$\textcolor{red}{\blacktriangle}$	GPB100H	FIRFGPB100H	Heavyweight pads	29.1 gal./Cs	100/Cs	\$58.00
$\textcolor{red}{\blacktriangle}$	GPB100M	FIRFGPB100M	Medium weight pads	24.7 gal./Cs	100/Cs	\$46.00
$\textcolor{red}{\blacktriangle}$	GPB200S	FIRFGPB200S	Single weight pads	31.1 gal./Cs	200/Cs	\$62.00
	Size 30" x 15	50'				
$\textcolor{red}{\blacktriangle}$	GRB150H	FIRFGRB150H	Heavyweight roll	55.2 gal./RI	Ea	\$110.00





$\textbf{SpillTech} \ \ \textbf{Universal} \ \ \textbf{Commander}^{\text{TM}} \ \ \textbf{Sorbent} \ \ \textbf{Pads} \ \ \textbf{and} \ \ \textbf{Rolls}$

Ideal for general use in absorbing oils, coolants, solvents and water. Constructed of ultrasonically bonded, FineFiber layers around a MeltBlown core. Pads are perforated every 7 1/2" vertically. Rolls are perforated every 7 1/2" vertically and 17" horizontally. Gray. Helps compliance with 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 29 CFR 1910.22(a)(2).

ITEM #	MARTIN #	DESCRIPTION	CAPACITY	SIZES	UOM	PRICE
▲ GPF100H	FIRFGPF100H	Heavyweight pads	26.3 gal./Cs	15" x 19"	100/Cs	\$73.00
▲ GPF100N	I FIRFGPF100M	Medium weight pads	20.8 gals./Cs	15" x 19"	100/Cs	\$60.50
▲ GRF150H	I FIRFGRF150H	Heavyweight roll	49.8 gal./RI	30" x 150'	RI	\$132.00





ALLWIK® SOCs

Dependable, flexible tubes contain and absorb liquid spills. SOCs mold around corners and conform to uneven surfaces to prevent spreading and soak

BPU100

up spills and drips around the workplace. Made in USA.

	ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
\blacktriangle	AW430	BRAAW430	ALLWIK SOCs	3" x 4'	30/Cs	\$141.26
\blacktriangle	AW124	BRAAW124	ALLWIK SOCs	3" x 12'	4/Cs	\$87.98





High-Visibility Chemical Absorbents

Specially developed chemical absorbent that is yellow color-coded for safety and easy separation of hazardous waste. Does not react with aggressive fluids.

ITEM#	MARTIN #	SIZES	иом	PRICE
Heavyweigi	ht Pads			
CH100	BRACH100	15" x 19"	100/Cs	\$120.78
Lightweigh	t Pads			
CH200	BRACH200	15" x 19"	200/Cs	\$136.35
Medium We	eight Roll, perfed every	15" and up center		
CH303	BRACH303	30" x 300'	RI	\$213.03
Heavyweigi	ht Roll, perfed every 15'	" and up center		
CH30DP	BRACH30DP	30" x 150'	RI	\$212.85
Medium We	eight Roll, perfed every	18"		
CH15P	BRACH15P	15" x 150'	RI	\$129.69



Universal Pads

General purpose sorbents clean up oils, coolants, solvents and

water-based fluids and absorb up to 20 times their weight. Ideal for use around assembly lines, printing equipment or any general manufacturing area. 15" x 17". Made in USA.

	ITEM#	MARTIN #	DESCRIPTION	UOM	PRICE
	BPU100	BRABPU100	Heavyweight pads	100/BI	\$46.53
\blacksquare	BPU200	BRABPU200	Heavyweight pads	200/BI	\$61.38



GPTM MAXX Enhanced Pads

Economically priced and cleans up virtually any liquid. Constructed of 1-ply dimpled economy weight material. Gray color helps hide dirt. Utilizes the exclusive MAXX



	and absorbency. 15" x 19". Made in USA.		0	GP200		4
	ITEM#	MARTIN #	DESCRIPTION	UOM	PRICE	4
\blacktriangle	GP200	BRAGP200	Lightweight pads	200/BI	\$95.07	4
	GP100	BRAGP100	Heavyweight pads	100/BI	\$91.16	4



High-Visibility Hazmat Absorbents

FineFiber meltblown polypropylene hazmat sorbents can safely absorb most hazardous chemicals. Use in chemical storage areas or in laboratories. Can also be used for MRO applications.



YSMF100-HV

	ITEM #	MARTIN #	SIZES	UOM	PRICE
	Hi-viz Yellow Heavy	veight Pads			
\blacktriangle	YSMF100-HV	MLTBYSMF100-HV	15" x 18"	100/Cs	\$109.56
	Hi-viz Yellow Heavy	veight Roll			
\blacktriangle	YSMF150-HV	MLTBYSMF150-HV	30" x 150'	RI	\$233.00
\blacktriangle	YSMF36150-HV	MLTBYSMF36150-HV	36" x 150'	RI	\$245.74
\blacktriangle	YSMF24150-HV	MLTBYSMF24150-HV	24" x 150'	RI	\$165.00



MRO PLUS® ABSORBENTS



MRO Plus® Absorbents

Medium and heavyweight, 3-ply dimpled material with enhanced thickness and strength. Suitable for virtually any industrial application. Low-linting and absorbs water, petroleum and chemical-based fluids. Made in USA.

	ITEM #	MARTIN #	DESCRIPTION	CAPACITY	SIZES	UOM	PRICE
	MRO100	BRAMRO100	Heavyweight pads, full size	26 gal./Cs	15" x 19"	100/Cs	\$109.48
ğΑ	MRO15P	BRAMRO15P	Heavyweight roll, perfed every 18"	25 gal./Cs	15" x 150'	1/Cs	\$131.36
3 A	MRO30-DP	BRAMRO30-DP	Heavyweight roll, perfed every 15" & up center	50 gal./RI	30" x 150'	1/Cs	\$204.80
	MRO300	BRAMRO300	Medium weight pads, perfed	20 1/2 gals./Cs	15" x 19"	100/Cs	\$86.63
A	MRO350-DP	BRAMRO350-DP	Medium weight roll, perfed every 15" & up center	38 gal./Cs	30" x 150'	1/Cs	\$143.21



Emergency Spill Kits

Constructed of 100% polyethylene, containers are sturdy and chemical-resistant. Wheeled 55- and 95-gallon kits avoid the extra expense of a dolly for larger units. Overpack is DOT-approved and X-rated for use as salvage drums.



SPKO-55

SPKU-95 contains:

- (150) 15" x 19" Pads
- (6) 3" x 8' Socks
- (12) 3" x 4' Socks
- (7) 18" x 18" Pillows
- (3) Tubs Plug & Dike
- (2 pr.) Nitrile gloves
- (1 pr.) Safety goggles
- (1) Emergency response guidebook
- (4) Disposal bags and ties

MARTIN #

- (6) Tamper-proof seals
- (1) Spill kit label

ITEM#

SPKO-55 contains:

- (100) 15" x 19" Pads
- (10) 3" x 4' Socks
- (5) 18" x 18" Pillows
- (2 pr.) Nitrile gloves
- (2 pr.) Safety goggles
- (1) Emergency response quidebook
- (4) Disposal bags and ties

UOM

PRICE

• (6) Tamper-proof seals





Trucker Spill Kits

Compact design easily fits behind the seat of a truck for quick response to the smaller types of spills truckers encounter on a regular basis. Absorbs up to 8.3 gals. per kit. Helps to comply with 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 40 CFR 263.30(a), 40 CFR 263.31.

Kit contains:

- (20) 15" x 19" Pads
- (3) 3" x 4' Socks
- (1) Disposal bag and ties
- (1 pair) Nitrile gloves
- (1 pair) Safety goggles





DESCRIPTION



20-Gal. Lab Packs

Water- and chemical-resistant polyethylene lab pack with screw top lid for small to medium response situations. Can absorb up to 17 gals. Available in oil-only for oil and petroleum-based spills, ALLWIK® for oil, water-based and chemical spills, and HAZWIK® for aggressive liquid and hazardous material spills. UN Approved.

Kit contains:

- (12) 15" x 19" Pads
- (3) 3" x 12' SOCs
- (2) 18" x 18" Pillows
- (1 pair) Goggles
- (1 pair) Nitrile gloves
- (3) Disposal bags
- (1) Emergency response guidebook

ITEM#	MARTIN #	DESCRIPTION	UOM	PRICE	
SKA-20	BRASKA-20	ALLWIK lab pack	Ea	\$291.93	4
SKO-20	BRASKO-20	Oil-only labback	Fa	\$291.93	4





55-Gal. Lab Packs

Open and close this lever locking 55-gal. drum for fast spill response. Available in oil-only for oil and petroleum-based spills or ALLWIK® for oil, water-based and chemical spills. Drum meets UN specifications. Absorbs up to 38 gals.

Kit contains:

- (50) 15" x 19" Pads • (4) 3" x 12' SOCs
- (8) 18" x 18" Pillows
- (1 pair) Goggles
- (1 pair) Nitrile gloves
- (5) Disposal bags
- (1) Emergency response guidebook

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
\blacksquare	SKA-55	BRASKA-55	ALLWIK labpack	Ea	\$567.52
\blacksquare	SKO-55	BRASKO-55	Oil-only labpack	Ea	\$567.49







Economy Spill KitsTM

Highly visible yellow PVC bag is just right for small spills. Absorbs up to 5 gals.

Kit contains:

- (10) 15" x 19" Pads
- (2) 3" x 4' SOCs
- (1 pair) Nitrile gloves
- (1) Disposal bag
- (1) Instruction sheet

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
SKA-PP	BRASKA-PP	ALLWIK spill kit	5/Cs	\$54.75
SKO-PP	BRASKO-PP	Oil-only spill kit	5/Cs	\$55.23



MBI 30-Gal. Overpack Spill Kits

Tough, secure screw top spill kit is reusable and ideal for small to medium spills. A kit for everyday spills or absorb any type of spill fast with quality MBT sorbent. Absorbs up to 36 gallons per kit. UN-approved overpack. 21" dia. x 28 1/2" H. Complies with DOT CFR 173.3(c).

Kit contains:

- (25) 15" x 18" Pads (6) 3" x 12' Socks

- (6) 18" x 18" Pillows (3) Disposal bags
- (1 pair) Goggles
- (1 pair) Nitrile gloves
- (1) Emergency response guidebook

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE	
	GPSK-30	MLTBGPSK-30	MRO overpack kit	Ea	\$245.16	4
▲	OSSK-30	MLTBOSSK-30	Oil-only overpack kit	Ea	\$301.79	4
▲	HZSK-30	MLTBHZSK-30	Hazmat overpack kit	Ea	\$334.24	4



55-Gal. Drum Spill Kits

Ideal for medium-sized spills. Easy-to-open lever lock ensures readiness and a fast response to any spill. Good size for most industrial response applications. Absorbs up to 38 gallons per kit. 24" dia. x 37" H. Drum meets UN specifications.



OSSK-55

Kit contains:

- (50) 15" x 18" Pads
- (4) 3" x 12' Socks
- (8) 18" x 18" Pillows
- (5) Disposal bags
- (1 pair) Goggles
- (1 pair) Nitrile gloves
- (1) Emergency response guidebook

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
L	GPSK-55	MLTBGPSK-55	MRO drum kit	Ea	\$464.90
1	OSSK-55	MLTBOSSK-55	Oil-only drum kit	Ea	\$437.30
L	HZSK-55	MLTBHZSK-55	Hazmat drum kit	Ea	\$464.90



large, easy-to-grab handle allows for easy carrying and quick response. Place in

areas around workplace for fast response to small spills. Screw-on top twists off easily for quick access to sorbents.



Clear bag allows for quick access to absorbents. Absorbs up to 15 gallons per kit. Reusable bucket is 14" dia. x 18" H.

Kit contains:

- (10) 15" x 18" Pads
- (3) 3" x 4' Socks
- (2) Disposal bags
- (1 pair) Nitrile gloves
- (1) Instruction sheet

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
L	GPSK-BKT	MLTBGPSK-BKT	MRO bucket kit	Ea	\$63.30
L	OSSK-BKT	MLTBOSSK-BKT	Oil-only bucket kit	Ea	\$59.30
L	HZSK-BKT	MLTBHZSK-BKT	Hazmat bucket kit	Ea	\$67.30



GPSK-CFB

MBT≈ **Emergency Response Bag Spill Kit**

Clear bag spill kit allows for quick access to absorbents for quick response to small to medium spills. Lightweight; fits almost anywhere. Absorbs up to 13 gallons per kit.

Kit contains:

- (32) 15" x 18" Pads
- (5) 3" x 4' Socks
- (1) 18" x 18" Pillow
- (3) Disposal bags

- (1 pair) Goggles
- (1 pair) Nitrile gloves
- (1) Emergency response guidebook

	ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
•	GPSK-CFB	MLTBGPSK-CFB	MRO bag spill kit	Ea	\$105.58
	OSSK-CFB	MLTBOSSK-CFB	Oil-only bag spill kit	Ea	\$102.03
	HZSK-CFB	MLTBHZSK-CFB	Hazmat bag spill kit	Ea	\$134.00



















































































DuPont Personal Protection











a — g		
About Martin Safety 1	Facility Care / Heat Stress, continued	Fall Protection 96-110
Accessories, eye protection	Electrolyte freeze pops 140	Accessories,
Accessories, fall protection 109-110 Accessories, head protection 110	Headbands	fall protection 109-110
Accessories, heat stress	Hydration packs	Accessories, head protection
Anchorage connectors 105-106	Sweatbands	Anchorage connectors 105-106
Anchors, fall protection	Lockout / Tagout 131-137	Anchors, fall protection 105-106
Anti-fatigue matting 127-130	Ball valve lockouts	Fall limiters
Aprons	Cable lockouts	Harness accessories 108
Balaclavas	Circuit breaker lockouts 133	Harness kits
Ball valve lockouts	Electrical lockouts	Harnesses
Banded hearing protectors 47	Group lock boxes 134, 136 Hasps	Hoists
Bib overalls	Lock boxes	Horizontal lifelines
Bump tests	Lockout hasps	Lanyards
Cable lockouts	Lockout kits	Lifeline systems
Calibration systems	Lockout tags	Positioning, fall protection 101
Cap frames	Locks	Rebar assemblies
Chemical-resistant coveralls 83-85	LOTO tags	Rescue equipment 107-108
Circuit breaker lockouts	Padlocks 131, 136	Restraint, fall protection 101
Clothing, see Protective Clothing82-94	Plug lockouts	Retractable lanyards101-103, 108
Coolers	Matting 127-130	Retractable lifelines 101-105
Cooling bandanas	Anti-fatigue matting127-130	Self-retracting lifelines 101-105
Cooling bands	Floor matting127-130	Tool lanyards109-110
Cooling products 141	Matting127-130	Tripods
Cooling towels	Monitors & Instruments 112-119	
Coveralls 83 85 90 91	Bump tests	Fire extinguisher brackets
Coveralls	Calibration systems	Fire Safety, see Facility Care 126
Dew rags	Gas cylinders	First Aid, see Facility Care 120-125
Disposable earplugs 45-50	Gas detector kits	First aid cabinets
Disposable gloves	Gas detector modems	First aid kits
Disposable respirators	Gas detector sensors	First aid stations
Drum toppers	Gas detector systems	Floor matting 127-130
Earmuffs	Gas detectors	FR apparel89-91
Earplug dispensers 44, 48, 50	Multi-gas detectors 113, 115-116, 119	FR clothing
Earplugs	Personal gas monitors 119	Full facepiece respirators 31, 38
Electrolyte drink mixes	Regulators, gas cylinders 118	Gas cylinders
Electrolyte freeze pops 140	Safety equipment rental lockers . 119	Gas detector kits 117
Ergonomics 82	Single gas detectors 112-113	Gas detector modems 117
Eye Protection, see Glasses & Goggles	VOC Monitors	Gas detector sensors
Eyewear accessories	Signs & Labels 144-149	Gas detector systems 117
Faceshield frames	Facility signs 149	Gas detectors
Faceshield headgear 25	Label/sign printer accessories 148	Gas monitors
Faceshield windows	Label/sign printers 147	General purpose gloves 65-67
	Safety signs 144, 146	Glasses & Goggles 4-19
Facility Care Fire Safety 111 126	Safety tags	Accessories, eye protection 19
Fire extinguishers	Sign posts	Eyewear accessories 19
Fire extinguisher brackets 126	Sign/label printer accessories 148	Goggles
First Aid 120-125	Sign/label printers	Lens cleaning towelettes 19
First aid cabinets122-123	Traffic signs	Magnifier safety glasses 6
First aid kits	Spill Containment 150-156	Magnifiers 6
Heat Stress 138-143	Drum toppers	Readers
Accessories, heat stress 138	Sorbent pads150-154	Reading safety glasses7-8, 10
Coolers	Sorbent pillows	Safety glasses
Cooling bandanas	Sorbent rolls	Sideshields 19
Cooling bands	Sorbent socks 150, 152, 154	Glove liners 67
Cooling hats	Sorbents	Gloves, see Hand Protection 54-80
Cooling products141	Spill kits155-156	Goggles
Cooling towels141-142	Facility Identification, see	Group lock boxes 134, 136
Cooling vests	Facility Care; Signs & Labels 144-149	Hairnets
Dew rags 142	Facility signs149	Half facepiece respirators 29-30
Electrolyte drink mixes 138-140	Fall limiters	Half mask respirators 30



Hand Protection	54-80
Cut-resistant gloves	54-59, 62
Disposable gloves	68-69
Drivers gloves	
General purpose	
Heat resistant glaves	74 00
Heat-resistant gloves	/4-00
Hi-viz gloves	55, 58, 66
Hot mill gloves	
Insulated gloves	73
Latex gloves	
Leather gloves 61	-64 77-80
Light duty aloves	-04, 11-00
Light duty gloves	
Glove liners	67
Multi-purpose gloves	54, 66
Nitrile gloves	.68-70, 72
Protective sleeves	
Rubber gloves	
Sleeves	59-60
Welding gloves	
Hard hat accessories	24
Hard hat frames	
Hard hats	
Harness accessories	
Harness kits	
Harnesses	96-99
Hasps	132
Hats	
Head & Face Protection	20-25
Balaclavas	25
Cap frames	24
Caps	.20, 22-23
Faceshield frames	25
Faceshield headgear	
Faceshield windows	
Faceshields	24
Hard hat accessories	24
Hard hat frames	
Hard hats	
Hats	20
Headgear	
Visors	23
Headbands	141-142
Headgear	
Heaugeal	20
Headsets	
Hearing Protection	44-52
Banded hearing protectors	47
Disposable earplugs	
Earmuffs	50-52
Earplug dispensers	44, 48, 50
Earplugs	44-50
Headsets	51-52
Metal detectable	
earplugs 44, 46	-47, 49-50
Radio headsets	
Reusable earplugs	
Heated jackets	92
Heat-resistant gloves	74-80
Heat Stress, see Facility Care.	
Ili via apparel	00 00
Hi-viz apparel	92-93
Hi-viz clothing	92-93
Hi-viz gloves	55, 58, 66
Hoists	107
Horizontal lifelines	
Hot mill gloves	
Hydration packs	4 4 4
Hydration packs	
Insulated gloves	
Jackets	
Lab coats	85, 87
Label/sign printer accessories.	
Label/sign printers	
Lanyards	90-101
Latex gloves	
Leather gloves 61	
Lens cleaning towelettes	19

Lifeline systems 1	06
Light duty gloves	67
Lock boxes	36
Lockout hasps 1	32
Lockout kits136-1	37
Lockout / Tagout,	
see Facility Care 131-	
Lockout tags 1	
Locks	
LOTO tags 1	.37
Magnifier safety glasses	. 6
Magnifiers	. b
Matting, see Facility Care 127-	130
Metal detectable earplugs	ΕO
	50
Monitors & Instruments, see Facility Care 112-	110
Multi-gas detectors 113, 115-116, 1	110 140
Multi-purpose gloves 54,	66
Nitrile gloves	72
Overalls	91
Padlocks	
Pants	85
PAPR 34-36, 38,	42
Particulate respirators	
Personal gas monitors	119
Plug lockouts 1	35
Positioning, fall protection 1	01
Powered air purifying respirators	
Protective Clothing 82	-94
Protective Clothing 82 Aprons85,	87
Back supports	82
Bib overalls	
Boot covers	
Chemical-resistant coveralls 83-	
Coveralls83-85, 90-	
Ergonomics	82
FR apparel89-	
FR clothing	96
Heated jackets	
Hi-viz apparel	
Hi-viz clothing	.93
Jackets 89-90,	
Lab coats 85,	
Overalls	
Pants	85
Protective sleeves	88
Rain coats	
Rainwear	94
Shirts85, 92-	
Shoe covers	
Sleeves	
Smocks	
Sweatshirts	
T-shirts	
Vests92-	
Wrist supports	
Protective sleeves 59-60,	88
Radio headsets51-	
Rain coats	
Rainwear	
Reading safety glasses	10
Rebar assemblies1	01
Regulators, gas cylinders	118
Rescue equipment 107-1	08
Respirator accessories	
Respirator cartridges 32,	
Respirator filters 32,	41
Respirator hoods	42
Respirator selection guide 39-	40
Respirator selector 39-	40
Respirator wipes	41

Respiratory Protection	26-43
Disposable respirators	
Full facepiece respirators	31, 38
Half facepiece respirators	29-30
Half mask respirators	
PAPR 34-36,	
Particulate respirators	26-29
Powered air purifying	20 40
respirators 34-36, 3 Respirator accessories	58, 4Z 11
Respirator cartridges	
Respirator filters	
Respirator hoods	42
Respirator selection guide	39-40
Respirator selector	39-40
Respirator wipes	
Reusable respirators	29-31
SAR33, 37-38,	
SCBA	43
Self-contained breathing apparatus	13
Supplied air	43
respirators33, 37-38,	42-43
Welding respirators	26-28
Restraint, fall protection	
Retractable lanyards 101-103	
Retractable lifelines	
Reusable earplugs	44-49
Reusable respirators	29-31
Rubber gloves	
Safety equipment rental lockers	
Safety glasses	
Safety signs	1, 146 5 146
Safety tags	19-140 19-12
SCBA	
Self-contained breathing apparatus.	
Self-retracting lifelines	
Shirts	
Shoe covers	
Sideshields	
Sign posts	
Sign/label printer accessories	
Sign/label printers	. 147
Signs & Labels, see Facility Care	14-149
Single gas detectors	
Sleeves	59-60
Sleeves	
Smocks	
Sorbent booms	. 151
Sorbent pads15	
Sorbent pillows	
Sorbent rolls	0-154
Sorbent socks	2, 154
Sorbents	0-156
Spill Containment, see Facility Care	0-156
Spill kits	
Supplied air respirators . 33, 37-38,	42-43
Sweatbands	. 141
Sweatshirts	
Tool lanyards10	9-110
Traffic signs 14	3, 148
Tripods	
T abiuta	
T-shirts	93
Vests	93 92-93
VestsVisors	93 92-93 23
Vests Visors VOC Monitors	93 92-93 23 114
VestsVisors	93 92-93 23 114 74-80



CONTROLLING TERMS AND CONDITIONS

All purchases and sales of products (the "Products") and services (the "Services") between Buyer and Martin Inc. (or any affiliate thereof, "Martin Inc.") shall be made pursuant to and on the price terms indicated in Martin Inc.'s quote and/or order acknowledgment and shall be governed by these Terms and Conditions. These Terms and Conditions and Martin Inc.'s quote and/or order acknowledgement shall constitute the entire agreement between the parties pertaining to the subject matter hereof, and shall supersede all prior or contemporaneous oral or written negotiations, agreements, understanding or representations with respect thereto. These Terms and Conditions shall supersede any conflicting provision contained in any purchase order of Buyer. Unless otherwise agreed in writing, nothing contained in any purchase order of Buyer shall in any way modify or add any provision to these Terms and Conditions. These Terms and Conditions may not be amended or any provision hereof waived in any way except by an instrument in writing signed by both parties. If Martin Inc.'s quote is deemed an offer, Buyer agrees that its acceptance of such offer is expressly limited to provisions contained solely in these Terms and Conditions. Buyer's issuance of a purchase order shall solely be deemed to be an acceptance of these Terms and Conditions. If Martin Inc.'s order acknowledgment is deemed to be an acceptance of Buyer's purchase order, Martin Inc.'s acceptance of such purchase order is expressly made conditional on Buyer's assent to any additional and different terms contained herein, and failure by Buyer to specifically object to these Terms and Conditions in writing within twenty (20) days of receipt shall constitute an acceptance of these Terms and Conditions.

PRICES

Prices displayed in all printed catalogs or printed promotional materials are effective as of the date of the publication and are subject to change without notification. Prices shown are for product only and do not contain any shipping, handling, sales tax, or other applicable charges. Once an order is accepted by Martin Inc., any cancellation of the order requires Martin Inc. authorization and may be subject cancellation charges.

SALES TAX

Buyer shall pay, where applicable, any and all such charges, assessments, levies, taxes, value added taxes or other governmental charges of any nature whatsoever now or hereafter imposed by or under the authority of any law, rule or regulation with respect to the Products and Services sold or with respect to the ownership, manufacture, importation, transportation, installation, purchase, sale or use of the Products or Services related thereto, except for income taxes owed by the Seller. For clarity, all prices are exclusive of any of the items set forth in the immediately preceding sentence. In the event Customer provides to Martin Inc. a valid sales tax exemption certificate prior to order acceptance, Martin Inc. may elect not to collect tax with respect to such order; when placing an order a customer shall indicate any and all items that are tax exempt.

SHIPPING

All products are shipped F.O.B. shipping point with the cost of the shipping and handling paid by Martin Inc. and charged to Buyer. Delivery time is not of the essence. Delivery is accomplished when Products are released to the shipping agent. Shipment schedules indicated in Seller's quote and/or order acknowledgment are approximate, and Seller will use commercially reasonable efforts to deliver on the date specified or within a commercially reasonable period thereafter. Seller does not accept liability for any loss arising from delay in delivery. Buyer assumes all responsibility for risk of loss or damage to the Products upon the Products being made available to Buyer's freight agent at Seller's designated manufacturing facility.

PAYMENT TERMS

Seller shall not be obligated to ship any Products or provide any Services unless Buyer has paid in full all prior invoices in accordance with the terms of payment. For purposes of payment, each order and shipment shall be considered a separate contract and Buyer shall not be entitled to set-off against payments owing any amounts owing or alleged to be owing from Seller to Buyer for adjustments, set-offs or claims hereunder. Martin Inc. accepts cash, money orders, Visa, American Express and MasterCard. No cash discounts are allowed for early payment. For customers with established Martin Inc. credit, payment terms are net 30 days from date of invoice.

If Buyer's credit standing or financial condition becomes unsatisfactory to Seller in its sole discretion, or if Buyer breaches this agreement, Seller reserves the right to (a) require advance payments and /or C.O.D. terms, or (b) withhold shipments of Products or provision of Services in whole or in part, (c) recall goods in transit. Buyer agrees to pay (a) interest on the unpaid portion of any past due invoices at the rate of one and one half (1.5%) percent per month, or the legal maximum allowed interest rate, if less, and (b) all reasonable and necessary costs and expenses incurred by Seller in collecting any amounts due and owing, including but not limited to reasonable attorney's fees and all litigation expenses.

PRODUCT RETURNS

Buyer shall inspect and examine all Products upon delivery thereof, and such Products shall be deemed accepted by Buyer unless Seller receives a written notice specifically describing the purported defect or nonconformity within fifteen (15) days of delivery. Failure to provide such written notice within such time period shall be deemed an unqualified acceptance and waiver of any rights to return the Products. Contact your Martin Inc. representative for instructions relating to product returns or other claims. Returns require a Martin Inc. return goods authorization ("RGA"). Proof of purchase will be required. Returns may be subject to a restocking fee. All requests for an RGA or any other claims relating to material shipped must be made within 30 days from the date of product shipment.

Seller shall have the right to cancel or terminate any unfulfilled order or any part thereof in the event Buyer (a) threatens or files a petition for voluntary bankruptcy, (b) is threatened with or has filed against it a petition for involuntary bankruptcy, (c) has appointed on its behalf a receiver or trustee, (d) executes an assignment for the benefits of creditors, or (e) otherwise breaches these Terms and Conditions.

For standard, stock items, Buyer may terminate without charge any unfulfilled order at its convenience by written notice to Seller received and processed by Seller prior to shipment. For all other items. Buyer may terminate any unfulfilled order at its convenience by written notice to Seller received and processed by Seller prior to shipment, but Buyer agrees to pay a restocking fee equal to the greater of twenty five percent (25%) of the Product purchase price or Seller's costs and expenses (whether direct or indirect, general or administrative) incurred in performing and preparing to perform this agreement, and terminating the same, up to the full purchase price (e.g., if Seller is unable to return the Product to the manufacturer). If the restocking fee remains due and owing more than thirty (30) days after Seller's notification of the same, Buyer agrees to pay, all costs and expenses of collection, including but not limited to, reasonable attorney's fees. If requested, Seller will inform Buyer whether an order contains standard, stock items only.

INDEMNIFICATION

The customer agrees to defend, indemnify and hold harmless Martin Inc. and its affiliates from and against any and all claims or costs, including attorney's fees arising from or related to the customer's use of any products contained herein.


DISCLAIMER AND LIMITATION OF LIABILITY

All products contained herein have been manufactured by an unrelated third party and as such are sold by Martin Inc. "as is". Martin Inc. DISCLAIMS ALL WARRANTIES OF ANY KIND. EXPRESSORIMPLIED, INCLUDING BUTNOTLIMIT-ED TO WARRANTIES OF MERCHANTABILITY AND FITNESS OF USE FOR A PARTICULAR PURPOSE. Martin Inc. SHALL NOT BE LIABLE FOR ANY INDIRECT, INCIDENTAL, SPECIAL, PUNITIVE OR CONSEQUENTIAL DAMAGES INCURRED BY THE CUSTOMER OR A THIRD PARTY ARISING OUT OF THE PURCHASE OF THESE PRODUCTS. Martin Inc.'S LIABILITY IN ALL SUCH CIRCUM-STANCES SHALL NOT EXCEED THE PURCHASE PRICE PAID FOR THE AFFECTED PRODUCTS IRRESPECTIVE OF THE NATURE OF THE CLAIM.

MANUFACTURER'S WARRANTY

Please contact your Martin Inc. representative with any questions relating to manufacturers' product warranties.

Printed in the USA. Produced by Safety Marketing Services. @ 2016 Martin Inc.



Head-to-toe PPE solutions for every work environment

Honeywell

Minimize risk, increase compliance and improve productivity with head-to-toe PPE solutions that incorporate premium performance, fit, comfort and style.

Constantly innovating new products such as the North Zone[™] Hard Hat, Uvex Hydroshield[™] Anti-Fog eyewear coating, and Howard Leight[™] FirmFit[™] earplugs.

For more information, please visit www.honeywellsafety.com or call 800.430.5490 (US) and 888.212.7233 (CANADA)

Safety Support & Expertise that you can count on!

Are you OSHA ready?

With the ever changing needs of your company's safety compliance and OSHA laws/standards changes, Martin is ready with the right products and expertise to provide the right solution for your Safety needs.

Safety Specialists

Martin Safety Specialists are educated and field-trained to respond to our Customers' specific needs.

- On-Site surveys
- Product analysis
- Hazard assessment
- ► Inventory control
- ► Technical support
- New product introductions
- ▶ Cost-saving initiatives

Strategic Account Team

This highly specialized team of individuals is capable and committed to providing exceptional safety procurement solutions. In addition to providing national resources for strategic account implementation, this team also coordinates pricing consistency, performance requirements and progress reporting, as well as continuously monitoring activities to assure all commitments are fulfilled.

Customer Service

Martin has Safety Representatives dedicated to the support of our sales force and the needs of our Customers. Our Customer Service Representatives attend monthly product training seminars to continuously increase product knowledge and keep current with the newest safety products available in the marketplace.

Technical Support

Designed to support customer service and the sales force when additional technical information is required, these highly experienced individuals work closely with our strategic supplier partners to keep current with the latest technology and product innovation.

Clobal Reach... ...but small enough to care! MARTIN Safety Solutions

Custom Tailored Solutions

888.372.3604 | www.martinsafety.com

125 N. Court St., Florence, Alabama 35630