

MARTIN®

NORTON
SAINT-GOBAIN®



CUT-OFF WHEELS

Right Angle
Wheel

37% OFF



NON-WOVEN ABRASIVES

Quick-Change Disc

42% OFF



COATED ABRASIVES

Flap Disk

46% OFF

COATED ABRASIVES

Grit Cloth Roll

53% OFF



NORTON
PRODUCT
SOLUTIONS

SAVE UP TO 60%

ON ABRASIVES & ABRASIVE ACCESSORIES

Visit Us Online for More **NORTON** Products.

SAINT-GOBAIN®

800.828.8116 MartinSupply.com



General Information About Norton

Our Mission

We offer powerful, precise, user-friendly solutions, which enable our customers to cut, shape and finish all materials even in the most complex and challenging applications. By working closely with end-users and our grinding expert partners, we design and provide customized solutions to secure the best option for performance, cost and safety.

Our Expertise

Norton is the leading brand of Saint-Gobain Abrasives, with more than 135 years of experience in manufacturing abrasives.

We are committed to providing access to our expert's knowledge whenever you need it. Whether it is through our Process Solutions Program (PSP), ongoing training programs, or through on-line expert articles and white papers you can stay up-to-date with Norton where and when you need it.

Bring us your grinding challenges, we have solutions!

Our Commitment

You be the final judge in performance! We are so confident of the superior performance of our abrasive products, as recommended for specific applications, that we invite in-plant tests against any other brand of abrasive product on the market. Contact your Norton Representative to find out more about our No Risk test policy or visit www.nortonabrasives.com



Why Tiers Matter

At Norton we believe in delivering right choices that matter. Our abrasives are classified in BEST, BETTER, and GOOD performance/price tiers to help you choose the right product for your specific application every time.

BEST

Our BEST tier products are designed for the customer who is seeking the highest productivity at the lowest total cost.

BETTER

Our BETTER tier products provide an excellent blend of performance and price.

GOOD

And, our GOOD tier products promise the highest quality you expect from the Norton name with a low initial price.

If you need help determining the right tier for your specific needs, don't hesitate to contact us directly or reach out to your Norton sales representative.

Go Further

Visit our website at www.nortonabrasives.com for a more comprehensive outline of products, safety and application information. We continually update it with our most current information.

Connect with us:





GEMINI RIGHTCUT A AO TYPE 01 RIGHT ANGLE CUT-OFF WHEEL

Minimizes burrs on cut-off applications. Durable bond offers a fast cut and superb wheel life, while the extremely thin reinforced straight wheel ensures a minimum of material loss. Good balance and free-cutting action make this wheel is easy to use. Aluminum oxide abrasive makes this wheel ideal for cutting off 400 series stainless, hard carbon and soft carbon steels, as well as alloys and other ferrous metals.



| ITEM # | MARTIN # | DESCRIPTION | DIAMETER | ARBOR SIZE | THICKNESS | MAX RPM | UOM | PRICE |
|-------------|----------------|--------------------------------------------------------|----------|------------|-----------|---------|-------|---------|
| 66252823602 | NOR66252823602 | Gemini RightCut A AO Type 01 right angle cut-off wheel | 4 1/2" | 7/8" | 0.045 in | 13,580 | 25/Pk | \$63.65 |
| 66252823604 | NOR66252823604 | Gemini RightCut A AO Type 01 right angle cut-off wheel | 6" | 7/8" | 0.04 in | 10,185 | 25/Pk | \$83.60 |



GEMINI A AO TYPE 27 GRINDING AND CUTTING WHEEL

Cost-effective, dependable grinding wheel for smoothing welds and for stock removal applications. Aluminum-oxide abrasive and a solid performance bond deliver consistent cut rate and good wheel life. Grinding and cutting wheel is for all your general-purpose cutting and grinding projects.



| ITEM # | MARTIN # | DESCRIPTION | DIAMETER | ARBOR SIZE | THICKNESS | MAX RPM | UOM | PRICE |
|-------------|----------------|--------------------------------------------------------------|----------|------------|-----------|---------|-------|---------|
| 66252843585 | NOR66252843585 | Gemini fast cut A AO Type 27 grinding wheel | 4 1/2" | 5/8" | 1/4 in | 13,580 | 10/Pk | \$42.64 |
| 66252843584 | NOR66252843584 | Gemini fast cut A AO Type 27 grinding wheel | 4 1/2" | 7/8" | 1/4 in | 13,580 | 25/Pk | \$69.83 |
| 66252843590 | NOR66252843590 | Gemini metal/stainless A AO Type 27 grinding & cutting wheel | 4 1/2" | 5/8" | 1/8 in | 13,580 | 10/Pk | \$41.80 |
| 66252940147 | NOR66252940147 | Gemini fast cut metal A AO Type 27 grinding wheel | 7" | 5/8" | 1/4 in | 8,600 | 10/Pk | \$87.40 |



GEMINI RIGHTCUT A AO TYPE 27 CUTTING WHEEL

Economical cutting wheel features an aluminum oxide grain for consistent performance and a durable bond designed to cut at high rates and ensure a long product life. Ultra-thin depressed center lets you use the wheel precisely to minimize material loss during grinding. Designed to deliver optimal results on 400 series stainless, hard or soft carbon steels.



| ITEM # | MARTIN # | DESCRIPTION | DIAMETER | ARBOR SIZE | THICKNESS | MAX RPM | UOM | PRICE |
|-------------|----------------|--------------------------------------------|----------|------------|-----------|---------|-------|---------|
| 66252842025 | NOR66252842025 | Gemini RightCut A AO Type 27 cutting wheel | 4 1/2" | 5/8" | 0.045 in | 13,580 | 10/Pk | \$44.65 |
| 66252842026 | NOR66252842026 | Gemini RightCut A AO Type 27 cutting wheel | 4 1/2" | 7/8" | 0.045 in | 13,580 | 25/Pk | \$76.95 |
| 66252830587 | NOR66252830587 | Gemini RightCut A AO Type 27 cutting wheel | 6" | 5/8" | 0.045 in | 10,185 | 10/Pk | \$45.42 |
| 66252842202 | NOR66252842202 | Gemini RightCut A AO Type 27 cutting wheel | 6" | 7/8" | 0.045 in | 10,185 | 25/Pk | \$86.93 |



METAL R828 ZA FIBERGLASS FLAP DISCS, TYPE 29

Bevel, blend, deburr and remove stock with high speed and efficiency. Engineered with angled polyester/cotton flaps, a high surface area and a durable zirconia grain, these long-life, type-29 flap discs work great on edges and contoured surfaces and efficiently cut titanium, super alloys, cast iron, and soft-carbon, and 300 and 400 series stainless steels. Fiberglass/resin-backed flap discs are strong and lightweight, and they also absorb vibration, enhancing operator comfort. Also available in type-27 flat flap discs for finishing applications.



| ITEM # | MARTIN # | DESCRIPTION | DIAMETER | ARBOR SIZE | GRADE | GRIT | MAX RPM | UOM | PRICE |
|-------------|----------------|----------------------------------------------|----------|------------|--------------|------|---------|-------|----------|
| 66254419994 | NOR66254419994 | Type 29 conical flap disc | 4 1/2" | 5/8" | Extra Coarse | P40 | 13,300 | 10/Pk | \$24.22 |
| 66254419996 | NOR66254419996 | Type 29 conical flap disc | 4 1/2" | 5/8" | Coarse | P60 | 13,300 | 10/Pk | \$40.96 |
| 66254419997 | NOR66254419997 | Type 29 conical flap disc | 4 1/2" | 5/8" | Coarse | 80 | 13,300 | 10/Pk | \$57.19 |
| 66254472655 | NOR66254472655 | Type 27 flat flap disc | 4 1/2" | 5/8" | Extra Coarse | 36 | 13,300 | 10/Pk | \$56.05 |
| 66254472656 | NOR66254472656 | Type 27 flat flap disc | 4 1/2" | 5/8" | Coarse | 60 | 13,300 | 10/Pk | \$55.48 |
| 66254472657 | NOR66254472657 | Type 27 flat flap disc | 4 1/2" | 5/8" | Coarse | 80 | 13,300 | 10/Pk | \$48.36 |
| 66254437013 | NOR66254437013 | Type 27 flat flap disc | 4 1/2" | 5/8" | Extra Coarse | 40 | 13,300 | 10/Pk | \$41.79 |
| 66254419991 | NOR66254419991 | ZA arbor thread fiberglass conical flap disc | 4 1/2" | 5/8" | Extra Coarse | P36 | 13,300 | 10/Pk | \$56.62 |
| 66254420009 | NOR66254420009 | ZA arbor thread fiberglass conical flap disc | 7" | 5/8" | Extra Coarse | P36 | 8,600 | 10/Pk | \$101.99 |
| 66254420010 | NOR66254420010 | ZA arbor thread fiberglass conical flap disc | 7" | 5/8" | Extra Coarse | P40 | 8,600 | 10/Pk | \$81.69 |
| 66254420012 | NOR66254420012 | ZA arbor thread fiberglass conical flap disc | 7" | 5/8" | Coarse | P60 | 8,600 | 10/Pk | \$101.72 |
| 66254420013 | NOR66254420013 | Type 29 conical flap disc | 7" | 5/8" | Coarse | 80 | 8,600 | 10/Pk | \$101.87 |



NORTON® NEON® F726 AO COARSE GRIT FIBER DISC

Delivering greater durability and faster cutting action than other aluminum oxide discs, the Neon F726 coarse grit fiber disc features a premium aluminum oxide blend for outstanding performance on beveling, stock removal, deburring and blending applications. Heavier fiber backing helps minimize tearing, and the full resin bond further enhances the disc's strength. Affordable disc is excellent for use in combination with a right-angle grinder or pistol grip air sander on challenging materials, including titanium, soft carbon steels and super alloys. Center mount attachment.



| ITEM # | MARTIN # | DESCRIPTION | DIAMETER | ARBOR SIZE | GRADE | GRIT | MAX RPM | UOM | PRICE |
|-------------|----------------|-------------------------------------|----------|------------|--------------|------|---------|-------|---------|
| 66623395007 | NOR66623395007 | Neon F726 AO coarse grit fiber disc | 4 1/2" | 7/8" | Extra Coarse | 24 | 11,000 | 10/Pk | \$16.89 |
| 66623395009 | NOR66623395009 | Neon F726 AO coarse grit fiber disc | 4 1/2" | 7/8" | Coarse | 50 | 11,000 | 10/Pk | \$15.94 |
| 66623395010 | NOR66623395010 | Neon F726 AO coarse grit fiber disc | 4 1/2" | 7/8" | Coarse | 60 | 11,000 | 10/Pk | \$15.14 |
| 66623395011 | NOR66623395011 | Neon F726 AO coarse grit fiber disc | 4 1/2" | 7/8" | Coarse | 80 | 11,000 | 10/Pk | \$14.01 |
| 66623395016 | NOR66623395016 | Neon F726 AO coarse grit fiber disc | 5" | 7/8" | Extra Coarse | 24 | 10,000 | 10/Pk | \$20.18 |
| 66623395017 | NOR66623395017 | Neon F726 AO coarse grit fiber disc | 5" | 7/8" | Extra Coarse | 36 | 10,000 | 10/Pk | \$16.90 |
| 66623395018 | NOR66623395018 | Neon F726 AO coarse grit fiber disc | 5" | 7/8" | Coarse | 50 | 10,000 | 10/Pk | \$17.78 |
| 66623395019 | NOR66623395019 | Neon F726 AO coarse grit fiber disc | 5" | 7/8" | Coarse | 60 | 10,000 | 10/Pk | \$18.04 |
| 66623395020 | NOR66623395020 | Neon F726 AO coarse grit fiber disc | 5" | 7/8" | Coarse | 80 | 10,000 | 10/Pk | \$13.09 |
| 66623395012 | NOR66623395012 | Neon F726 AO ceramic fiber disc | 4 1/2" | 7/8" | | 100 | | 10/Pk | \$13.59 |
| 66623395013 | NOR66623395013 | Neon F726 AO ceramic fiber disc | 4 1/2" | 7/8" | | 120 | | 10/Pk | \$14.16 |
| 66623395021 | NOR66623395021 | Neon F726 AO ceramic fiber disc | 5" | 7/8" | | 100 | | 10/Pk | \$16.25 |
| 66623395022 | NOR66623395022 | Neon F726 AO ceramic fiber disc | 5" | 7/8" | | 120 | | 10/Pk | \$18.66 |



NORTON® STANDARD AIR-COOLED RUBBER BACK-UP PADS FOR FIBER DISCS

Various sizes available.



| ITEM # | MARTIN # | DESCRIPTION | DIAMETER | MAX RPM | UOM | PRICE |
|-------------|----------------|------------------------------------------------------|----------|---------|------|----------|
| 63642502122 | NOR63642502122 | Medium air-cooled rubber back-up pad for fiber discs | 4 1/2" | 11,000 | 5/Pk | \$171.95 |
| 63642543421 | NOR63642543421 | Medium air-cooled rubber back-up pad for fiber discs | 5" | 10,000 | 5/Pk | \$172.87 |

TO SEE MORE PRODUCTS, VISIT WWW.MARTINSUPPLY.COM



NORTON® METAL R766 AO COARSE GRIT TR (TYPE III) QUICK-CHANGE CLOTH DISC

Coated aluminum oxide, coarse grit. TR (Type III) attachment. Y-wt. polyester backing. Max. operating speed determined by back-up pad.



| ITEM # | MARTIN # | DIAM | GRADE | GRIT | MAX RPM | UOM | PRICE |
|-------------|----------------|------|--------------|------|---------|--------|---------|
| 66623319005 | NOR66623319005 | 2" | Extra Coarse | P36 | 30,000 | 100/Pk | \$90.20 |
| 66623319027 | NOR66623319027 | 3" | Extra Coarse | P36 | 20,000 | 50/Pk | \$65.31 |
| 66623319028 | NOR66623319028 | 3" | Extra Coarse | P40 | 20,000 | 50/Pk | \$63.72 |
| 66623319029 | NOR66623319029 | 3" | Course | P50 | 20,000 | 50/Pk | \$63.72 |



NORTON® BEAR-TEX® RAPID PREP® AO MEDIUM GRIT TR (TYPE III) NON-WOVEN QUICK-CHANGE DISC


Moderately blend surfaces on stainless steels and soft metals, including aluminum, titanium and carbon steels, with this disc. With an aluminum oxide abrasive that offers a 20% higher cut rate and 50% better performance than the competition, this disc offers a smear-free finish and reduced surface loading through Clean Bond resin technology, even on alloys with high nickel content. Strong nylon fiber and nylon scrim backing offer a surface for thickly layered resin bond and grain, giving this disc longevity, durability and stiffness.



| ITEM # | MARTIN # | DIAM | GRADE | MAX RPM | UOM | PRICE |
|-------------|----------------|------|--------|---------|-------|---------|
| 66261009190 | NOR66261009190 | 2" | Medium | 30,000 | 25/Pk | \$31.75 |
| 66261009191 | NOR66261009191 | 2" | Coarse | 30,000 | 25/Pk | \$29.93 |



BEAR-TEX RAPID PREP AO TR (TYPE III) NON-WOVEN QUICK-CHANGE DISC



Features aluminum oxide abrasive grain coating for improved performance and up to 20 percent better cut rates compared to similar discs on the market. Premium nylon fiber and nylon scrim backing ensures a thick resin bond for sturdiness and longevity, while the Clean Bond technology allows high-quality finishes on tricky soft metals such as high nickel content alloys.

| ITEM # | MARTIN # | DIAM | GRADE | MAX RPM | UOM | PRICE |
|-------------|----------------|------|--------------|---------|-------|---------|
| 66261009189 | NOR66261009189 | 2" | Very Fine | 30,000 | 25/Pk | \$33.57 |
| 66623340077 | NOR66623340077 | 2" | Fine | 30,000 | 50/Pk | \$68.88 |
| 66261016373 | NOR66261016373 | 2" | Extra Coarse | 30,000 | 50/Pk | \$69.35 |
| 66261009192 | NOR66261009192 | 3" | Very Fine | 20,000 | 25/Pk | \$64.84 |
| 66623340085 | NOR66623340085 | 3" | Fine | 20,000 | 25/Pk | \$63.41 |
| 66261017522 | NOR66261017522 | 3" | Medium | 20,000 | 25/Pk | \$51.51 |
| 66261009194 | NOR66261009194 | 3" | Coarse | 20,000 | 25/Pk | \$64.84 |
| 66261016994 | NOR66261016994 | 3" | Extra Coarse | 20,000 | 25/Pk | \$61.74 |



NORTON® BLUEFIRE® R884P ZA COARSE GRIT TR (TYPE III) PLASTIC FLAT MINI FLAP DISC



Handles coarse grit blending, beveling, stock removal and deburring in tight places. High-performance zirconia alumina plus abrasive provides an aggressive cut, while semi-open coated polyester flaps minimize loading on aluminum and enjoy great durability. Plastic backing plates provide flexibility and absorb vibration well. Disc fits on smaller machines, making it ergonomically friendly for the operator.

| ITEM # | MARTIN # | DIAM | GRADE | GRIT | MAX RPM | UOM | PRICE |
|-------------|----------------|------|--------------|------|---------|-------|---------|
| 77696090165 | NOR77696090165 | 2" | Extra Coarse | P36 | 30,000 | 10/Pk | \$53.23 |
| 77696090166 | NOR77696090166 | 2" | Extra Coarse | P40 | 30,000 | 10/Pk | \$54.91 |
| 77696090167 | NOR77696090167 | 2" | Coarse | P60 | 30,000 | 10/Pk | \$54.72 |
| 77696090168 | NOR77696090168 | 2" | Coarse | P80 | 30,000 | 10/Pk | \$54.91 |
| 77696090170 | NOR77696090170 | 3" | Extra Coarse | P36 | 30,000 | 10/Pk | \$68.59 |
| 77696090171 | NOR77696090171 | 3" | Extra Coarse | P40 | 30,000 | 10/Pk | \$68.52 |
| 77696090172 | NOR77696090172 | 3" | Coarse | P60 | 30,000 | 10/Pk | \$58.05 |
| 77696090173 | NOR77696090173 | 3" | Coarse | P80 | 30,000 | 10/Pk | \$52.76 |



NORTON® METALITE® K225/K227 AO FINE GRIT CLOTH ROLLS



Coated abrasive rolls are designed for fast and easy sanding of various surfaces, and can be torn to exact lengths as needed. Cloth rolls are typically used for polishing lathe turnings, rolls and cylinders, light deburring, blending machine tool marks, removing rust and scale, and fine sanding and polishing.

| ITEM # | MARTIN # | GRADE | GRIT | LENGTH | WIDTH | UOM | PRICE |
|-------------|----------------|------------|------|---------|--------|------|---------|
| 66261126273 | NOR66261126273 | Fine | P150 | 50 yds. | 1" | 1/Ea | \$26.90 |
| 66261126272 | NOR66261126272 | Fine | P180 | 50 yds. | 1" | 1/Ea | \$30.58 |
| 66261126271 | NOR66261126271 | Very Fine | P220 | 50 yds. | 1" | 1/Ea | \$30.58 |
| 66261126270 | NOR66261126270 | Very Fine | P240 | 50 yds. | 1" | 1/Ea | \$27.54 |
| 66261126269 | NOR66261126269 | Very Fine | P280 | 50 yds. | 1" | 1/Ea | \$27.20 |
| 66261126268 | NOR66261126268 | Extra Fine | P320 | 50 yds. | 1" | 1/Ea | \$30.55 |
| 66261126267 | NOR66261126267 | Super Fine | P400 | 50 yds. | 1" | 1/Ea | \$27.54 |
| 66261126266 | NOR66261126266 | Ultra Fine | P600 | 50 yds. | 1" | 1/Ea | \$29.34 |
| 66261126285 | NOR66261126285 | Fine | P150 | 50 yds. | 1 1/2" | 1/Ea | \$42.34 |
| 66261126284 | NOR66261126284 | Fine | P180 | 50 yds. | 1 1/2" | 1/Ea | \$42.34 |
| 66261126283 | NOR66261126283 | Very Fine | P220 | 50 yds. | 1 1/2" | 1/Ea | \$42.34 |
| 66261126282 | NOR66261126282 | Very Fine | P240 | 50 yds. | 1 1/2" | 1/Ea | \$42.34 |
| 66261126281 | NOR66261126281 | Very Fine | P280 | 50 yds. | 1 1/2" | 1/Ea | \$44.65 |
| 66261126280 | NOR66261126280 | Extra Fine | P320 | 50 yds. | 1 1/2" | 1/Ea | \$42.34 |
| 66261126279 | NOR66261126279 | Super Fine | P400 | 50 yds. | 1 1/2" | 1/Ea | \$42.34 |
| 66261126278 | NOR66261126278 | Ultra Fine | P600 | 50 yds. | 1 1/2" | 1/Ea | \$42.34 |
| 66261126296 | NOR66261126296 | Fine | P150 | 50 yds. | 2" | 1/Ea | \$54.65 |
| 66261126295 | NOR66261126295 | Fine | P180 | 50 yds. | 2" | 1/Ea | \$54.65 |
| 66261126294 | NOR66261126294 | Very Fine | P220 | 50 yds. | 2" | 1/Ea | \$54.65 |
| 66261126293 | NOR66261126293 | Very Fine | P240 | 50 yds. | 2" | 1/Ea | \$54.65 |
| 66261126292 | NOR66261126292 | Very Fine | P280 | 50 yds. | 2" | 1/Ea | \$46.91 |
| 66261126291 | NOR66261126291 | Extra Fine | P320 | 50 yds. | 2" | 1/Ea | \$54.65 |
| 66261126290 | NOR66261126290 | Super Fine | P400 | 50 yds. | 2" | 1/Ea | \$54.65 |
| 66261126289 | NOR66261126289 | Ultra Fine | P600 | 50 yds. | 2" | 1/Ea | \$54.65 |



BEAR-TEX 747 MAROON NON-WOVEN HAND PAD



Made of a nylon web impregnated with abrasive grain and resin bond. Designed for applications ranging from heavy-duty cleaning to polishing. Excellent replacement for steel wool.

| ITEM # | MARTIN # | DESCRIPTION | SIZES | UOM | PRICE |
|-------------|----------------|--------------------|---------|-------|---------|
| 66261074700 | NOR66261074700 | Non-woven hand pad | 6" x 9" | 60/Pk | \$66.12 |



NORTON® METALITE® K225/K227 AO CLOTH SHEETS



Coated abrasive designed for fast and easy sanding of various surfaces.

| ITEM # | MARTIN # | GRADE | GRIT | SIZES | UOM | PRICE |
|-------------|----------------|------------|------|----------|-------|---------|
| 66261126340 | NOR66261126340 | Coarse | P80 | 9" x 11" | 25/Pk | \$37.00 |
| 66261126337 | NOR66261126337 | Fine | P150 | 9" x 11" | 50/Pk | \$59.23 |
| 66261126336 | NOR66261126336 | Fine | P180 | 9" x 11" | 50/Pk | \$70.47 |
| 66261126335 | NOR66261126335 | Very Fine | P220 | 9" x 11" | 50/Pk | \$64.59 |
| 66261126334 | NOR66261126334 | Very Fine | P240 | 9" x 11" | 50/Pk | \$52.24 |
| 66261126333 | NOR66261126333 | Very Fine | P280 | 9" x 11" | 50/Pk | \$51.67 |
| 66261126332 | NOR66261126332 | Extra Fine | P320 | 9" x 11" | 50/Pk | \$47.22 |
| 66261126331 | NOR66261126331 | Super Fine | P400 | 9" x 11" | 50/Pk | \$70.47 |
| 66261126330 | NOR66261126330 | Ultra Fine | P600 | 9" x 11" | 50/Pk | \$49.75 |
| 66261126339 | NOR66261126339 | Medium | P100 | 9" x 11" | 50/Pk | \$70.47 |
| 66261126338 | NOR66261126338 | Medium | P120 | 9" x 11" | 50/Pk | \$70.47 |



GEMINI CRYSTOLON 39C SC TYPE 01 BENCH AND PEDESTAL WHEEL

Economically-priced sharp, green silicon carbide wheels, designed for all general-purpose bench and pedestal grinder applications on nonferrous materials and carbide tooling. Vitrified bond resists wear and holds its shape. Telescoping bushings fit most arbor hole sizes, ensuring the wheel fits your bench or pedestal grinder for deburring and tool sharpening applications. Wheel is available in numerous sizes and grits to handle sharpening and fine shaping applications.



| ITEM # | MARTIN # | DESCRIPTION | DIAMETER | ARBOR SIZE | GRADE | GRIT | THICKNESS | MAX RPM | UOM | PRICE |
|-------------|----------------|----------------------------------------------------------|----------|------------|------------|------|-----------|---------|------|---------|
| 66252837194 | NOR66252837194 | Gemini Crystolon 39C SC Type 01 Bench and Pedestal Wheel | 6" | 1" | Extra Fine | 120 | 1" | 4,140 | 1/Ea | \$42.62 |
| 66252837193 | NOR66252837193 | Gemini Crystolon 39C SC Type 01 Bench and Pedestal Wheel | 6" | 1" | Fine | 80 | 1" | 4,140 | 1/Ea | \$39.00 |
| 66252837187 | NOR66252837187 | Gemini Crystolon 39C SC Type 01 Bench and Pedestal Wheel | 6" | 1" | Fine | 60 | 1" | 4,140 | 1/Ea | \$39.00 |
| 66253044535 | NOR66253044535 | Gemini Crystolon 39C SC Type 01 Bench and Pedestal Wheel | 8" | 1" | Extra Fine | 120 | 1" | 3,600 | 1/Ea | \$58.15 |
| 66253044534 | NOR66253044534 | Gemini Crystolon 39C SC Type 01 Bench and Pedestal Wheel | 8" | 1" | Fine | 80 | 1" | 3,600 | 1/Ea | \$58.15 |
| 66253044087 | NOR66253044087 | Gemini Crystolon 39C SC Type 01 Bench and Pedestal Wheel | 8" | 1" | Medium | 60 | 1" | 3,600 | 1/Ea | \$58.15 |



GEMINI 57A AO TYPE 01 BENCH AND PEDESTAL WHEEL

Economically-priced, quality brown aluminum oxide wheels are ideal for small job shops and numerous general-purpose ferrous applications. Gray aluminum oxide abrasive and a vitrified bond that provides superb shape holding help the wheel resist wear for a longer wheel life. Available in a variety of sizes and grits, the wheel features telescoping bushings to fit most arbor hole sizes and works well for offhand grinding applications.



| ITEM # | MARTIN # | DESCRIPTION | DIAMETER | ARBOR SIZE | GRADE | GRIT | THICKNESS | MAX RPM | UOM | PRICE |
|-------------|----------------|------------------------------------------------|----------|------------|-------------|---------|-----------|---------|------|---------|
| 07660788250 | NOR07660788250 | Gemini 57A AO Type 01 Bench and Pedestal Wheel | 6" | 1" | Fine | 100/120 | 1" | 4,140 | 1/Pk | \$24.45 |
| 07660788260 | NOR07660788260 | Gemini 57A AO Type 01 Bench and Pedestal Wheel | 6" | 1" | Coarse | 36/46 | 1" | 4,140 | 1/Pk | \$24.45 |
| 07660788280 | NOR07660788280 | Gemini 57A AO Type 01 Bench and Pedestal Wheel | 8" | 1" | Fine | 100/120 | 1" | 3,600 | 1/Pk | \$36.61 |
| 07660788285 | NOR07660788285 | Gemini 57A AO Type 01 Bench and Pedestal Wheel | 8" | 1" | Medium | 60/80 | 1" | 3,600 | 1/Pk | \$29.13 |
| 07660788286 | NOR07660788286 | Gemini 57A AO Type 01 Bench and Pedestal Wheel | 8" | 1" | Coarse | 36/46 | 1" | 3,600 | 1/Pk | \$36.48 |
| 66253044454 | NOR66253044454 | Gemini 57A AO Type 01 Bench and Pedestal Wheel | 8" | 1" | Very Coarse | 24 | 1" | 3,600 | 1/Pk | \$40.04 |

SAFETY GUIDES, SDS AND WHEEL WARNING MESSAGES


Before using any abrasive materials, READ:

- The Safety Guides
- Wheel Warning Messages
- Safety Data Sheets (SDS)

All Norton products provide information pertaining to safe use. Please take the time to read it carefully. Contact suppliers of the workpiece and abrasive materials for copies of the SDS if one is not readily available. Norton abrasives SDS can be obtained on www.nortonabrasives.com.



Improper use of abrasive products might cause grinding wheel breakage and serious injury. Comply with ANSI B7.1, OSHA and Safety Guide furnished with package. Don't overspeed, abuse, or drop wheel. Always use a guard, personal protective equipment and proper mounting procedures.



For many non-stock belts, our FastTrack belt service offers all the benefits of an ISO 9001 quality manufacturer and the advantages of a coated abrasives express belt service. As the industry leader of abrasive belts, our FastTrack belt service has an extensive range of Norton made-to-order belts including Blaze ceramic alumina, BlueFire zirconia alumina, versatile aluminum oxide, and silicon carbide belts.

Manufacturing lead-time is two days for narrow belts (1/2" – 12" wide) and three days for wide belts (14" – 52" wide). Please see the FastTrack belt service chart below for complete details on availability and lead-time.

FastTrack Availability and Lead-time information

| WIDTH | GRIT SIZE | MINIMUM ORDER QUANTITY | CASE QUANTITY | MAXIMUM ORDER QUANTITY (EQUALS 2 CASES) | CONVERSION LEAD-TIMES |
|----------------------|--------------|------------------------|---------------|-----------------------------------------|-----------------------|
| Narrow Belts | | | | | |
| 1/2" through 1" | All | 50 | 200 | 400 | 2 |
| Over 1" through 5" | All | 10 | 50 | 100 | 2 |
| Over 5" through 9" | All | 10 | 20 | 40 | 2 |
| Over 9" through 14" | All | 10 | 10 | 20 | 2 |
| Wide Belts | | | | | |
| Over 14" through 20" | All | 5 | 10 | 20 | 3 |
| Over 20" through 52" | 36 & coarser | 2 | 2 | 4 | 3 |
| Over 20" through 52" | 40-80 | 3 | 3 | 6 | 3 |
| Over 20" through 52" | 100 & finer | 5 | 5 | 10 | 3 |

How to Place a FastTrack Belt Order

- Check the FastTrack belt availability
- Include a full description of belt: quantity, size, Norton CAP code, and grit size
- Send order electronically, fax, or phone to customer service
- When ordering a belt that does not have an existing part number, please call Customer Service to expedite part number creation

| TIER | PRODUCT CAP CODE | SHAPE AVAILABILITY | GRIT SIZE | ABRASIVE GRAIN | BACKING | APPLICATIONS |
|---------------------|------------------|---------------------|------------------------------|-----------------------------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Metalworking | | | | | | |
| Best | R980P | Narrow, Wide | 24-120 | Blaze Ceramic Alumina | Y-wt. Polyester | Latest-generation Norton SG grain, supersized and designed for high-performance grinding on stainless and other alloys |
| Best | R984 | Narrow, Wide | 36-120 | SG Ceramic Alumina | Y-wt. Polyester | Norton SG grain for medium-pressure grinding and finishing heat-sensitive alloys |
| Best | R983 | Narrow | P36-P120 | Red Heat Ceramic Alumina | Y-wt. Plus | P-graded ceramic alumina abrasive with lubricating supersize coat; engineered for maximum productivity on mild carbon steel, ferrous metal, and cast iron applications |
| Better | R884P | Narrow, Wide | 24, 36-80 | BlueFire Zirconia Alumina | Y-wt. Polyester | High-performance zirconia alumina grain designed for medium- to high-pressure grinding |
| Better | R887D | Narrow, Wide | 24, 36-120 | BlueFire Zirconia Alumina | Y-wt. Polyester | High-performance zirconia alumina grain, supersized and designed for medium- to high-pressure grinding of heat-sensitive alloys |
| Better | R823P | Narrow, Wide | 60-220 | BlueFire Zirconia Alumina | X-wt. Polyester | High-performance zirconia alumina grain on lighter backing designed for light to medium grinding |
| Good | R766 | Narrow | P24-80 | Gemini Aluminum Oxide Blend | Y-wt. Polyester | Premium aluminum oxide blend product designed for a variety of applications including soft metals to hard-to-grind stainless and carbon steel |
| Good | R766X | Narrow, Wide | P60-P400 | Gemini Aluminum Oxide Blend | X-wt. Polyester | Quality, P-graded aluminum oxide and broad grit range for stock removal to finer finishing |
| Good | MX240 | Narrow, Wide | P80-P150 | Aluminum Oxide | X-wt. Poly/Cotton | P-graded, heat-treated aluminum oxide X-weight cloth with strong, but flexible, cotton/polyester backing making it an ideal multi-purpose product |
| Good | R245 | Narrow | P80-P240, P320, P400 | Aluminum Oxide | J-wt. Polyester | Aluminum oxide on flexible, lightweight polyester backing for moderate- to light- pressure applications on mild steel |
| Good | KF376 | Narrow | P80-P320, P400, P600 | Aluminum Oxide | J-wt. Cotton | P-graded, heat-treated aluminum oxide with ceramic coating on a very flexible backing for use wherever flexibility and conformability are needed |
| Good | R445 | Narrow | 60-220 | Silicon Carbide | X-wt. Polyester | Sharp, silicon carbide grain on medium polyester backing for grinding very hard materials – glass, stone, solid surface |
| Good | U243 | Narrow, Wide to 24" | X80, X65, X45, X30, X22, X16 | NORaX Aluminum Oxide | J-wt. Cotton | High-performance, multi-layered NORaX grain on very flexible backing for dry polishing applications |
| Woodworking | | | | | | |
| Best | R963 | Narrow, Wide | 24-60, P80-100-150 | SG Ceramic Alumina | Y-wt. Polyester | Norton SG ceramic alumina grain with anti-static coating for forest product applications (MDF, particleboard, plywood) |
| Best | R955 | Narrow | P36-P120 | Red Heat Ceramic Alumina | Y-wt. Cotton | 100% ceramic alumina abrasive with Y-weight cloth backing for dimensioning, intermediate sanding of wood |
| Better | R831 | Narrow, Wide | 24, 36-120 | BlueFire Zirconia Alumina | Y-wt. Cotton | Norton BlueFire open-coat product recommended for dry low-pressure applications or where loading is a problem |
| Good | R215 | Narrow, Wide | 50-180 | Gemini Aluminum Oxide | X-wt. Cotton | Initial starting specification for woodworking applications where loading is a problem, and initial cost a primary concern |
| Good | R490 | Narrow, Wide | P36-P150 | Silicon Carbide | Y-wt. Polyester | Anti-static product for forest product applications (MDF, particle board, plywood) where loading is an issue |
| Good | R422 | Narrow | 50-120 | Silicon Carbide | X-wt. Cotton | Initial starting specification for woodworking applications where loading is not an issue |
| Best | H975 | Narrow, Wide | 60-220 | Red Heat Ceramic Alumina | F-wt. Paper | Ceramic alumina grain, antistatic coating, and open coat; the best choice for applications where loading is a problem (soft woods, etc.) |
| Better | H831 | Wide | 24,36-120 | BlueFire Zirconia Alumina | F-wt. Paper | Durable zirconia alumina grain, antistatic coating, and open coat: the better choice for applications where loading is a problem (soft woods, etc.) |
| Good | H275B | Narrow, Wide | P60-P220 | Aluminum Oxide | F-wt. Paper | Quality aluminum oxide grain, antistatic coating, and open coat make these an economical choice for all heavy-weight paper belt jobs |
| Better | H475 | Narrow, Wide | P120-P400 | Onyx Silicon Carbide | F-wt. Paper | Sharp silicon carbide and antistatic coating create finer finishes on hard materials and veneers where finish is critical |

MARTIN®

NORTON

SAINT-GOBAIN®

when the going gets rough
RELY ON NORTON INNOVATION



MARTIN

CORPORATE OFFICE
125 N COURT ST
FLORENCE, AL 35630

ALABAMA

- ▶ **ANNISTON**
1707 E HILLER ROBINSON PKWY
OXFORD, AL 36203
256.389.3365
- ▶ **BIRMINGHAM**
141 COMMERCE CT
PELHAM, AL 35124
205.733.9292
- ▶ **DECATUR**
313 N BELTLINE RD
DECATUR, AL 35601
256.355.6311
- ▶ **SHEFFIELD**
200 APPLETON AVE
SHEFFIELD, AL 35660
256.383.3132
- ▶ **TUSCALOOSA**
3718 11TH AVE
TUSCALOOSA, AL 35401
205.752.0421

GEORGIA

- ▶ **ATLANTA**
6215 FULTON INDUSTRIAL BLVD
ATLANTA, GA 30336
404.346.2141

INDIANA

- ▶ **EVANSVILLE**
4720 SPRING ST
EVANSVILLE, IN 47711
812.425.5167
- ▶ **FORT WAYNE**
1121 E WALLACE ST
FORT WAYNE, IN 46803
800.877.3555

KENTUCKY

- ▶ **HENDERSON**
387 BORAX DR
HENDERSON, KY 42420
800.877.3555

OHIO

- ▶ **COLUMBUS**
236 N HAYES ST
BELLEFONTAINE, OH 43311
800.877.3555

SOUTH CAROLINA

- ▶ **COLUMBIA**
100 CENTRUM DR
IRMO, SC 29063
800.877.3555
- ▶ **GREENVILLE**
19 CONCOURSE WAY
GREER, SC 29650
864.848.1958

TENNESSEE

- ▶ **JACKSON**
111-A GORDON ST
JACKSON, TN 38301
731.935.8601
- ▶ **MEMPHIS**
3088 LAKEVIEW RD
MEMPHIS, TN 38116
901.620.2732
- ▶ **NASHVILLE**
208 SPACE PARK N
GOODLETTSVILLE, TN 37072
615.851.8040



800.828.8116

info@MartinSupply.com

MartinSupply.com