**3M** 

Premier Distributor Industrial Products



🕒 800.828.8116 回 MartinSupply.com

#### SILVER CUT-OFF WHEEL

Designed to guickly cut through metal pipes, tubes flat sheets and more. Exceptional durability extends the life of the wheel for great performance value. 3M<sup>™</sup> Precision-shaped grain cuts exceptionally fast, helping increase productivity. May be used on a variety of substrates such as carbon steel and stainless steel.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE/EA
7100138406	MMM7100138406	3M <sup>™</sup> Silver Cut-Off Wheels T1 25,465 (Max RPM)	3 x .035 x 1/4	25/Pk	\$1.60
7100139208	MMM7100139208	3M <sup>™</sup> Silver Cut-Off Wheels T1 25,465 (Max RPM)	3 x .035 x 3/8	25/Pk	\$1.59
7100139214	MMM7100139214	3M <sup>™</sup> Silver Cut-Off Wheels T1 19,100 (Max RPM)	4 x .035 x 3/8	25/Pk	\$1.72
7100139215	MMM7100139215	3M <sup>™</sup> Silver Cut-Off Wheels T1 19,100 (Max RPM)	4 x .060 x 3/8	25/Pk	\$2.01
7100139226	MMM7100139226	3M <sup>™</sup> Silver Cut-Off Wheels T1 13,300 (Max RPM)	4.5 x .045 x 7/8	25/Pk	\$2.18
7100139228	MMM7100139228	3M <sup>™</sup> Silver Cut-Off Wheels T1 13,300 (Max RPM)	4.5 x .045 x 7/8	25/Pk	\$2.18
7100139230	MMM7100139230	3M <sup>™</sup> Silver Cut-Off Wheels T27 13,300 (Max RPM)	4.5 x .045 x 7/8	25/Pk	\$2.18
7100139236	MMM7100139236	3M <sup>™</sup> Silver Cut-Off Wheels T1 12,250 (Max RPM)	5 x .045 x 7/8	25/Pk	\$2.31
7100139237	MMM7100139237	3M <sup>™</sup> Silver Cut-Off Wheels T27 12,250 (Max RPM)	5 x .045 x 7/8	25/Pk	\$2.32
7010412152	MMM7010412152	3M <sup>™</sup> Silver Cut-Off Wheels T1 10,200 (Max RPM)	6 x .045 x 7/8	25/Pk	\$3.62
7010409304	MMM7010409304	3M <sup>™</sup> Silver Cut-Off Wheels T27 10,200 (Max RPM)	6 x .045 x 7/8	25/Pk	\$4.00



#### 3M<sup>™</sup> SILVER DEPRESSED CENTER GRINDING WHEEL

Designed for heavy grinding, beveling and weld removal. May be used on a variety of substrate such as carbon steel and stainless steel. Reduces changeouts and downtime in robotic and pressure-assisted applications. Exceptional durability extends the life of the wheel for great performance value. Use with tools and accessories designed for depressed center grinding wheels.

	3M Stor
7010412150	Hard Control C
ubstrates and preat	

7100138406

ITEM #	MARTIN #	DESCRIPTION	SIZES	иом	PRICE/EA
7100141079	MMM7100141079	3M™ Silver Depressed Center Grinding Wheel T27 13,300 (Max RPM)	4 1/2" x 1/4" x 7/8"	20/Cs	\$2.82
7010362237	MMM7010362237	3M™ Silver Depressed Center Grinding Wheel T27 13,300 (Max RPM)	4 1/2" x 1/4" x 5/8-11"	20/Cs	\$4.51
7010412149	MMM7010412149	3M™ Silver Depressed Center Grinding Wheel T27 12,250 (Max RPM)	5" x 1/4" x 5/8-11"	20/Cs	\$5.13
7010412151	MMM7010412151	3M™ Silver Depressed Center Grinding Wheel T27 8,500 (Max RPM)	7" x 1/4" x 7/8"	20/Cs	\$6.26
7010412150	MMM7010412150	3M™ Silver Depressed Center Grinding Wheel T27 8,500 (Max RPM)	7" x 1/4" x 5/8"-11	20/Cs	\$7.29
7010410647	MMM7010410647	3M™ Silver Depressed Center Grinding Wheel T27 6,650 (Max RPM)	9" x 1/4" x 7/8"	20/Cs	\$9.46
7010409732	MMM7010409732	3M <sup>™</sup> Silver Depressed Center Grinding Wheel T27 6,650 (Max RPM)	9" x 1/4" x 5/8"-11	20/Cs	\$10.71

3M<sup>™</sup> FLAP

DISCS 769F

3M<sup>™</sup> FLAP DISCS 769F

Delivers long-lasting high performance and versatility at a value

price. Contains 3M<sup>™</sup> Precision-Shaped Grain, which cuts faster and lasts longer than conventional abrasive grain. Proven to

out perform traditional alumina zirconia flap discs. Individual flaps break down, exposing fresh mineral to deliver consistent cut rate for the life of the disc. Ideal for use on carbon steel, stainless steel and other heat-sensitive alloys. Covers a wide range of applications from weld grinding and beveling to surface prep.


ITEM #	MARTIN #	DESCRIPTION	SIZES	иом	PRICE/EA
7100178130	MMM7100178130	3M™ Flap Discs 769F T29 40+	4 1/2" x 7/8"	10/Bx	\$3.53
7100178027	MMM7100178027	3M™ Flap Discs 769F T29 60+	4 1/2" x 7/8"	10/Bx	\$3.53
7100178028	MMM7100178028	3M™ Flap Discs 769F T29 80+	4 1/2" x 7/8"	10/Bx	\$3.53
7100178023	MMM7100178023	3M™ Flap Discs 769F T27 60+	4 1/2" x 7/8"	10/Bx	\$3.53
7100178016	MMM7100178016	3M™ Flap Discs 769F T27 80+	4 1/2" x 7/8"	10/Bx	\$3.53
7100177446	MMM7100177446	3M™ Flap Discs 769F T27 40+	4 1/2" x 7/8"	10/Bx	\$3.53
7100178128	MMM7100178128	3M™ Flap Discs 769F T29 40+	7 x 1/8 x 5/8-11	5/Bx	\$6.90
7100178029	MMM7100178029	3M™ Flap Discs 769F T27 40+	7 x 1/8 x 5/8-11	5/Bx	\$6.90



to grind metals like stainless steel and high nickel alloys. Premium mineral excels at heavyweight applications such as weld grinding,

beveling, and edge chamfering. 3M<sup>™</sup> Precision Shaped Grain yields higher cut rates and cooler cut while completing more parts per disc than conventional fibre discs. Grinding aid minimizes grinding temperatures for heat-sensitive alloys. Long-lasting disc helps reduce cost. Stiff fiber backing and strong resin bond provide durability and tear.

ITEM #	MARTIN #	DESCRIPTION	SIZES	иом	PRICE/EA
7100099294	MMM7100099294	3M™ Fibre Disc 787C 60+	7" x 7/8"	100/Cs	\$2.71







#### SCOTCH-BRITE™ CLEAN AND STRIP DISCS

Quickly removes rust, paint, mill scale and coatings from metal. High-strength fiber resists chunking and performs well on edges. High conformability provides a larger contact patch for faster removal rates. Silicon carbide mineral cuts aggressively and leaves a fine finish. Resists loading for consistent cutting action. XT Pro Extra Cut for those extra challenging jobs.

7100175464	South Brite	
esists patch for Resists s.		

ITEM #	MARTIN #	DESCRIPTION	SIZES	иом	PRICE/EA
7100175252	MMM7100175252	Scotch-Brite™ Clean and Strip XT Pro Disc, S XCS T27	4 1/2" x 5/8" -11	10/Cs	\$11.24
7100177482	MMM7100177482	Scotch-Brite™ Clean and Strip XT Pro Disc, S XCS T27	5" x 5/8"-11	10/Cs	\$12.16
7100175474	MMM7100175474	Scotch-Brite™ Clean and Strip XT Pro Disc, S XCS T27	7" × 5/8" -11	5/Cs	\$14.18
7100175520	MMM7100175520	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc, A XCS T27	4 1/2" x 5/8" -11	10/Cs	\$11.85
7100177492	MMM7100177492	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc, A XCS T27	5" x 5/8"-11	10/Cs	\$12.78
7100175493	MMM7100175493	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc, A XCS T27	7" x 5/8" -11	5/Cs	\$14.88



#### Precision shaped grain disc designed for carbon steel metalworking applications such as weld grinding, beveling, and flame-cut edge clean-up.

Cuts faster, lasts longer and requires less grinding pressure than conventional abrasives. Use wet or dry. Complete carbon steel solution.

5114127425

• TN Quick Change 13,300 Max RPM

ITEM #	MARTIN #	DESCRIPTION	иом	PRICE/EA
5114127425	MMM5114127425	4 1/2" x 5/8"-11", 36+	25/Bg	\$4.26
5114127405	MMM5114127405	7" x 5/8"-11", 36+	25/Bg	\$4.91





Quickly removes rust, paint, mill scale and coatings from metal. High-strength fiber resists chunking and performs well on edges. High conformability provides a larger contact patch for faster removal rates. Silicon carbide mineral cuts aggressively and leaves a fine finish.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE/EA
7100175521	MMM7100175521	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc, TR, 2″ x NH, S XCS	60/Cs	\$3.42
7100173795	MMM7100173795	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc, TR, 3" x NH, S XCS	40/Cs	\$6.50
7100179815	MMM7100179815	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Extra Cut Disc, TR, 2" x NH, A XCS	40/Cs	\$3.59
7100173790	MMM7100173790	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Extra Cut Disc, TR, 3" x NH, A XCS	40/Cs	\$6.83

### TO SEE MORE PRODUCTS, VISIT WWW.MARTINSUPPLY.COM



7100023339

#### SCOTCH-BRITE™ 7447 GENERAL PURPOSE HAND PAD

Superior alternative to steel wool, wire brushes, sandpaper, and other non-woven products for cleaning or finishing tasks. Very fine grade aluminum oxide abrasive cleans, finishes, grains, denibs, and defuzzes. Pad resists tearing, splintering, shredding, loading and will never rust, providing a long, useful life. Can be folded, stacked, or rolled for effective cleaning or conditioning on flat, irregular, or contoured surfaces. Maroon.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
7100023339	MMM7100023339	Scotch-Brite™ 7447 General Purpose Hand Pad	6" x 9"	6/Bx	\$23.07





### **PROTECTIVE EYEWEAR**

3M<sup>™</sup> Pressure Diffusion Temple Technology means there are no moving parts and nothing to adjust,

while the versatile design is suited for a wide variety of faces. Lightweight, weighs less than 1 oz. Continually self-adjusting for a secure, comfortable fit. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

7100090435

ITEM #	MARTIN #	DESCRIPTION	FRAME	UOM	PRICE/EA
7100090435	MMM7100090435	SecureFit	Clear	10/Cs	\$2.31





7837162612

7000127178

Lightweight frame designed with a high-wrap lens for extended

coverage and optical clarity. Features elastomeric browguard and dual-injected adjustable temples with 3-position lens adjustment for better fit. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

ITEM #	MARTIN #	DESCRIPTION	FRAME	UOM F	PRICE/EA
7837162612	MMM7837162612	Maxim GT	Silver/black	10/Cs	\$8.97
			· · · · ·		

## 3M<sup>™</sup> E-A-R<sup>™</sup> EXPRESS<sup>™</sup> **POD PLUGS™**

Features reusable design with pod shape and flexible grip. No touching or roll-down needed for insertion. Test compatible with 3M™ E-A-Rfit<sup>™</sup> Validation System. 100 Pair/box.

ITEM #	MARTIN #	DESCRIPTION	иом	PRICE
7000127178	MMM7000127178	Express Pod Plugs, uncorded w/ blue color grips	100/Bx	\$60.61
7000127179	MMM7000127179	Express Pod Plugs, corded w/ assorted color grips	100/Bx	\$96.75

ULTRAFIT™

**EARPLUGS** 



Features triple-flange design that fits a wide range of ear canals. Washable and reusable. Metal detectable version features stainless steel ball in stem and metal detectable cord. Test compatible with 3M<sup>™</sup> E-A-Rfit<sup>™</sup> Validation System.

ITEM #	MARTIN #	DESCRIPTION	иом	PRICE
7000002320	MMM7000002320	UltraFit, corded, 100 Pr/Bx	100/Bx	\$125.00
7000052728	MMM7000052728	UltraFit, corded, Econopack, 200 Pr/Bx	200/Bx	\$197.00



3M<sup>™</sup> SKULL **SCREWS**<sup>™</sup> **EARPLUGS** Features screw "threads" molded into foam that make insertion convenient and easy. No roll-down required. Test compatible with 3M<sup>™</sup> E-A-Rfit<sup>™</sup> Validation System. Steel-gray. 120 Pair/box.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE/BX
7000127182	MMM7000127182	Skull Screws, uncorded	120/Bx	\$54.00
7000127181	MMM7000127181	Skull Screws, corded	120/Bx	\$80.25

#### /!\ WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read User Instructions and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor, User Instructions, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the User Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in sickness or death. For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



MARTIN CUSTOM TAILORED SOLUTIONS

**3M PRODUCT SOLUTIONS** 

#### 7000002304 E-A-R SOFT™ **YELLOW NEON BLASTS<sup>™</sup> DISPOSABLE FOAM EARPLUGS** Soft foam provides

low-pressure comfort. Features optional breakaway cord. Metal detectable models feature a stainless steel ball encapsulated into the earplug's foam and a metal detectable cord. Test compatible with 3M<sup>™</sup> E-A-R fit<sup>™</sup> Validation System.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE/BX
700002304	MMM7000002304	Yellow Neon Blasts, uncorded, poly bag, 200 Pr/Bx	Regular	200/Bx	\$30.89



ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE/EA
7000104074	MMM7000104074	Peltor X5, over-the-head	10/Cs	\$32.39



OTHER PRODUCTS AVAILABLE: WWW.MARTINSUPPLY.COM



certain non-oil based particles and is ideally suited for work settings that

involve heat, humidity or long periods of wear. Proprietary 3M™ Cool Flow<sup>™</sup> Exhalation Valve for easy exhalation and cool comfort. Braided headbands and an adjustable M-noseclip are designed to help enhance user comfort and increase wearability. NIOSH Approval TC-84A-1299.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE/BX
700002056	MMM7000002056	Particulate Respirator N95 w/ Advanced Electret Media	10/Bx	\$17.70

3	

7000002056

Features comfortable braided headbands and contoured nose

9211+, N95

3M<sup>™</sup> AURA<sup>™</sup>

PARTICULATE

RESPIRATORS

7100110432 panel. Chin tab is designed for ease of positioning, donning and adjustment. Embossed top panel helps reduce potential fogging of eyewear from warm, moist exhaled airflow. Individually wrapped. Meets NIOSH 42 CFR 84 N95 requirements.

ITEM #	MARTIN #	DESCRIPTION	иом	PRICE/BX
7100110432	MMM7100110432	3M™ Aura™ Particulate Respirator w/ Cool Flow™ Valve	10/Bx	\$23.98



5113854336

Suggested applications includes

select OSHA substance-specific particle exposures in concentrations up to 10 x OSHA PEL (Lead, Cadmium, Arsenic, MDA). Features 3M<sup>™</sup> Cool Flow<sup>™</sup> Exhalation Valve, comfortable foam faceseal and adjustable straps. Respirators are individually packaged. Do not use for asbestos exposures. Model 8293Q probed respirator is intended for use only for quantitative fit test and not for protection in a contaminated area. Meets NIOSH 42 CFR 84 requirements.

ITEM #	MARTIN #	DESCRIPTION	иом	PRICE/EA
5113854336	MMM5113854336	Particulate Respirator P100	20/Bx	\$10.49



versatility with comfort and fit. Excellent choice in work environments that may contain oil aerosols.



Suggested applications include

grinding, sanding, sweeping, bagging, machining and other dusty/oily operations. Features 3M<sup>™</sup> Cool Flow<sup>™</sup> Exhalation Valve, comfortable faceseal and M-noseclip to help provide a custom and secure seal. Meets NIOSH 42 CFR 84 requirements.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE/BX
7000002047	MMM7000002047	Particulate Respirator P95	10/Bx	\$37.22



7000128239

3M<sup>™</sup> RUGGED **COMFORT HALF** FACEPIECE REUSABLE **RESPIRATORS**, **6500 SERIES** 

Helps provide respiratory protection against airborne contaminants in harsh, dirty environments. Facepiece is designed to help promote comfort, durability and stability with a firm, lightly textured silicone faceseal and strong body construction. Helps provide respiratory protection at concentrations up to 10 x the Permissible Exposure Limit (PEL) when respirator is properly fitted. Sleek, overmolded/low-profile design helps to give a wide field of view that better suits compact work spaces and simplifies cleaning. Resilient silicone faceseal offers an extended facepiece life, even keeping its shape in high-heat environments. Facepiece offers numerous other comfort features including a special valve cover that helps to direct exhaled breath and moisture downward and 3M's proprietary Cool Flow<sup>™</sup> Valve that helps to make breathing easier by reducing heat and moisture. Made to fit securely and comfortably on the head, the facepiece comes with an adjustable head harness assembly featuring polyester/spandex straps that stretch and conform. Facepiece is compatible with all 3M™ bayonet-style filters and cartridges to help provide respiratory protection against a variety of gases, vapors and particulate hazards according to NIOSH approvals. Features a proprietary Quick Latch design offering an easy, one-hand touch drop-down mechanism for putting the facepiece on and off while moving in and out of contaminated areas. NIOSH/MSHA Approved.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM P	PRICE/EA
7000128239	MMM7000128239	6500 Series Half Facepiece, Quick Latch	М	10/Cs	\$20.36

DESCRIPTION

MMM700002030 Full Facepiece



Faceseal is made of silicone rubber for enhanced comfort and durability. Lightweight and well-balanced. Unique 3M<sup>™</sup> Cool Flow<sup>™</sup> Valve for unsurpassed comfort. Features large lens providing user a wide field of vision.

MARTIN #



SIZES

7000002030

PRICE/EA

\$146.78

иом

24/Cs



3M<sup>™</sup> ALL PURPOSE **DUCT TAPE DT8** 

Aggressive, synthetic rubber adhesive provides instant adhesion to a wide variety of surfaces, including metal, glass, plastic and sealed concrete. Tears easily by hand and provides ease of application and handling. Conformable

7100158345

backing allows for performance in a variety of surface applications. Tightly woven scrim provides high tensile strength, which is ideal for bundling applications. Consistent unwind improves handling in a variety of applications. Silver.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE/EA
7100158345	MMM7100158345	3M™ All Purpose Duct Tape DT8	2" x 60 yds	24 Rl/Cs	\$5.05



7010405865

#### **PAPER MASKING TAPE 2214**

Cost-effective solution for indoor, light-duty applications. Low tack rubber adhesive provides a quick, temporary stick to a variety of surfaces. Ideal for use on sensitive surfaces. Crepe paper backing tears by hand. Measures: 36 mm x 55 m 5.4 mil.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE/EA
7010405865	MMM7010405865	3M <sup>™</sup> Paper Masking Tape 2214	24 Rl/Cs	\$4.69



2120017295

#### 3M™ 363 HIGH **TEMPERATURE ALUMINUM** FOIL GLASS CLOTH TAPE

High tensile strength, glass cloth reinforced foil tape offers puncture, fracture and tear resistance. Performs continuously over a wide temperature range from -65° F to 600° F. Light and flexible construction easily conforms to curved or irregular surfaces. Thermally conductive and reflective backing assists with heat shielding.

0		5			
ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE/EA
2120017295	MMM2120017295	3M™ 363 High Temperature Aluminum Foil Glass Cloth Tape	2" x 36 yds	24 Rl/Cs	\$316.90



ITEM #

7000002030

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the User Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in sickness or death. For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at -800-243-4630 and in Canada at 1-800-267-4414.

/!\ WARNING





7010535984



Thermally conductive 4.6-mil tape with highly engineered acrylic adhesive withstands exposure to flame, weathering, moisture and UV. Helps dissipate heat and improves heating and cooling efficiency to protect

7100053630

2120003121

temperature sensitive materials. Resistant to chemicals to protect surfaces during de-paint process and other chemical masking operations. Provides long term durability, but removes cleanly after harsh masking applications.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE/EA
7100053630	MMM7100053630	Aluminum Foil Tape 425	2.375" x 180 yds	24 Rl/Cs	\$63.78

OTHER PRODUCTS AVAILABLE: WWW.MARTINSUPPLY.COM



Available in a wide variety of vivid colors for diverse applications. Unique stretch properties enable the tape to remain stretched to conform to uneven surfaces without lifting and retracting. One-piece, clean removal from many surfaces which helps reduce clean-up and labor costs. Rubber adhesive provides excellent holding strength on many surfaces.

ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE/EA
2120003121	MMM2120003121	3M™ Vinyl Tape 471	1" x 36 yds	96 Rl/Cs	\$20.90



2120006452

#### 3M<sup>™</sup> 4008 DOUBLE-COATED URETHANE FOAM TAPE

Open-cell urethane foam tape that offers high shear strength. Ideal for applications such as mounting interior signage and nameplates. Double-coated foam tape measures 1" x 36 yds x 1/8" thick. Off white.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE/EA
2120006452	MMM2120006452	3M™ Double-Coated Urethane Foam Tape	Rl	\$108.55

3M<sup>™</sup> VHB 4950 HEAVY-DUTY FOAM MOUNTING TAPE

> Adhesive tape with a firm foam core is a perfect replacement for drilling, welding, and mechanical fastening requirements. Offers durable and reliable bonds on a

variety of indoor and outdoor applications. Chemically-resistant bonding tape is UV and temperature stable. Engineered to withstand fluctuating heat and cold. Viscoelastic foam core tape is flexible and allows the use of thinner, lightweight or dissimilar materials. 45-mil thick. Use this double-sided tape to cover rivet heads, weld marks, and screws, creating a smooth surface.

ITEM #	MARTIN #	DESCRIPTION	SIZES	иом	PRICE/EA
7010535984	MMM7010535984	3M <sup>™</sup> VHB Heavy-Duty Foam Mounting Tape	3/8" x 36 yds	18 Rl/Cs	\$61.05



2120087832

#### 3M<sup>™</sup> SCOTCH-WELD<sup>™</sup> EPOXY ADHESIVE DP420

High peel and shear strength maintains lasting bond at high and low temperatures. Toughened for impact and fatigue resistance. 20-Minute work life provides time for positioning and adjustment. Adhesive cures at room temperature, making it a convenient and easy to use solution for challenging applications. Can replace mechanical fasteners, screws, rivets and spot welds in many applications.

	× 1
DP-420	Sen
	tch M
1.	Vol d
HE BY	

ITEM #	MARTIN #	DESCRIPTION	SIZES	иом	PRICE/EA
2120087832	MMM2120087832	3M™ Scotch-Weld™ Epoxy Adhesive DP420	200 mL	12/Cs	\$90.62



7100023053

#### 3M™ HOT MELT ADHESIVE

Economical, fast-setting resin solid hot melt adhesive. Aggressive hot tack rapidly achieves handling strength for packaging and other applications. Medium open time allows for positioning and fit adjustment. Securely bonds difficult to seal substrates such as lightly waxed surfaces. Virtually invisible when bonded, eliminating unattractive mechanical fasteners and tape products.

ITEM #	MARTIN #	DESCRIPTION	UOM	PRICE
7100023053	MMM7100023053	3M™ Hot Melt Adhesive, 12" light amber stick	11 lbs/Cs	\$199.69



Premier Distributor Industrial Products

For more products by **3**M visit MartinSupply.com





#### ALABAMA

ANNISTON 1707 E HILLER ROBINSON PKWY OXFORD, AL 36203 256.389.3365

- BIRMINGHAM 141 COMMERCE CT PELHAM, AL 35124 205.733.9292
- DECATUR 3401 HIGHWAY 20, BUILDING J DECATUR, AL 35601 256.355.6311
- SHEFFIELD 200 APPLETON AVE SHEFFIELD, AL 35660 256.383.3132
- **TUSCALOOSA** 3718 11TH AVE TUSCALOOSA, AL 35401 205.752.0421

#### GEORGIA

**ATLANTA** 6215 FULTON INDUSTRIAL BLVD ATLANTA, GA 30336 404.346.2141

#### INDIANA

EVANSVILLE 4720 SPRING ST EVANSVILLE, IN 47711 812.425.5167

**FORT WAYNE** 1121 E WALLACE ST FORT WAYNE, IN 46803 800.877.3555

#### KENTUCKY

HENDERSON
387 BORAX DR
HENDERSON, KY 42420
800.877.3555

#### оню

COLUMBUS 236 N HAYES ST BELLEFONTAINE, OH 43311 800.877.3555

#### SOUTH CAROLINA

GREENVILLE 19 CONCOURSE WAY GREER, SC 29650 864.848.1958

COLUMBIA 100 CENTRUM DR IRMO, SC 29063 800.877.3555

#### TENNESSEE

**JACKSON** 111-A GORDON ST JACKSON, TN 38301 731.424.4300

MEMPHIS
3088 LAKEVIEW RD
MEMPHIS, TN 38116
901.620.2732

NASHVILLE 208 SPACE PARK N GOODLETTSVILLE, TN 37072 615.851.8040



#### 800.828.8116

info@MartinSupply.com

#### MartinSupply.com