

MARTIN®



CUT-OFF WHEELS

Right Angle
Wheel

37% OFF



NON-WOVEN ABRASIVES

Quick-Change Disc

42% OFF



COATED ABRASIVES

Flap Disk

46% OFF

COATED ABRASIVES

Grit Cloth Roll

53% OFF



NORTON
**PRODUCT
SOLUTIONS**

SAVE UP TO 60%

ON ABRASIVES & ABRASIVE ACCESSORIES

Visit Us Online for More **NORTON** Products.

SAINT-GOBAIN

800.828.8116 MartinSupply.com



General Information About Norton

Our Mission

We offer powerful, precise, user-friendly solutions, which enable our customers to cut, shape and finish all materials even in the most complex and challenging applications. By working closely with end-users and our grinding expert partners, we design and provide customized solutions to secure the best option for performance, cost and safety.

Our Expertise

Norton is the leading brand of Saint-Gobain Abrasives, with more than 135 years of experience in manufacturing abrasives.

We are committed to providing access to our expert's knowledge whenever you need it. Whether it is through our Process Solutions Program (PSP), ongoing training programs, or through on-line expert articles and white papers you can stay up-to-date with Norton where and when you need it.

Bring us your grinding challenges, we have solutions!

Our Commitment

You be the final judge in performance! We are so confident of the superior performance of our abrasive products, as recommended for specific applications, that we invite in-plant tests against any other brand of abrasive product on the market. Contact your Norton Representative to find out more about our No Risk test policy or visit www.nortonabrasives.com



Why Tiers Matter

At Norton we believe in delivering right choices that matter. Our abrasives are classified in BEST, BETTER, and GOOD performance/price tiers to help you choose the right product for your specific application every time.

BEST

Our BEST tier products are designed for the customer who is seeking the highest productivity at the lowest total cost.

BETTER

Our BETTER tier products provide an excellent blend of performance and price.

GOOD

And, our GOOD tier products promise the highest quality you expect from the Norton name with a low initial price.

If you need help determining the right tier for your specific needs, don't hesitate to contact us directly or reach out to your Norton sales representative.

Go Further

Visit our website at www.nortonabrasives.com for a more comprehensive outline of products, safety and application information. We continually update it with our most current information.

Connect with us:





GEMINI RIGHTCUT A AO TYPE 01 RIGHT ANGLE CUT-OFF WHEEL

Minimizes burrs on cut-off applications. Durable bond offers a fast cut and superb wheel life, while the extremely thin reinforced straight wheel ensures a minimum of material loss. Good balance and free-cutting action make this wheel is easy to use. Aluminum oxide abrasive makes this wheel ideal for cutting off 400 series stainless, hard carbon and soft carbon steels, as well as alloys and other ferrous metals.



ITEM #	MARTIN #	DESCRIPTION	DIAMETER	ARBOR SIZE	THICKNESS	MAX RPM	UOM	PRICE
66252823602	NOR66252823602	Gemini RightCut A AO Type 01 right angle cut-off wheel	4 1/2"	7/8"	0.045 in	13,580	25/Pk	\$63.65
66252823604	NOR66252823604	Gemini RightCut A AO Type 01 right angle cut-off wheel	6"	7/8"	0.04 in	10,185	25/Pk	\$83.60



GEMINI A AO TYPE 27 GRINDING AND CUTTING WHEEL

Cost-effective, dependable grinding wheel for smoothing welds and for stock removal applications. Aluminum-oxide abrasive and a solid performance bond deliver consistent cut rate and good wheel life. Grinding and cutting wheel is for all your general-purpose cutting and grinding projects.



ITEM #	MARTIN #	DESCRIPTION	DIAMETER	ARBOR SIZE	THICKNESS	MAX RPM	UOM	PRICE
66252843585	NOR66252843585	Gemini fast cut A AO Type 27 grinding wheel	4 1/2"	5/8"	1/4 in	13,580	10/Pk	\$42.64
66252843584	NOR66252843584	Gemini fast cut A AO Type 27 grinding wheel	4 1/2"	7/8"	1/4 in	13,580	25/Pk	\$69.83
66252843590	NOR66252843590	Gemini metal/stainless A AO Type 27 grinding & cutting wheel	4 1/2"	5/8"	1/8 in	13,580	10/Pk	\$41.80
66252940147	NOR66252940147	Gemini fast cut metal A AO Type 27 grinding wheel	7"	5/8"	1/4 in	8,600	10/Pk	\$87.40



GEMINI RIGHTCUT A AO TYPE 27 CUTTING WHEEL

Economical cutting wheel features an aluminum oxide grain for consistent performance and a durable bond designed to cut at high rates and ensure a long product life. Ultra-thin depressed center lets you use the wheel precisely to minimize material loss during grinding. Designed to deliver optimal results on 400 series stainless, hard or soft carbon steels.



ITEM #	MARTIN #	DESCRIPTION	DIAMETER	ARBOR SIZE	THICKNESS	MAX RPM	UOM	PRICE
66252842025	NOR66252842025	Gemini RightCut A AO Type 27 cutting wheel	4 1/2"	5/8"	0.045 in	13,580	10/Pk	\$44.65
66252842026	NOR66252842026	Gemini RightCut A AO Type 27 cutting wheel	4 1/2"	7/8"	0.045 in	13,580	25/Pk	\$76.95
66252830587	NOR66252830587	Gemini RightCut A AO Type 27 cutting wheel	6"	5/8"	0.045 in	10,185	10/Pk	\$45.42
66252842202	NOR66252842202	Gemini RightCut A AO Type 27 cutting wheel	6"	7/8"	0.045 in	10,185	25/Pk	\$86.93



METAL R828 ZA FIBERGLASS FLAP DISCS, TYPE 29

Bevel, blend, deburr and remove stock with high speed and efficiency. Engineered with angled polyester/cotton flaps, a high surface area and a durable zirconia grain, these long-life, type-29 flap discs work great on edges and contoured surfaces and efficiently cut titanium, super alloys, cast iron, and soft-carbon, and 300 and 400 series stainless steels. Fiberglass/resin-backed flap discs are strong and lightweight, and they also absorb vibration, enhancing operator comfort. Also available in type-27 flat flap discs for finishing applications.




ITEM #	MARTIN #	DESCRIPTION	DIAMETER	ARBOR SIZE	GRADE	GRIT	MAX RPM	UOM	PRICE
66254419994	NOR66254419994	Type 29 conical flap disc	4 1/2"	5/8"	Extra Coarse	P40	13,300	10/Pk	\$24.22
66254419996	NOR66254419996	Type 29 conical flap disc	4 1/2"	5/8"	Coarse	P60	13,300	10/Pk	\$40.96
66254419997	NOR66254419997	Type 29 conical flap disc	4 1/2"	5/8"	Coarse	80	13,300	10/Pk	\$57.19
66254472655	NOR66254472655	Type 27 flat flap disc	4 1/2"	5/8"	Extra Coarse	36	13,300	10/Pk	\$56.05
66254472656	NOR66254472656	Type 27 flat flap disc	4 1/2"	5/8"	Coarse	60	13,300	10/Pk	\$55.48
66254472657	NOR66254472657	Type 27 flat flap disc	4 1/2"	5/8"	Coarse	80	13,300	10/Pk	\$48.36
66254437013	NOR66254437013	Type 27 flat flap disc	4 1/2"	5/8"	Extra Coarse	40	13,300	10/Pk	\$41.79
66254419991	NOR66254419991	ZA arbor thread fiberglass conical flap disc	4 1/2"	5/8"	Extra Coarse	P36	13,300	10/Pk	\$56.62
66254420009	NOR66254420009	ZA arbor thread fiberglass conical flap disc	7"	5/8"	Extra Coarse	P36	8,600	10/Pk	\$101.99
66254420010	NOR66254420010	ZA arbor thread fiberglass conical flap disc	7"	5/8"	Extra Coarse	P40	8,600	10/Pk	\$81.69
66254420012	NOR66254420012	ZA arbor thread fiberglass conical flap disc	7"	5/8"	Coarse	P60	8,600	10/Pk	\$101.72
66254420013	NOR66254420013	Type 29 conical flap disc	7"	5/8"	Coarse	80	8,600	10/Pk	\$101.87



NORTON® NEON® F726 AO COARSE GRIT FIBER DISC

Delivering greater durability and faster cutting action than other aluminum oxide discs, the Neon F726 coarse grit fiber disc features a premium aluminum oxide blend for outstanding performance on beveling, stock removal, deburring and blending applications. Heavier fiber backing helps minimize tearing, and the full resin bond further enhances the disc's strength. Affordable disc is excellent for use in combination with a right-angle grinder or pistol grip air sander on challenging materials, including titanium, soft carbon steels and super alloys. Center mount attachment.



ITEM #	MARTIN #	DESCRIPTION	DIAMETER	ARBOR SIZE	GRADE	GRIT	MAX RPM	UOM	PRICE
66623395007	NOR66623395007	Neon F726 AO coarse grit fiber disc	4 1/2"	7/8"	Extra Coarse	24	11,000	10/Pk	\$16.89
66623395009	NOR66623395009	Neon F726 AO coarse grit fiber disc	4 1/2"	7/8"	Coarse	50	11,000	10/Pk	\$15.94
66623395010	NOR66623395010	Neon F726 AO coarse grit fiber disc	4 1/2"	7/8"	Coarse	60	11,000	10/Pk	\$15.14
66623395011	NOR66623395011	Neon F726 AO coarse grit fiber disc	4 1/2"	7/8"	Coarse	80	11,000	10/Pk	\$14.01
66623395016	NOR66623395016	Neon F726 AO coarse grit fiber disc	5"	7/8"	Extra Coarse	24	10,000	10/Pk	\$20.18
66623395017	NOR66623395017	Neon F726 AO coarse grit fiber disc	5"	7/8"	Extra Coarse	36	10,000	10/Pk	\$16.90
66623395018	NOR66623395018	Neon F726 AO coarse grit fiber disc	5"	7/8"	Coarse	50	10,000	10/Pk	\$17.78
66623395019	NOR66623395019	Neon F726 AO coarse grit fiber disc	5"	7/8"	Coarse	60	10,000	10/Pk	\$18.04
66623395020	NOR66623395020	Neon F726 AO coarse grit fiber disc	5"	7/8"	Coarse	80	10,000	10/Pk	\$13.09
66623395012	NOR66623395012	Neon F726 AO ceramic fiber disc	4 1/2"	7/8"		100		10/Pk	\$13.59
66623395013	NOR66623395013	Neon F726 AO ceramic fiber disc	4 1/2"	7/8"		120		10/Pk	\$14.16
66623395021	NOR66623395021	Neon F726 AO ceramic fiber disc	5"	7/8"		100		10/Pk	\$16.25
66623395022	NOR66623395022	Neon F726 AO ceramic fiber disc	5"	7/8"		120		10/Pk	\$18.66



NORTON® STANDARD AIR-COOLED RUBBER BACK-UP PADS FOR FIBER DISCS

Various sizes available.

ITEM #	MARTIN #	DESCRIPTION	DIAMETER	MAX RPM	UOM	PRICE
63642502122	NOR63642502122	Medium air-cooled rubber back-up pad for fiber discs	4 1/2"	11,000	5/Pk	\$171.95
63642543421	NOR63642543421	Medium air-cooled rubber back-up pad for fiber discs	5"	10,000	5/Pk	\$172.87



TO SEE MORE PRODUCTS, VISIT WWW.MARTINSUPPLY.COM



NORTON® METAL R766 AO COARSE GRIT TR (TYPE III) QUICK-CHANGE CLOTH DISC

Coated aluminum oxide, coarse grit. TR (Type III) attachment. Y-wt. polyester backing. Max. operating speed determined by back-up pad.



ITEM #	MARTIN #	DIAM	GRADE	GRIT	MAX RPM	UOM	PRICE
66623319005	NOR66623319005	2"	Extra Coarse	P36	30,000	100/Pk	\$90.20
66623319027	NOR66623319027	3"	Extra Coarse	P36	20,000	50/Pk	\$65.31
66623319028	NOR66623319028	3"	Extra Coarse	P40	20,000	50/Pk	\$63.72
66623319029	NOR66623319029	3"	Course	P50	20,000	50/Pk	\$63.72



NORTON® BEAR-TEX® RAPID PREP® AO MEDIUM GRIT TR (TYPE III) NON-WOVEN QUICK-CHANGE DISC

Moderately blend surfaces on stainless steels and soft metals, including aluminum, titanium and carbon steels, with this disc. With an aluminum oxide abrasive that offers a 20% higher cut rate and 50% better performance than the competition, this disc offers a smear-free finish and reduced surface loading through Clean Bond resin technology, even on alloys with high nickel content. Strong nylon fiber and nylon scrim backing offer a surface for thickly layered resin bond and grain, giving this disc longevity, durability and stiffness.




ITEM #	MARTIN #	DIAM	GRADE	MAX RPM	UOM	PRICE
66261009190	NOR66261009190	2"	Medium	30,000	25/Pk	\$31.75
66261009191	NOR66261009191	2"	Coarse	30,000	25/Pk	\$29.93



BEAR-TEX RAPID PREP AO TR (TYPE III) NON-WOVEN QUICK-CHANGE DISC

Features aluminum oxide abrasive grain coating for improved performance and up to 20 percent better cut rates compared to similar discs on the market. Premium nylon fiber and nylon scrim backing ensures a thick resin bond for sturdiness and longevity, while the Clean Bond technology allows high-quality finishes on tricky soft metals such as high nickel content alloys.



ITEM #	MARTIN #	DIAM	GRADE	MAX RPM	UOM	PRICE
66261009189	NOR66261009189	2"	Very Fine	30,000	25/Pk	\$33.57
66623340077	NOR66623340077	2"	Fine	30,000	50/Pk	\$68.88
66261016373	NOR66261016373	2"	Extra Coarse	30,000	50/Pk	\$69.35
66261009192	NOR66261009192	3"	Very Fine	20,000	25/Pk	\$64.84
66623340085	NOR66623340085	3"	Fine	20,000	25/Pk	\$63.41
66261017522	NOR66261017522	3"	Medium	20,000	25/Pk	\$51.51
66261009194	NOR66261009194	3"	Coarse	20,000	25/Pk	\$64.84
66261016994	NOR66261016994	3"	Extra Coarse	20,000	25/Pk	\$61.74



NORTON® BLUEFIRE® R884P ZA COARSE GRIT TR (TYPE III) PLASTIC FLAT MINI FLAP DISC

Handles coarse grit blending, beveling, stock removal and deburring in tight places. High-performance zirconia alumina plus abrasive provides an aggressive cut, while semi-open coated polyester flaps minimize loading on aluminum and enjoy great durability. Plastic backing plates provide flexibility and absorb vibration well. Disc fits on smaller machines, making it ergonomically friendly for the operator.



ITEM #	MARTIN #	DIAM	GRADE	GRIT	MAX RPM	UOM	PRICE
77696090165	NOR77696090165	2"	Extra Coarse	P36	30,000	10/Pk	\$53.23
77696090166	NOR77696090166	2"	Extra Coarse	P40	30,000	10/Pk	\$54.91
77696090167	NOR77696090167	2"	Coarse	P60	30,000	10/Pk	\$54.72
77696090168	NOR77696090168	2"	Coarse	P80	30,000	10/Pk	\$54.91
77696090170	NOR77696090170	3"	Extra Coarse	P36	30,000	10/Pk	\$68.59
77696090171	NOR77696090171	3"	Extra Coarse	P40	30,000	10/Pk	\$68.52
77696090172	NOR77696090172	3"	Coarse	P60	30,000	10/Pk	\$58.05
77696090173	NOR77696090173	3"	Coarse	P80	30,000	10/Pk	\$52.76



NORTON® METALITE® K225/K227 AO FINE GRIT CLOTH ROLLS

Coated abrasive rolls are designed for fast and easy sanding of various surfaces, and can be torn to exact lengths as needed. Cloth rolls are typically used for polishing lathe turnings, rolls and cylinders, light deburring, blending machine tool marks, removing rust and scale, and fine sanding and polishing.



ITEM #	MARTIN #	GRADE	GRIT	LENGTH	WIDTH	UOM	PRICE
66261126273	NOR66261126273	Fine	P150	50 yds.	1"	1/Ea	\$26.90
66261126272	NOR66261126272	Fine	P180	50 yds.	1"	1/Ea	\$30.58
66261126271	NOR66261126271	Very Fine	P220	50 yds.	1"	1/Ea	\$30.58
66261126270	NOR66261126270	Very Fine	P240	50 yds.	1"	1/Ea	\$27.54
66261126269	NOR66261126269	Very Fine	P280	50 yds.	1"	1/Ea	\$27.20
66261126268	NOR66261126268	Extra Fine	P320	50 yds.	1"	1/Ea	\$30.55
66261126267	NOR66261126267	Super Fine	P400	50 yds.	1"	1/Ea	\$27.54
66261126266	NOR66261126266	Ultra Fine	P600	50 yds.	1"	1/Ea	\$29.34
66261126285	NOR66261126285	Fine	P150	50 yds.	1 1/2"	1/Ea	\$42.34
66261126284	NOR66261126284	Fine	P180	50 yds.	1 1/2"	1/Ea	\$42.34
66261126283	NOR66261126283	Very Fine	P220	50 yds.	1 1/2"	1/Ea	\$42.34
66261126282	NOR66261126282	Very Fine	P240	50 yds.	1 1/2"	1/Ea	\$42.34
66261126281	NOR66261126281	Very Fine	P280	50 yds.	1 1/2"	1/Ea	\$44.65
66261126280	NOR66261126280	Extra Fine	P320	50 yds.	1 1/2"	1/Ea	\$42.34
66261126279	NOR66261126279	Super Fine	P400	50 yds.	1 1/2"	1/Ea	\$42.34
66261126278	NOR66261126278	Ultra Fine	P600	50 yds.	1 1/2"	1/Ea	\$42.34
66261126296	NOR66261126296	Fine	P150	50 yds.	2"	1/Ea	\$54.65
66261126295	NOR66261126295	Fine	P180	50 yds.	2"	1/Ea	\$54.65
66261126294	NOR66261126294	Very Fine	P220	50 yds.	2"	1/Ea	\$54.65
66261126293	NOR66261126293	Very Fine	P240	50 yds.	2"	1/Ea	\$54.65
66261126292	NOR66261126292	Very Fine	P280	50 yds.	2"	1/Ea	\$46.91
66261126291	NOR66261126291	Extra Fine	P320	50 yds.	2"	1/Ea	\$54.65
66261126290	NOR66261126290	Super Fine	P400	50 yds.	2"	1/Ea	\$54.65
66261126289	NOR66261126289	Ultra Fine	P600	50 yds.	2"	1/Ea	\$54.65



BEAR-TEX 747 MAROON NON-WOVEN HAND PAD

Made of a nylon web impregnated with abrasive grain and resin bond. Designed for applications ranging from heavy-duty cleaning to polishing. Excellent replacement for steel wool.



ITEM #	MARTIN #	DESCRIPTION	SIZES	UOM	PRICE
66261074700	NOR66261074700	Non-woven hand pad	6" x 9"	60/Pk	\$66.12



NORTON® METALITE® K225/K227 AO CLOTH SHEETS

Coated abrasive designed for fast and easy sanding of various surfaces.



ITEM #	MARTIN #	GRADE	GRIT	SIZES	UOM	PRICE
66261126340	NOR66261126340	Coarse	P80	9" x 11"	25/Pk	\$37.00
66261126337	NOR66261126337	Fine	P150	9" x 11"	50/Pk	\$59.23
66261126336	NOR66261126336	Fine	P180	9" x 11"	50/Pk	\$70.47
66261126335	NOR66261126335	Very Fine	P220	9" x 11"	50/Pk	\$64.59
66261126334	NOR66261126334	Very Fine	P240	9" x 11"	50/Pk	\$52.24
66261126333	NOR66261126333	Very Fine	P280	9" x 11"	50/Pk	\$51.67
66261126332	NOR66261126332	Extra Fine	P320	9" x 11"	50/Pk	\$47.22
66261126331	NOR66261126331	Super Fine	P400	9" x 11"	50/Pk	\$70.47
66261126330	NOR66261126330	Ultra Fine	P600	9" x 11"	50/Pk	\$49.75
66261126339	NOR66261126339	Medium	P100	9" x 11"	50/Pk	\$70.47
66261126338	NOR66261126338	Medium	P120	9" x 11"	50/Pk	\$70.47



GEMINI CRYSTOLON 39C SC TYPE 01 BENCH AND PEDESTAL WHEEL

Economically-priced sharp, green silicon carbide wheels, designed for all general-purpose bench and pedestal grinder applications on nonferrous materials and carbide tooling. Vitrified bond resists wear and holds its shape. Telescoping bushings fit most arbor hole sizes, ensuring the wheel fits your bench or pedestal grinder for deburring and tool sharpening applications. Wheel is available in numerous sizes and grits to handle sharpening and fine shaping applications.



ITEM #	MARTIN #	DESCRIPTION	DIAMETER	ARBOR SIZE	GRADE	GRIT	THICKNESS	MAX RPM	UOM	PRICE
66252837194	NOR66252837194	Gemini Crystolon 39C SC Type 01 Bench and Pedestal Wheel	6"	1"	Extra Fine	120	1"	4,140	1/Ea	\$42.62
66252837193	NOR66252837193	Gemini Crystolon 39C SC Type 01 Bench and Pedestal Wheel	6"	1"	Fine	80	1"	4,140	1/Ea	\$39.00
66252837187	NOR66252837187	Gemini Crystolon 39C SC Type 01 Bench and Pedestal Wheel	6"	1"	Fine	60	1"	4,140	1/Ea	\$39.00
66253044535	NOR66253044535	Gemini Crystolon 39C SC Type 01 Bench and Pedestal Wheel	8"	1"	Extra Fine	120	1"	3,600	1/Ea	\$58.15
66253044534	NOR66253044534	Gemini Crystolon 39C SC Type 01 Bench and Pedestal Wheel	8"	1"	Fine	80	1"	3,600	1/Ea	\$58.15
66253044087	NOR66253044087	Gemini Crystolon 39C SC Type 01 Bench and Pedestal Wheel	8"	1"	Medium	60	1"	3,600	1/Ea	\$58.15



GEMINI 57A AO TYPE 01 BENCH AND PEDESTAL WHEEL

Economically-priced, quality brown aluminum oxide wheels are ideal for small job shops and numerous general-purpose ferrous applications. Gray aluminum oxide abrasive and a vitrified bond that provides superb shape holding help the wheel resist wear for a longer wheel life. Available in a variety of sizes and grits, the wheel features telescoping bushings to fit most arbor hole sizes and works well for offhand grinding applications.



ITEM #	MARTIN #	DESCRIPTION	DIAMETER	ARBOR SIZE	GRADE	GRIT	THICKNESS	MAX RPM	UOM	PRICE
07660788250	NOR07660788250	Gemini 57A AO Type 01 Bench and Pedestal Wheel	6"	1"	Fine	100/120	1"	4,140	1/Pk	\$24.45
07660788260	NOR07660788260	Gemini 57A AO Type 01 Bench and Pedestal Wheel	6"	1"	Coarse	36/46	1"	4,140	1/Pk	\$24.45
07660788280	NOR07660788280	Gemini 57A AO Type 01 Bench and Pedestal Wheel	8"	1"	Fine	100/120	1"	3,600	1/Pk	\$36.61
07660788285	NOR07660788285	Gemini 57A AO Type 01 Bench and Pedestal Wheel	8"	1"	Medium	60/80	1"	3,600	1/Pk	\$29.13
07660788286	NOR07660788286	Gemini 57A AO Type 01 Bench and Pedestal Wheel	8"	1"	Coarse	36/46	1"	3,600	1/Pk	\$36.48
66253044454	NOR66253044454	Gemini 57A AO Type 01 Bench and Pedestal Wheel	8"	1"	Very Coarse	24	1"	3,600	1/Pk	\$40.04

SAFETY GUIDES, SDS AND WHEEL WARNING MESSAGES

Before using any abrasive materials, READ:


- The Safety Guides
- Wheel Warning Messages
- Safety Data Sheets (SDS)

All Norton products provide information pertaining to safe use. Please take the time to read it carefully. Contact suppliers of the workpiece and abrasive materials for copies of the SDS if one is not readily available. Norton abrasives SDS can be obtained on www.nortonabrasives.com.



WARNING

Improper use of abrasive products might cause grinding wheel breakage and serious injury. Comply with ANSI B7.1, OSHA and Safety Guide furnished with package. Don't overspeed, abuse, or drop wheel. Always use a guard, personal protective equipment and proper mounting procedures.



For many non-stock belts, our FastTrack belt service offers all the benefits of an ISO 9001 quality manufacturer and the advantages of a coated abrasives express belt service. As the industry leader of abrasive belts, our FastTrack belt service has an extensive range of Norton made-to-order belts including Blaze ceramic alumina, BlueFire zirconia alumina, versatile aluminum oxide, and silicon carbide belts.

Manufacturing lead-time is two days for narrow belts (1/2" – 12" wide) and three days for wide belts (14" – 52" wide). Please see the FastTrack belt service chart below for complete details on availability and lead-time.

FastTrack Availability and Lead-time information

WIDTH	GRIT SIZE	MINIMUM ORDER QUANTITY	CASE QUANTITY	MAXIMUM ORDER QUANTITY (EQUALS 2 CASES)	CONVERSION LEAD-TIMES
Narrow Belts					
1/2" through 1"	All	50	200	400	2
Over 1" through 5"	All	10	50	100	2
Over 5" through 9"	All	10	20	40	2
Over 9" through 14"	All	10	10	20	2
Wide Belts					
Over 14" through 20"	All	5	10	20	3
Over 20" through 52"	36 & coarser	2	2	4	3
Over 20" through 52"	40-80	3	3	6	3
Over 20" through 52"	100 & finer	5	5	10	3

How to Place a FastTrack Belt Order

- Check the FastTrack belt availability
- Include a full description of belt: quantity, size, Norton CAP code, and grit size
- Send order electronically, fax, or phone to customer service
- When ordering a belt that does not have an existing part number, please call Customer Service to expedite part number creation

TIER	PRODUCT CAP CODE	SHAPE AVAILABILITY	GRIT SIZE	ABRASIVE GRAIN	BACKING	APPLICATIONS
Metalworking						
Best	R980P	Narrow, Wide	24-120	Blaze Ceramic Alumina	Y-wt. Polyester	Latest-generation Norton SG grain, supersized and designed for high-performance grinding on stainless and other alloys
Best	R984	Narrow, Wide	36-120	SG Ceramic Alumina	Y-wt. Polyester	Norton SG grain for medium-pressure grinding and finishing heat-sensitive alloys
Best	R983	Narrow	P36-P120	Red Heat Ceramic Alumina	Y-wt. Plus	P-graded ceramic alumina abrasive with lubricating supersize coat; engineered for maximum productivity on mild carbon steel, ferrous metal, and cast iron applications
Better	R884P	Narrow, Wide	24, 36-80	BlueFire Zirconia Alumina	Y-wt. Polyester	High-performance zirconia alumina grain designed for medium- to high-pressure grinding
Better	R887D	Narrow, Wide	24, 36-120	BlueFire Zirconia Alumina	Y-wt. Polyester	High-performance zirconia alumina grain, supersized and designed for medium- to high-pressure grinding of heat-sensitive alloys
Better	R823P	Narrow, Wide	60-220	BlueFire Zirconia Alumina	X-wt. Polyester	High-performance zirconia alumina grain on lighter backing designed for light to medium grinding
Good	R766	Narrow	P24-80	Gemini Aluminum Oxide Blend	Y-wt. Polyester	Premium aluminum oxide blend product designed for a variety of applications including soft metals to hard-to-grind stainless and carbon steel
Good	R766X	Narrow, Wide	P60-P400	Gemini Aluminum Oxide Blend	X-wt. Polyester	Quality, P-graded aluminum oxide and broad grit range for stock removal to finer finishing
Good	MX240	Narrow, Wide	P80-P150	Aluminum Oxide	X-wt. Poly/Cotton	P-graded, heat-treated aluminum oxide X-weight cloth with strong, but flexible, cotton/ polyester backing making it an ideal multi-purpose product
Good	R245	Narrow	P80-P240, P320, P400	Aluminum Oxide	J-wt. Polyester	Aluminum oxide on flexible, lightweight polyester backing for moderate- to light- pressure applications on mild steel
Good	KF376	Narrow	P80-P320, P400, P600	Aluminum Oxide	J-wt. Cotton	P-graded, heat-treated aluminum oxide with ceramic coating on a very flexible backing for use wherever flexibility and conformability are needed
Good	R445	Narrow	60-220	Silicon Carbide	X-wt. Polyester	Sharp, silicon carbide grain on medium polyester backing for grinding very hard materials – glass, stone, solid surface
Good	U243	Narrow, Wide to 24"	X80, X65, X45, X30, X22, X16	NORaX Aluminum Oxide	J-wt. Cotton	High-performance, multi-layered NORaX grain on very flexible backing for dry polishing applications
Woodworking						
Best	R963	Narrow, Wide	24-60, P80 100-150	SG Ceramic Alumina	Y-wt. Polyester	Norton SG ceramic alumina grain with anti-static coating for forest product applications (MDF, particleboard, plywood)
Best	R955	Narrow	P36-P120	Red Heat Ceramic Alumina	Y-wt. Cotton	100% ceramic alumina abrasive with Y-weight cloth backing for dimensioning, intermediate sanding of wood
Better	R831	Narrow, Wide	24, 36-120	BlueFire Zirconia Alumina	Y-wt. Cotton	Norton BlueFire open-coat product recommended for dry low-pressure applications or where loading is a problem
Good	R215	Narrow, Wide	50-180	Gemini Aluminum Oxide	X-wt. Cotton	Initial starting specification for woodworking applications where loading is a problem, and initial cost a primary concern
Good	R490	Narrow, Wide	P36-P150	Silicon Carbide	Y-wt. Polyester	Anti-static product for forest product applications (MDF, particle board, plywood) where loading is an issue
Good	R422	Narrow	50-120	Silicon Carbide	X-wt. Cotton	Initial starting specification for woodworking applications where loading is not an issue
Best	H975	Narrow, Wide	60-220	Red Heat Ceramic Alumina	F-wt. Paper	Ceramic alumina grain, antistatic coating, and open coat; the best choice for applications where loading is a problem (soft woods, etc.)
Better	H831	Wide	24,36-120	BlueFire Zirconia Alumina	F-wt. Paper	Durable zirconia alumina grain, antistatic coating, and open coat: the better choice for applications where loading is a problem (soft woods, etc.)
Good	H275B	Narrow, Wide	P60-P220	Aluminum Oxide	F-wt. Paper	Quality aluminum oxide grain, antistatic coating, and open coat make these an economical choice for all heavy-weight paper belt jobs
Better	H475	Narrow, Wide	P120-P400	Onyx Silicon Carbide	F-wt. Paper	Sharp silicon carbide and antistatic coating create finer finishes on hard materials and veneers where finish is critical

MARTIN



when the going gets rough
RELY ON NORTON INNOVATION



MARTIN 
CORPORATE OFFICE
125 N COURT ST
FLORENCE, AL 35630

ALABAMA

- ▶ **ANNISTON**
1707 E HILLER ROBINSON PKWY
OXFORD, AL 36203
256.389.3365
- ▶ **BIRMINGHAM**
141 COMMERCE CT^T
PELHAM, AL 35124
205.733.9292
- ▶ **DECATUR**
3401 HIGHWAY 20, BUILDING J
DECATUR, AL 35601
256.355.6311
- ▶ **SHEFFIELD**
200 APPLETON AVE^E
SHEFFIELD, AL 35660
256.383.3132
- ▶ **TUSCALOOSA**
3718 11TH AVE
TUSCALOOSA, AL 35401
205.752.0421

GEORGIA

- ▶ **ATLANTA**
6215 FULTON INDUSTRIAL BLVD
ATLANTA, GA 30336
404.346.2141

INDIANA

- ▶ **EVANSVILLE**
4720 SPRING ST
EVANSVILLE, IN 47711
812.425.5167
- ▶ **FORT WAYNE**
1121 E WALLACE ST
FORT WAYNE, IN 46803
800.877.3555

KENTUCKY

- ▶ **HENDERSON**
387 BORAX DR
HENDERSON, KY 42420
800.877.3555

OHIO

- ▶ **COLUMBUS**
236 N HAYES ST
BELLEFONTAINE, OH 43311
800.877.3555

SOUTH CAROLINA

- ▶ **GREENVILLE**
19 CONCOURSE WAY
GREER, SC 29650
864.848.1958

- ▶ **COLUMBIA**
100 CENTRUM DR
IRMO, SC 29063
800.877.3555

TENNESSEE

- ▶ **JACKSON**
111-A GORDON ST
JACKSON, TN 38301
731.424.4300
- ▶ **MEMPHIS**
3088 LAKEVIEW RD
MEMPHIS, TN 38116
901.620.2732
- ▶ **NASHVILLE**
208 SPACE PARK N
GOODLETTSVILLE, TN 37072
615.851.8040



800.828.8116

info@MartinSupply.com

MartinSupply.com