


Harnesses

GOOD



V-Line Series

V-Line Full Body Harness FS99185-E-QC

- Economical
- Lightweight, streamlined design
- Universal sizing

Options:

Item# FS99185-E D-ring, MB chest

Item# FS99185-EFD Front and Back D-ring

BETTER



PRO Series

PRO Construction Harness FS170

- Premium features yet affordable
- Corrosive resistant, steel plated D-rings
- Ergonomically designed shoulder and waist pads
- Up to 420 lbs.


Options:

Item# FS185 MB chest, TB legs

Item# FS185DL Same as above, SRL link

Item# SW280-QC QC chest and legs

BEST



PRO+ Series

PRO+ Full Body Harness FS-FLEX185

- All-steel premium harness
- Advanced, contoured technical padding for added comfort
- QC chest and dorsal link standard
- Up to 420 lbs.

Options:

Item# FS-FLEX360 3 D-rings, TB legs

Item# FS-FLEX280 D-ring, QC legs and chest

Connectors



LATITUDE

Latitude Pro 7' Single Web SRL 018-5007

- Class A SRL
- Clear, semi-sealed housing
- Premium internal braking system
- Premium PC housing construction
- Up to 420 lbs.

Single Leg Options:

Item# 018-5009
Aluminum snap hook

Dual Leg Options:

Item# 018-5026
Steel rebar hooks
Item# 018-5027
Aluminum rebar hooks



LATITUDE

Latitude Edge 8' Dual Cable SRL 020-5238

- Class B SRL
- Lightweight construction
- Aerodynamic low profile housing
- Upgraded galvanized steel cable
- Up to 420 lbs.

Single Leg Options:

Item# 020-5230
Steel snap hook

Dual Leg Options:

Item# 020-5235
Snap hooks
Item# 020-5237
Steel rebar hooks

LEADING EDGE 



LATITUDE HD

Latitude HD 11' Single Web SRL
FS-FSP1411-W

- Class A SRL
- Steel snap hook
- Superior durability with heavy duty housing
- Perfect for use in low clearance

BEST SELLER ▶



LATITUDE HD

Latitude HD 11' Single Cable SRL
FS-FSP1211-G

- Class A SRL
- Load-indicating swivel steel snap hook
- Rugged cable provides extreme durability
- Perfect for use in low clearance



LATITUDE

Latitude 6' Single Web SRL
019-5044

- Class A SRL
- 360/180° attachment point for increased mobility
- Durable polymer housing
- External energy absorber

Single Leg Options:

Item# 019-5046
Steel rebar hook

Dual Leg Options:

Item# 019-5054
Steel rebar hooks

BEST VALUE ▶



NORTHSTAR CLASSIC

Northstar Classic LE 20' Cable SRL
FS-FSP9020

- Class A SRL
- External energy absorber for leading edge use
- Swivel attachment point
- Fast-activating braking system
- Load indicating snap hook

Options:

Item# FS-FSP9030 30' Length
Item# FS-FSP9050 50' Length

LEADING EDGE ▶




PRO 6' Energy Absorbing Lanyard
FS560

- 2 Snap hooks
- Protective label cover
- Lightweight, single leg construction

Options:

Item# FS560-AJ Adjustable length from 4' to 6'



PRO 6' Stretch Internal Energy Absorbing Lanyard
FS596

- Stretches from 4' to 6'
- 1 Steel snap hook and 2 steel rebar hooks
- Performance webbing with POY

Options:

Item# FS591 3 Steel snap hooks

Lifeline Systems



60' Cable HLL System
019-8021

- Durable, corrosion-resistant cable
- 2 Heavy duty 6' cross-arm strap anchors
- Available in lengths from 30' to 100'



60' Kernmantle Rope HLL
019-8005

- Abrasion-resistant kernmantle rope
- 2 Heavy duty 6' cross-arm strap anchors
- Available in lengths from 30' to 100'

CONTACT YOUR MARTIN SALES REP TODAY! 800.828.8116

Anchors



**6' Cross-Arm Strap
FS810-6**

- Forged, zinc-plated steel D-rings
- Heavyweight strap webbing
- Abrasion-resistant sling webbing wear pad
- Available in other lengths




**Cable Choker Anchor
FS830-C6**

- 6' length
- Lightweight and easy install
- Forged pass-through steel O-rings
- Available in other lengths



**Rebar Chain Assembly
FS060**

- Adjustable 26" chain assembly
- 1 Forged swivel rebar hooks
- 2 Forged steel snap hooks
- Ideal for use on rebar or concrete structures



**FrogLink Permanent Anchor
019-4006**

- Stainless steel construction
- 360° working radius
- Built-in energy absorber
- Can be used as a single point anchor or as part of a HLL system

Options:

[Item# 019-4005](#) Temporary Anchor

Ladder Climb Systems

Ladder climb systems are available in standard and extended lengths for 2 or 4-person application.



**EVO 3/8" Detachable
Cable Sleeve
020-12101**

- Corrosion resistant materials
- Durable, yet lightweight with integral energy absorber
- Secure internal cam locking system
- Use with Safewaze ladder systems



**20' Ladder Climb System
019-12001**

- 2-Person top bracket with energy-absorbing head unit
- 3/8" corrosion-resistant galvanized steel cable
- Pre-swaged termination for added protection
- Easily installed on standard rung attachments
- Cable sleeve and intermediate guides sold separately
- **Other configurations and options available**

**4' Extended Top Bracket Assembly
019-12023**

- Energy absorbing, stainless steel head unit
- 86.5" corrosion-resistant galvanized steel mounting post
- 3,600 lb. single user anchor point



**TO PLACE AN ORDER OR FOR MORE INFORMATION
CONTACT YOUR MARTIN SALES REP TODAY! 800.828.8116**