



MARTIN 



**Safer Formula.
Superior Performance.**

QUICKWIK™ Universal Granular Absorbent

QUICKWIK™ Universal Granular Absorbent: The lighter, safer, 4X more effective alternative to clay granular

QUICKWIK industrial organic absorbent is the superior granular solution for a reason. Take a look at four common problems with clay granular and consider the QUICKWIK comparison:

1. Health hazards: Most granular absorbents are composed of diatomaceous earth or clay, which is up to 90% silica based. OSHA issued a final rule limiting exposure to respirable crystalline silica to curb lung cancer, silicosis, chronic obstructive pulmonary disease and kidney disease.

▶ QUICKWIK granular is constructed of 100% biodegradable material devoid of carcinogens, is completely natural and safe for landfills, incinerators, indoor or outdoor use.

2. Messes: Clay-based granular is typically dusty and easily tracked, causing an unsightly mess in your facility, throughout your production process and with your finished goods.

▶ QUICKWIK granular is lightweight and easy to deploy indoors or outdoors. Use it to clean up spills in hard to reach areas without the dust and mess.

3. Abrasion: Clay-based granular often causes abrasion damage to equipment and floors.

▶ QUICKWIK granular is workplace friendly. Its natural material prevents abrasion damage.

4. Effectiveness: Clay granular becomes coated in the liquid, which then seeps through, creating more of a mess and requiring more clay granular.

▶ QUICKWIK granular is highly effective at absorbing hydrocarbons, chemicals and water-based solutions by encapsulating the liquid and holding it in place. In fact, a 20 lb. bag of QUICKWIK granular absorbs up to 4x the liquid of clay alternatives.

At-a-glance clay vs. QUICKWIK granular comparison

	QUICKWIK	Perlite	Clay
Non carcinogenic	✓	✓	x
Dust free	✓	x	x
Safe for all spills	✓	x	x
Biodegradable	✓	x	x
Non abrasive	✓	x	x
Absorbs paint	✓	✓	x
Absorbs on contact	✓	✓	x
Approved for non-hazardous landfill	✓	x	x
Pet and child safe	✓	x	x

	QUICKWIK	Perlite	Clay
Re-usable on multiple spills	✓	x	x
NSF listing—certified safe around food*	✓	x	x
Preference for oil over water	✓	x	x
Suitable for all domestic use	✓	x	x
Environmentally responsible life-cycle	✓	x	x
Small carbon footprint	✓	x	x
Lightweight robust packaging	✓	x	x
Can be used to clean hands and tools	✓	x	x
Has 100% customer approval	✓	x	x



Contact your Martin Sales Rep or call 800.828.8116 to learn more.



An environmentally safer alternative to spill control

Landfill leachate occurs when water flows through waste landfills, especially uncontrolled landfills which are not capped properly. It is common to find soluble zinc, phenols, cyanide and ammonium in landfill leachates.

Based on testing in the Landfill Leachate Quantitative Analysis Report, QUICKWIK is well below the acceptable EPA leachate testing limits for landfill disposal as specified under:

- Toxicity Characteristic Leaching Procedure (TCLP)
- Total Threshold Limit Concentration (TTL)
- Soluble Threshold Limit Concentration (STLC)



Proven performance

Don't just take our word for it, consider what customers are saying

"It can clean up a heavy oil spill in 15 to 20 minutes, versus one and a half hours with clay absorbents. It's a product that can be used throughout the plant that is light weight, efficient, cost effective and safe around food."

- Maintenance Supervisor
of a large food processor

"I have yet to encounter a spill or leak this product can't handle."

- Ben Parker, Operations Manager
at Fedex Ground

Compatible Substances

Get a slick-free clean for Hydrocarbon Spills

- Automotive Fluids
- Antifreeze
- Aviation Fuel
- Corn Oil
- Coolants
- Cottonseed Oil
- Degreasers
- Ethylene
- Glycol
- Floor Wax
- Glycerol
- Hydraulic Fluids
- Mineral Oil
- Octane
- Petroleum Ether
- Power Steering Fluid
- Transmission Fluid
- Brake Fluid
- Carbon Black
- Lubricating Oil
- Motor Oil
- Oil
- Drilling Fluids
- Silicone Oil
- Soy Bean Oil
- Skydrol
- Synthetic Motor Oil
- Transformer Oil

Get a better clean for Chemical Spills

- Hydrochloric Acid (45%)
- Hydrogen Peroxide (70%)
- Peroxide (70%)
- Sulfuric Acid (50%)
- Hypochlorite Solution (18%)
- Peracetic Acid (15%)
- Potassium Hydroxide (45%)
- Acetaldehyde
- Acrylic Paint
- Battery Acid
- Boric Acid
- Calcium
- Hypochlorite
- Chloroform
- Liquid Polymers
- Sodium Bicarbonate
- Solvents
- Acetic Acid
- Aluminum Hydroxide
- Bleach
- Citric Acid
- Detergents
- Ethylenediamine
- Formic Acid
- Gorilla Glue
- Resins
- Magnesium Hydroxide
- Nitric Acid
- Oil Paint
- Paint Thinners

Get a residue-free clean for Polymer spills

- Liquid Polymers
- DPAM
- Polyamine
- PolyDAMAC
- Emulsion Polymers
- Non-ionic Flocculants
- Anionic Flocculants
- Cationic Flocculants
- Solvents
- Softeners
- Sodium Hydroxide
- Acetic Anhydride
- Ammonium Hydroxide
- Barium Hydroxide

QUICKWIK granular

Catalog #	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
QW-20	20 lb. bag	4.5	7	960	48	1 pallet
QW-20H	20 lb. bag	4.5	7	480	24	1/2 pallet



We identify and protect premises, products and people.

For more information or to learn more about our innovative products, visit BradyID.com or call 1-888-272-3946.

MARTIN 

Contact your Martin Sales Rep or call 800.828.8116 to learn more.



Y4451340 MS4451340

© 2022 Brady Worldwide Inc. ALL RIGHTS RESERVED

USA
Customer Service: 1-888-272-3946
Inside Sales: 1-888-311-0775
BradyID.com

Canada
Customer Service: 1-800-263-6179
BradyCanada.ca

Mexico
Customer Service: 1-800-262-7777
Inside Sales: 1-800-262-7777 ext 177
BradyLatinAmerica.com

