



MARTIN 



**Innovative absorbent
and spill control
products you can rely on**

Absorbents and Spill Control


Contact your Martin Sales Rep or call 800.828.8116 to learn more.

1 Step One: Know What You're Absorbing

Water- or oil-based fluids

SPC recommends: universal absorbents


Use around machinery, under leaky pipes, in messy traffic areas or for general maintenance projects. Re-Form™ universal absorbents made of recycled materials offer an environmentally friendly solution.



Oil-based fluids outdoors/water repelling

SPC recommends: oil-only absorbents

Specialized for oil and other petroleum-based spills including paints and non-water soluble chemicals, these absorbents will not absorb water and will float indefinitely. Re-Form™ oil-only absorbents made of recycled materials offer an environmentally friendly solution.



Hazardous chemical fluids

SPC recommends: chemical absorbents

Surfactant-treated polypropylene absorbents can be used on a wide range of chemicals, including hydrofluoric acid. They are chemically inert, so they will not react with aggressive fluids.

Keep in mind that absorbents take on the properties of whatever they absorb, so the bright color provides a visual indication to separate waste streams.



Looking to save time, effort and money?

Use a mid- to high-level universal product as the standard in your facility. Its construction can be used on a wide variety of applications and with a standardized absorbent, you will not have to manage the inventory of multiple items.



2 Step Two: Identify Your Application



General purpose wiping, drips and leaks

SPC recommends: pads, rolls, SOCs and pillows

Pre-cut pads and perforated rolls provide easy access to absorbents for general-purpose use around your facility. Use specialized SOCs and pillows around or underneath dripping equipment.



Heavy foot and forklift traffic

SPC recommends: mats and rugs

Mats and rugs offer greater durability to withstand harsh conditions. Barrier-backed options prevent liquid from penetrating the absorbent and reaching the floor underneath, while printed mats warn of possible slips, trips and fall hazards.



Emergency spill response

SPC recommends: spill kits, pallets, drain plugs

Spill kits bundle together all of the necessary products to clean up an unexpected spill. Other spill containment options include spill pallets, drain plugs and absorbent storage centers.



Specialty absorbents

SPC recommends: marine or granular products

Marine environments require boom, sweep and drag nets to remove fluids in or near bodies of water. Granular absorbents are available when loose absorbents are preferred, or when acid/base neutralization is required prior to spill clean-up.

Best selling universal



MRO Plus® Pads and Rolls

Brady SPC's number one universal absorbent and the standard in all-purpose, gray maintenance absorbents.

- Universal absorbency to handle most water-, petroleum- and chemical-based fluids
- 3-ply (MMM) meltblown polypropylene construction increases durability

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
MRO100	Heavy weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	26	17.5	30	100/case
MRO300	Medium weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	20.5	14	30	100/case
MRO315P	Heavy weight roll	15 in. x 150 ft.	Yes, every 18 in.	12.5	24	17.5	24	1/case
MRO350-DP	Medium weight roll	15 in. x 150 ft.	Yes, every 18 in.	12.5	20	14	24	1/case
MRO30-DP	Heavy weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	49	32	12	1/case
MRO15P	Medium weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	38	26.5	12	1/case

Best selling universal



General-Purpose Universal Pads and Rolls

Economical general purpose absorbents offer the look, feel and performance of a premium product.

- Efficient single-ply construction with MAXX® Technology — absorption and strength without the extra weight

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
GP100	Heavy weight pad	15 in. x 19 in.	Yes, 7.5 in.	18	30	11.5	30	100/case
GP200	Light weight pad	15 in. x 19 in.	Yes, 7.5 in.	20	44	16	22	200/case
GP30	Heavy weight roll	30 in. x 150 ft.	No	13	48	28	12	1/bale



High-Traffic Rolls and Rugs

Multi-use absorbent built for durability and high absorbency in high-traffic and busy problem areas.

- Universal absorbency to handle most water-, petroleum- and chemical-based fluids
- 2-ply construction with safety printed coverstock reduces linting and increases durability while meltblown fibers grip the floor below

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
HT153	Medium weight roll	15 in. x 300 ft.	Yes, every 15 in.	12.5	32	20	16	1/bale
HT303	Medium weight roll	30 in. x 300 ft.	Yes, 15 in. and every 15 in.	12.5	63	40	8	1/bale




Xtra Tough Pads

Extra tough absorbents for applications that require high durability, non-linting and abrasion-resistance.

- Universal absorbency to handle most water-, petroleum- and chemical-based fluids
- 3-ply construction with coverstock on both sides maximizes durability and minimizes linting

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
UXT100	Heavy weight pad	15 in. x 19 in.	Yes, 7.5 in.	11	19.5	14.5	30	100/case
UXT200	Light weight pad	15 in. x 19 in.	Yes, 7.5 in.	11	31.5	18.5	22	200/case



SPC Oil Pads and Rolls

Brady SPC's best-selling oil-only pads for industrial or marine use.

- Oil-only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SPC100	Heavy weight pad	15 in. x 19 in.	Yes, 7.5 in.	18	35	14	30	100/bale*
SPC200	Medium weight pad	15 in. x 19 in.	Yes, 7.5 in.	18	30	11	30	100/bale*
SPC300	Light weight pad	15 in. x 19 in.	Yes, 7.5 in.	18	51	16	24	200/bale*
SPC150	Heavy weight roll	38 in. x 144 ft.	No	15	70	33	18	1/bale*

*SPC Oil Absorbents packaged in a blue bag.



ENV® Oil Pads and Rolls

Highly economical, contractor grade oil-only absorbent for oil clean-up on land or water.

- Oil-only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely, even when saturated with oil

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
ENV100	Medium weight pad	30 in. x 30 in.	No	20	50	19	14	50/bale*
ENV200	Heavy weight pad	15 in. x 19 in.	No	20	33	12.5	30	100/bale*
ENV300	Medium weight pad	15 in. x 19 in.	No	18	23.2	10	30	100/bale*
ENV50	Light weight pad	15 in. x 19 in.	No	23	51	16	24	200/bale*
ENV150	Medium weight roll	30 in. x 150 ft.	No	15	44	22	18	1/bale*

*ENV Oil Absorbents packaged in a green bag.

High-Traffic Absorbents



BattleMat® Rolls

Tough camouflage-patterned roll hides leaks and drips and is ideal for areas with moderate foot traffic.

- Durable 2-ply construction is ideal for use in high-traffic areas — foot or forklift traffic

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
BM15	Heavy weight roll	15 in. x 150 ft.	Yes, 7.5 in. and 12 in. across	12.5	26	17	24	1/case
BM30	Heavy weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	53	34.5	12	1/case



BRIGHTSORB™ High Visibility Pads and Rolls

Color and print make it ideal for areas where the risk of slips, trips and falls is greatest.

- Universal absorbency to handle most water-, petroleum- and chemical-based fluids
- Product does not react with aggressive fluids

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
CH100	Heavy weight pad	15 in. x 19 in.	Yes, 7.5 in.	18	28	16	30	100/case
CH200	Light weight pad	15 in. x 19 in.	Yes, 7.5 in.	18	28	16	22	200/case
CH303	Medium weight roll	30 in. x 300 ft.	Yes, 15 in. and every 15 in.	12.5	70	40	8	1/bale

Specialty Absorbents



Universal SOCs

- All-purpose SOCs to clean up oils, coolants, solvents and water-based fluids throughout your facility
- Gray color masks spills and stains — helping you resist the urge to pick up the absorbent before it is fully saturated


Catalog #	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
AW412	3 in. x 4 ft.	9	12	12	36	12/case
SW46	3 in. x 3.5 ft.	3	20	50	16	40/case
BSC40	3 in. x 3.5 ft.	15	84	47.5	12	40/case



ALLWIK® Universal Pillows

- All-purpose polypropylene pillow
- Suitable for most industrial applications
- Ideal under valves and for other dripping applications

Catalog #	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
AW1818	18 in. x 18 in.	12.5	28	19	15	16/case



ALLWIK® Universal Drum Cover

- Designed to fit 55-gallon drums
- Pre-cut holes to fit drums with 1 or 2 bungholes
- Create a clean and safe work floor by helping prevent pump drips from reaching the floor

Catalog #	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
DTA25	22 in. dia.	12.5	6	6	60	25/case



Oil-Only SOCs

- Absorbs oil, grease, transmission fluid, coolant and other petroleum-based liquids
- Repels water and floats making it ideal for use in outdoor applications
- Wringable and can be incinerated

Catalog #	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
OIL412	3 in. x 4 ft.	9	12	11	36	12/case



Economical ENV® Oil-Only Booms

- Oil-only booms absorb oil- and petroleum-based liquids while repelling water and floating indefinitely
- Features interconnectivity and a lint-free blue sleeve

Catalog #	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
ENV510	8 in. x 10 ft.	13	65	38	12	4/bale
ENV810	5 in. x 10 ft.	12.6	32	19	20	4/bale

SpillFix® Granular Absorbent

- Constructed of 100% recycled material
- Lightweight and easy to deploy
- Extremely effective in the absorption of hydrocarbons, water-based fluids and most aggressive chemicals
- NSF certified and landfill safe for the disposal of hydrocarbons. Confirm with your local municipality on proper disposal.



Catalog #	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SF-20	20 lb bag	4.5	7	995	48	1 pallet
SF-7	7 lb bag	4.5	2	900	124	1 pallet
SF-JAR	3 qt jar	4	0.75	365	288	1 pallet
SF-JAR-CS	3 qt jar	4	0.75	7	-	6/case
SF-5BOOM	4 in. x 5 ft. boom	4.5	6	16	48	4/case
SF-10BOOM	4 in. x 10 ft. boom	4.5	6	20	48	2/case

Economy Spill Kit

- Highly visible, yellow PVC bag for small spills; the right price, the right size and the right value
- Absorbs up to 5 gallons per kit
- Kit dimensions: 20 in. L x 16 in. W x 4 in. H

Contents:

- 10 pads (15 in. x 19 in.)
- 1 disposal bag
- 1 instruction sheet
- 2 SOCs (3 in. x 4 ft.)
- 1 pair nitrile gloves



Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-PP	Universal	5	24	20	4/case
SKO-PP	Oil only	5	24	20	4/case

20-Gallon Lab Pack

- UN-approved water and chemical resistant polyethylene container with screw-top lid for medium response
- Absorbs up to 17 gallons per kit
- Kit dimensions: 21 in. Dia. x 18 in. H

Contents:

- 12 pads (15 in. x 19 in.)
- 3 disposal bags
- Emergency Response Guidebook
- 3 SOCs (3 in. x 12 ft.)
- 1 pair goggles
- 2 pillows (18 in. x 18 in.)
- 1 pair nitrile gloves



Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-BKT	Universal	17	26	12	1/each

95-Gallon Overpack

- UN-approved water- and chemical-resistant polyethylene container with screw-top lid for large response
- Refill kits are available for easy re-stocking after a spill
- Absorbs up to 75 gallons per kit
- Kit dimensions: 31.5 in. Dia. x 35 in. H

Contents:

- 110 pads (15 in. x 19 in.)
- 8 pillows (18 in. x 18 in.)
- 1 pair nitrile gloves
- 12 SOCs (3 in. x 4 ft.)
- 10 disposal bags
- Emergency Response Guidebook
- 8 SOCs (3 in. x 12 ft.)
- 1 pair goggles



Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-95	Universal	75	107	2	1/each

6.5-Gallon Spill Bucket

- Fast and small response with easily accessible spill kit in a reusable bucket
- Absorbs up to 5 gallons per kit
- Kit dimensions: 14 in. Dia. x 18 in. H

Contents:

- 10 pads (15 in. x 19 in.)
- 2 disposal bags
- 1 instruction sheet
- 3 SOCs (3 in. x 4 ft.)
- 1 pair nitrile gloves



Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-BKT	Universal	5	9	36	1/each

55-Gallon Drum

- UN-approved water- and chemical-resistant polyethylene container with lever-locked lid for medium response
- Refill kits are available for easy re-stocking after a spill
- Absorbs up to 38 gallons per kit
- Kit dimensions: 24 in. Dia. x 37 in. H

Contents:

- 50 pads (15 in. x 19 in.)
- 5 disposal bags
- Emergency Response Guidebook
- 4 SOCs (3 in. x 12 ft.)
- 1 pair goggles
- 8 pillows (18 in. x 18 in.)
- 1 pair nitrile gloves



Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-55	Universal	38	57	8	1/each

Specialty Fluids Spill Kits

- An assortment of pads, neutralizers and appropriate PPE to make cleaning up safer and more efficient
- Reusable screw-top bucket keeps contents clean and easily accessible
- Kit dimensions: 14 in. Dia. x 18 in. H



Formaldehyde kit shown

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SK-FORM	Formaldehyde kit	4.5	9	36	1/each
SK-BF	Bodily fluids kit	4.5	9	36	1/each
SK-BATT	Battery acid kit	4.5	9	36	1/each
SK-MERC	Mercury kit	4.5	9	36	1/each

**We identify and protect premises,
products and people.**

For more information or to learn more about our innovative products, visit BradyID.com or call 1-888-272-3946.

MARTIN 

**Contact your Martin Sales
Rep or call 800.828.8116 to
learn more.**



Y4646456 MS4646456

© 2018 Brady Worldwide Inc. ALL RIGHTS RESERVED

USA
Customer Service: 1-888-272-3946
Inside Sales: 1-888-311-0775
BradyID.com

Canada
Customer Service: 1-800-263-6179
BradyCanada.ca

Mexico
Customer Service: 1-800-262-7777
Inside Sales: 1-800-262-7777 ext 177
BradyLatinAmerica.com

